

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

us
C31

~~CHLAMYDIA PNEUMONIAE GENOME SEQUENCE~~

CROSS-REFERENCES TO RELATED APPLICATIONS

The present application is related to 60/128,606, filed April 8, 1999 and
5 60/108,279, filed November 12, 1998, which are incorporated herein by reference.

STATEMENT AS TO RIGHTS TO INVENTIONS MADE UNDER FEDERALLY SPONSORED RESEARCH AND DEVELOPMENT

10 FIELD OF THE INVENTION

This invention relates to nucleic acids and polypeptides from *Chlamydia pneumoniae* and to their use in the diagnosis, prevention and treatment of diseases associated with *C. pneumoniae*.

15 BACKGROUND OF THE INVENTION

Chlamydiaceae is a family of obligate intracellular parasite with a tropism for epithelial cells lining the mucus membranes. The bacteria have two morphologically distinct forms, "elementary body" and "reticulate body". The elementary body is the infectious form, and has a rigid cell wall, primarily of cross-linked outer membrane
20 proteins. The reticulate body is the intracellular, metabolically active form. A unique developmental cycle between these two forms characterizes *Chlamydia* growth.

C. pneumoniae is a human respiratory pathogen that causes acute respiratory disease, and approximately 10% of community-acquired pneumonia. Antibody prevalence studies have shown that virtually everyone is infected with *C.*
25 *pneumoniae* at some time, and that reinfection is common. In addition to respiratory disease, studies have shown an association of this organism with coronary artery disease. It has been demonstrated in atherosclerotic lesions of the aorta and coronary arteries by immunocytochemistry and by polymerase chain reaction (Kuo *et al.* (1993) *J Infect Dis* 167(4):841-849).

Recent reports have further demonstrated the presence of *C. pneumoniae* in the walls of abdominal aortic aneurysms (Juvonen *et al.* (1997) *J Vasc Surg* 25(3):499-505). Abdominal aortic aneurysms are frequently associated with atherosclerosis, and inflammation may be an important factor in aneurysmal dilatation.

C. pneumoniae may play a role in maintaining an inflammation and triggering the development of aortic aneurysms.

Muhlestein *et al.* (1996) JACC 27:1555-61, reported a differential incidence of *Chlamydia* species within the coronary artery wall of patients with atherosclerosis versus those with other forms of cardiovascular disease. The extremely high rate of possible infection in patients with symptomatic atherosclerotic disease compared to the very low rate in patients with normal coronary arteries or coronary artery disease from chronic transplant rejection provides evidence for a direct link between the atherosclerotic process and *Chlamydia* infection. Because a history of chlamydial infection is so prevalent in the population, the issue of causality remains. On a physiologic and pathologic level, abnormal interactions among endothelial cells, platelets, macrophages and lymphocytes may lead to a cascade of events resulting in acute endothelial damage, thrombosis and repair, chronically leading to the development of atheroma in blood vessels.

C. pneumoniae is related to other *Chlamydia* species, but the level of sequence similarity is relatively low. Very little is known about the biology of this organism, although it appears to be an important human pathogen. Allelic diversity and structural relationships between specific genes of Chlamydial species is described in Kaltenboeck *et al.* (1993) J Bacteriol 175(2):487-502; Gaydos *et al.* (1992) Infect Immun 60(12):5319-5323; Everett *et al.* (1997) Int J Syst Bacteriol 47(2):461-473; and Pudjiatmoko *et al.* (1997) Int J Syst Bacteriol 47(2):425-431.

A number of studies have been published describing methods for detection of *C. pneumoniae*, and for distinguishing between Chlamydial species. Such methods include PCR detection (Rasmussen *et al.* (1992) Mol Cell Probes 6(5):389-394; Holland *et al.* (1990) J Infect Dis 162(4):984-987); a simplified polymerase chain reaction-enzyme immunoassay (Wilson *et al.* (1996) J Appl Bacteriol 80(4):431-438); sequence determination and restriction endonuclease cleavage (Herrmann *et al.* (1996) J Clin Microbiol 34(8):1897-1902).

Antigenic and molecular analyses of different *C. pneumoniae* strains is described in Jantos *et al.* (1997) J Clin Microbiol 35(3):620-623. Some genes of *C. pneumoniae* have been isolated and sequenced. These include the Gro E operon (Kikuta *et al.* (1991) Infect Immun 59(12):4665-4669); the major outer membrane protein Perez *et*

al. (1991) Infect Immun 59(6):2195-2199; the DnaK protein homolog (Kornak *et al.* (1991) Infect Immun 59(2):721-725); as well as a number of ribosomal and other genes.

5

SUMMARY OF THE INVENTION

This invention provides the genomic sequence of *Chlamydia pneumoniae*.

The sequence information is useful for a variety of diagnostic and analytical methods.

The genomic sequence may be embodied in a variety of media, including computer
10 readable forms, or as a nucleic acid comprising a selected fragment of the sequence.
Such fragments generally consist of an open reading frame, transcriptional or translational control elements, or fragments derived therefrom. Proteins encoded by the open reading frames are useful for diagnostic purposes, as well as for their enzymatic or structural activity.

15

DEFINITIONS

The term "amino acid" refers to naturally occurring and synthetic amino acids, as well as amino acid analogs and amino acid mimetics that function in a manner similar to the naturally occurring amino acids. Naturally occurring amino acids are those
20 encoded by the genetic code, as well as those amino acids that are later modified, e.g., hydroxyproline, γ -carboxyglutamate, and O-phosphoserine. Amino acid analogs refers to compounds that have the same basic chemical structure as a naturally occurring amino acid, i.e., an α carbon that is bound to a hydrogen, a carboxyl group, an amino group, and an R group., e.g., homoserine, norleucine, methionine sulfoxide, methionine methyl
25 sulfonium Such analogs have modified R groups (e.g., norleucine) or modified peptide backbones, but retain the same basic chemical structure as a naturally occurring amino acid. Amino acid mimetics refers to chemical compounds that have a structure that is different from the general chemical structure of an amino acid, but that functions in a manner similar to a naturally occurring amino acid.

30

Amino acids may be referred to herein by either their commonly known three letter symbols or by the one-letter symbols recommended by the IUPAC-IUB Biochemical Nomenclature Commission. Nucleotides, likewise, may be referred to by their commonly accepted single-letter codes.

"Amplification" primers are oligonucleotides comprising either natural or analogue nucleotides that can serve as the basis for the amplification of a select nucleic acid sequence. They include, e.g., polymerase chain reaction primers and ligase chain reaction oligonucleotides.

5 "Antibody" refers to an immunoglobulin molecule able to bind to a specific epitope on an antigen. Antibodies can be a polyclonal mixture or monoclonal. Antibodies can be intact immunoglobulins derived from natural sources or from recombinant sources and can be immunoreactive portions of intact immunoglobulins. Antibodies may exist in a variety of forms including, for example, Fv, F_{ab}, and F(ab)₂, as
10 well as in single chains. Single-chain antibodies, in which genes for a heavy chain and a light chain are combined into a single coding sequence, may also be used.

An "antigen" is a molecule that is recognized and bound by an antibody, e.g., peptides, carbohydrates, organic molecules, or more complex molecules such as glycolipids and glycoproteins. The part of the antigen that is the target of antibody
15 binding is an antigenic determinant and a small functional group that corresponds to a single antigenic determinant is called a hapten.

"Biological sample" refers to any sample obtained from a living or dead organism. Examples of biological samples include biological fluids and tissue specimens. Such biological samples can be prepared for analysis of the presence of *C. pneumoniae*
20 nucleic acids, proteins, or antibodies specifically reactive with the proteins.

The term "*C. pneumoniae* gene" shall be intended to mean the open reading frame encoding specific *C. pneumoniae* polypeptides, as well as adjacent 5' and 3' non-coding nucleotide sequences involved in the regulation of expression, up to about 2 kb beyond the coding region, but possibly further in either direction. The gene may be
25 introduced into an appropriate vector for extrachromosomal maintenance or for integration into a host genome.

"Conservatively modified variants" applies to both amino acid and nucleic acid sequences. With respect to particular nucleic acid sequences, conservatively modified variants refers to those nucleic acids which encode identical or essentially
30 identical amino acid sequences, or where the nucleic acid does not encode an amino acid sequence, to essentially identical sequences. Specifically, degenerate codon substitutions may be achieved by generating sequences in which the third position of one or more selected (or all) codons is substituted with mixed-base and/or deoxyinosine residues

(Batzer *et al.*, *Nucleic Acid Res.* 19:5081 (1991); Ohtsuka *et al.*, *J. Biol. Chem.* 260:2605-2608 (1985); Rossolini *et al.*, *Mol. Cell. Probes* 8:91-98 (1994)). Because of the degeneracy of the genetic code, a large number of functionally identical nucleic acids encode any given protein. For instance, the codons GCA, GCC, GCG and GCU all encode the amino acid alanine. Thus, at every position where an alanine is specified by a codon, the codon can be altered to any of the corresponding codons described without altering the encoded polypeptide. Such nucleic acid variations are "silent variations," which are one species of conservatively modified variations. Every nucleic acid sequence herein which encodes a polypeptide also describes every possible silent variation of the nucleic acid. One of skill will recognize that each codon in a nucleic acid (except AUG, which is ordinarily the only codon for methionine, and TGG, which is ordinarily the only codon for tryptophan) can be modified to yield a functionally identical molecule. Accordingly, each silent variation of a nucleic acid which encodes a polypeptide is implicit in each described sequence.

As to amino acid sequences, one of skill will recognize that individual substitutions, deletions or additions to a nucleic acid, peptide, polypeptide, or protein sequence which alters, adds or deletes a single amino acid or a small percentage of amino acids in the encoded sequence is a "conservatively modified variant" where the alteration results in the substitution of an amino acid with a chemically similar amino acid. Conservative substitution tables providing functionally similar amino acids are well known in the art. Such conservatively modified variants are in addition to and do not exclude polymorphic variants, interspecies homologs, and alleles of the invention.

The following groups each contain amino acids that are conservative substitutions for one another:

- 1) Alanine (A), Glycine (G);
 - 2) Serine (S), Threonine (T);
 - 3) Aspartic acid (D), Glutamic acid (E);
 - 4) Asparagine (N), Glutamine (Q);
 - 5) Cysteine (C), Methionine (M);
 - 6) Arginine (R), Lysine (K), Histidine (H);
 - 7) Isoleucine (I), Leucine (L), Valine (V); and
 - 8) Phenylalanine (F), Tyrosine (Y), Tryptophan (W).
- see, e.g., Creighton, Proteins (1984)).*

For sequence comparison, typically one sequence acts as a reference sequence, to which test sequences are compared. When using a sequence comparison algorithm, test and reference sequences are entered into a computer, subsequence coordinates are designated, if necessary, and sequence algorithm program parameters are designated. Default program parameters can be used, or alternative parameters can be designated. The sequence comparison algorithm then calculates the percent sequence identity for the test sequence(s) relative to the reference sequence, based on the designated or default program parameters.

10 A comparison window includes reference to a segment of any one of the number of contiguous positions selected from the group consisting of from 25 to 600, usually about 50 to about 200, more usually about 100 to about 150 in which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned. Methods of alignment of sequences for comparison are well-known in the art. Optimal alignment of sequences for comparison
15 can be conducted, e.g., by the local homology algorithm of Smith & Waterman, *Adv. Appl. Math.* 2:482 (1981), by the homology alignment algorithm of Needleman & Wunsch, *J. Mol. Biol.* 48:443 (1970), by the search for similarity method of Pearson & Lipman, *Proc. Nat'l. Acad. Sci. USA* 85:2444 (1988), by computerized implementations of these algorithms (GAP, BESTFIT, FASTA, and TFASTA in the Wisconsin Genetics
20 Software Package, Genetics Computer Group, 575 Science Dr., Madison, WI), or by manual alignment and visual inspection (*see, e.g., Ausubel et al., supra*).

One example of a useful algorithm is PILEUP. PILEUP creates a multiple sequence alignment from a group of related sequences using progressive, pairwise alignments to show relationship and percent sequence identity. It also plots a tree or
25 dendrogram showing the clustering relationships used to create the alignment. PILEUP uses a simplification of the progressive alignment method of Feng & Doolittle, *J. Mol. Evol.* 35:351-360 (1987). The method used is similar to the method described by Higgins & Sharp, *CABIOS* 5:151-153 (1989). The program can align up to 300 sequences, each of a maximum length of 5,000 nucleotides or amino acids. The multiple alignment
30 procedure begins with the pairwise alignment of the two most similar sequences, producing a cluster of two aligned sequences. This cluster is then aligned to the next most related sequence or cluster of aligned sequences. Two clusters of sequences are aligned by a simple extension of the pairwise alignment of two individual sequences. The

final alignment is achieved by a series of progressive, pairwise alignments. The program is run by designating specific sequences and their amino acid or nucleotide coordinates for regions of sequence comparison and by designating the program parameters. Using PILEUP, a reference sequence is compared to other test sequences to determine the percent sequence identity relationship using the following parameters: default gap weight (3.00), default gap length weight (0.10), and weighted end gaps. PILEUP can be obtained from the GCG sequence analysis software package, e.g, version 7.0 (Devereaux *et al.*, *Nuc. Acids Res.* 12:387-395 (1984).

Another example of algorithm that is suitable for determining percent sequence identity (i.e., substantial similarity or identity) is the BLAST algorithm, which is described in Altschul *et al.*, *J. Mol. Biol.* 215:403-410 (1990). Software for performing BLAST analyses is publicly available through the National Center for Biotechnology Information (<http://www.ncbi.nlm.nih.gov/>). This algorithm involves first identifying high scoring sequence pairs (HSPs) by identifying short words of length W in the query sequence, which either match or satisfy some positive-valued threshold score T when aligned with a word of the same length in a database sequence. T is referred to as the neighborhood word score threshold (Altschul *et al.*, *supra*). These initial neighborhood word hits act as seeds for initiating searches to find longer HSPs containing them. The word hits are then extended in both directions along each sequence for as far as the cumulative alignment score can be increased. Cumulative scores are calculated using, for nucleotide sequences, the parameters M (reward score for a pair of matching residues; always > 0) and N (penalty score for mismatching residues, always < 0). For amino acid sequences, a scoring matrix is used to calculate the cumulative score. Extension of the word hits in each direction are halted when: the cumulative alignment score falls off by the quantity X from its maximum achieved value; the cumulative score goes to zero or below, due to the accumulation of one or more negative-scoring residue alignments; or the end of either sequence is reached. The BLAST algorithm parameters W, T, and X determine the sensitivity and speed of the alignment. The BLASTN program (for nucleotide sequences) uses as defaults a wordlength (W) of 11, an expectation (E) of 10, M=5, N=4, and a comparison of both strands. For amino acid sequences, the BLASTP program uses as default parameters a wordlength (W) of 3, an expectation (E) of 10, and the BLOSUM62 scoring matrix (see Henikoff & Henikoff, *Proc. Natl. Acad. Sci. USA* 89:10915 (1989)).

The BLAST algorithm also performs a statistical analysis of the similarity between two sequences (*see, e.g., Karlin & Altschul, Proc. Nat'l. Acad. Sci. USA* 90:5873-5787 (1993)). One measure of similarity provided by the BLAST algorithm is the smallest sum probability (P(N)), which provides an indication of the probability by which a match between two nucleotide or amino acid sequences would occur by chance. For example, a nucleic acid is considered similar to a reference sequence if the smallest sum probability in a comparison of the test nucleic acid to the reference nucleic acid is less than about 0.1, more preferably less than about 0.01, and most preferably less than about 0.001.

An indication that two nucleic acid sequences or polypeptides are substantially identical is that the polypeptide encoded by the first nucleic acid is immunologically cross reactive with the antibodies raised against the polypeptide encoded by the second nucleic acid, as described below. Thus, a polypeptide is typically substantially identical to a second polypeptide, for example, where the two peptides differ only by conservative substitutions. Another indication that two nucleic acid sequences are substantially identical is that the two molecules or their complements hybridize to each other under stringent conditions, as described below.

Another indication that polynucleotide sequences are substantially identical is if two molecules hybridize to each other under stringent conditions. Stringent conditions are sequence dependent and will be different in different circumstances. Generally, stringent conditions are selected to be about 5°C lower than the thermal melting point (T_m) for the specific sequence at a defined ionic strength and pH. The T_m is the temperature (under defined ionic strength and pH) at which 50% of the target sequence hybridizes to a perfectly matched probe. Typically stringent conditions for a Southern blot protocol involve hybridizing in a buffer comprising 5x SSC, 1% SDS at 65°C or hybridizing in a buffer containing 5x SSC and 1% SDS at 42°C and washing at 65°C with a 0.2x SSC, 0.1% SDS wash.

A "label" is a composition detectable by spectroscopic, photochemical, biochemical, immunochemical, or chemical means. For example, useful labels include ³²P, fluorescent dyes, electron-dense reagents, enzymes (e.g., as commonly used in an ELISA), biotin, dioxigenin, or haptens and proteins for which antisera or monoclonal antibodies are available.

The term "nucleic acid" refers to deoxyribonucleotides or ribonucleotides and polymers thereof in either single- or double-stranded form. The term encompasses nucleic acids containing known nucleotide analogs or modified backbone residues or linkages, which are synthetic, naturally occurring, and non-naturally occurring, which have similar binding properties as the reference nucleic acid, and which are metabolized in a manner similar to the reference nucleotides. Examples of such analogs include, without limitation, phosphorothioates, phosphoramidates, methyl phosphonates, chiral-methyl phosphonates, 2-O-methyl ribonucleotides, peptide-nucleic acids (PNAs).

Unless otherwise indicated, a particular nucleic acid sequence also implicitly encompasses conservatively modified variants thereof (e.g., degenerate codon substitutions) and complementary sequences, as well as the sequence explicitly indicated. The term nucleic acid is used interchangeably with gene, cDNA, mRNA, oligonucleotide, and polynucleotide.

As used herein a "nucleic acid probe or oligonucleotide" is defined as a nucleic acid capable of binding to a target nucleic acid of complementary sequence through one or more types of chemical bonds, usually through complementary base pairing, usually through hydrogen bond formation. As used herein, a probe may include natural (i.e., A, G, C, or T) or modified bases (7-deazaguanosine, inosine, etc.). In addition, the bases in a probe may be joined by a linkage other than a phosphodiester bond, so long as it does not interfere with hybridization. Thus, for example, probes may be peptide nucleic acids in which the constituent bases are joined by peptide bonds rather than phosphodiester linkages. It will be understood by one of skill in the art that probes may bind target sequences lacking complete complementarity with the probe sequence depending upon the stringency of the hybridization conditions. The probes are preferably directly labeled as with isotopes, chromophores, lumiphores, chromogens, or indirectly labeled such as with biotin to which a streptavidin complex may later bind. By assaying for the presence or absence of the probe, one can detect the presence or absence of the select sequence or subsequence.

A labeled nucleic acid probe or oligonucleotide is one that is bound, either covalently, through a linker, or through ionic, van der Waals or hydrogen bonds to a label such that the presence of the probe may be detected by detecting the presence of the label bound to the probe.

"Pharmaceutically acceptable" means a material that is not biologically or otherwise undesirable, i.e., the material can be administered to an individual along with a *Chlamydia* antigen without causing any undesirable biological effects or interacting in a deleterious manner with any of the other components of the pharmaceutical composition.

5 The terms "polypeptide," "peptide" and "protein" are used interchangeably herein to refer to a polymer of amino acid residues. The terms apply to amino acid polymers in which one or more amino acid residue is an analog or mimetic of a corresponding naturally occurring amino acid, as well as to naturally occurring amino acid polymers.

10 The phrase "specifically or selectively hybridizing to," refers to hybridization between a probe and a target sequence in which the probe binds substantially only to the target sequence, forming a hybridization complex, when the target is in a heterogeneous mixture of polynucleotides and other compounds. Such hybridization is determinative of the presence of the target sequence. Although the probe
15 may bind other unrelated sequences, at least 90%, preferably 95% or more of the hybridization complexes formed are with the target sequence.

The term "recombinant" when used with reference to a cell, or nucleic acid, or vector, indicates that the cell, or nucleic acid, or vector, has been modified by the introduction of a heterologous nucleic acid or the alteration of a native nucleic acid, or
20 that the cell is derived from a cell so modified. Thus, for example, recombinant cells express genes that are not found within the native (non-recombinant) form of the cell or express native genes that are otherwise abnormally expressed, under expressed or not expressed at all.

The phrase "specifically immunoreactive with", when referring to a protein
25 or peptide, refers to a binding reaction between the protein and an antibody which is determinative of the presence of the protein in the presence of a heterogeneous population of proteins and other compounds. Thus, under designated immunoassay conditions, the specified antibodies bind to a particular protein and do not bind in a significant amount to other proteins present in the sample. Specific binding to an antibody under such
30 conditions may require an antibody that is selected for its specificity for a particular protein. A variety of immunoassay formats may be used to select antibodies specifically immunoreactive with a particular protein and are described in detail below.

The phrase "substantially pure" or "isolated" when referring to a *Chlamydia* peptide or protein, means a chemical composition which is free of other subcellular components of the *Chlamydia* organism. Typically, a monomeric protein is substantially pure when at least about 85% or more of a sample exhibits a single polypeptide backbone. Minor variants or chemical modifications may typically share the same polypeptide sequence. Depending on the purification procedure, purities of 85%, and preferably over 95% pure are possible. Protein purity or homogeneity may be indicated by a number of means well known in the art, such as polyacrylamide gel electrophoresis of a protein sample, followed by visualizing a single polypeptide band on a polyacrylamide gel upon silver staining. For certain purposes high resolution will be needed and HPLC or a similar means for purification utilized.

DETAILED DESCRIPTION

The present invention provides the nucleotide sequence of the *C. pneumoniae* genome SEQ ID NO: 1 or a representative fragment thereof, in a form which can be readily used, analyzed, and interpreted by a skilled artisan. As used herein, a "representative fragment" of the nucleotide sequence depicted in SEQ ID NO: 1 refers to any portion which is not presently represented within a publicly available database. Preferred representative fragments of the present invention are open reading frames, expression modulating fragments, uptake modulating fragments, and fragments which can be used to diagnose the presence of *C. pneumoniae* in sample. Using the information provided in the present application, together with routine cloning and sequencing methods, one of ordinary skill in the art will be able to clone and sequence all "representative fragments" of interest including open reading frames (ORFs) encoding a large variety of *C. pneumoniae* proteins. A non-limiting identification of such preferred representative fragments is provided in Tables 2 and 3.

Diagnostic use of *C. pneumoniae* nucleic acids

Hybridization-based assays

Using the nucleic acids disclosed here, one of skill can design nucleic acid hybridization-based assays for the detection of *C. pneumoniae*. Any of a number of well known techniques for the specific detection of target nucleic acids can be used. Exemplary hybridization-based assays include, but are not limited to, traditional "direct

probe" methods such as Southern Blots, dot blots, *in situ* hybridization (e.g., FISH), PCR, and the like. The methods can be used in a wide variety of formats including, but not limited to substrate- (e.g. membrane or glass) bound methods or array-based approaches as described below. As noted above, this invention also embraces methods for detecting the presence of *Chlamydia* DNA or RNA in biological samples. These sequences can be used to detect *Chlamydia* in biological samples from patients suspected of being infected. A variety of methods of specific DNA and RNA measurement using nucleic acid hybridization techniques are known to those of skill in the art (see Sambrook *et al.*, *supra*).

In situ hybridization assays are well known (e.g., Angerer (1987) *Meth. Enzymol* 152: 649). Generally, *in situ* hybridization comprises the following major steps: (1) fixation of tissue or biological structure to be analyzed; (2) prehybridization treatment of the biological structure to increase accessibility of target DNA, and to reduce nonspecific binding; (3) hybridization of the mixture of nucleic acids to the nucleic acid in the biological structure or tissue; (4) post-hybridization washes to remove nucleic acid fragments not bound in the hybridization and (5) detection of the hybridized nucleic acid fragments. The reagent used in each of these steps and the conditions for use vary depending on the particular application.

In a typical *in situ* hybridization assay, cells are fixed to a solid support, typically a glass slide. If a nucleic acid is to be probed, the cells are typically denatured with heat or alkali. The cells are then contacted with a hybridization solution at a moderate temperature to permit annealing of labeled probes specific to the nucleic acid sequence encoding the protein. The targets (e.g., cells) are then typically washed at a predetermined stringency or at an increasing stringency until an appropriate signal to noise ratio is obtained.

The nucleic acids of this invention are particularly well suited to array-based hybridization formats. Arrays are a multiplicity of different "probe" or "target" nucleic acids (or other compounds) attached to one or more surfaces (e.g., solid, membrane, or gel). In a preferred embodiment, the multiplicity of nucleic acids (or other moieties) is attached to a single contiguous surface or to a multiplicity of surfaces juxtaposed to each other.

In an array format a large number of different hybridization reactions can be run essentially "in parallel." This provides rapid, essentially simultaneous, evaluation

of a number of hybridizations in a single "experiment". Methods of performing hybridization reactions in array based formats are well known to those of skill in the art (see, e.g., Pastinen (1997) *Genome Res.* 7: 606-614; Jackson (1996) *Nature Biotechnology* 14:1685; Chee (1995) *Science* 274: 610; WO 96/17958.

5 Arrays, particularly nucleic acid arrays can be produced according to a wide variety of methods well known to those of skill in the art. For example, in a simple embodiment, "low density" arrays can simply be produced by spotting (e.g. by hand using a pipette) different nucleic acids at different locations on a solid support (e.g. a glass surface, a membrane, etc.).

10 This simple spotting, approach has been automated to produce high density spotted arrays (see, e.g., U.S. Patent No: 5,807,522). This patent describes the use of an automated systems that taps a microcapillary against a surface to deposit a small volume of a biological sample. The process is repeated to generate high density arrays. Arrays can also be produced using oligonucleotide synthesis technology. Thus, for
15 example, U.S. Patent No. 5,143,854 and PCT patent publication Nos. WO 90/15070 and 92/10092 teach the use of light-directed combinatorial synthesis of high density oligonucleotide arrays.

20 Many methods for immobilizing nucleic acids on a variety of solid surfaces are known in the art. A wide variety of organic and inorganic polymers, as well as other materials, both natural and synthetic, can be employed as the material for the solid surface. Illustrative solid surfaces include, e.g., nitrocellulose, nylon, glass, quartz, diazotized membranes (paper or nylon), silicones, polyformaldehyde, cellulose, and cellulose acetate. In addition, plastics such as polyethylene, polypropylene, polystyrene, and the like can be used. Other materials which may be employed include paper,
25 ceramics, metals, metalloids, semiconductive materials, cermets or the like. In addition, substances that form gels can be used. Such materials include, e.g., proteins (e.g., gelatins), lipopolysaccharides, silicates, agarose and polyacrylamides. Where the solid surface is porous, various pore sizes may be employed depending upon the nature of the system.

30 In preparing the surface, a plurality of different materials may be employed, particularly as laminates, to obtain various properties. For example, proteins (e.g., bovine serum albumin) or mixtures of macromolecules (e.g., Denhardt's solution) can be employed to avoid non-specific binding, simplify covalent conjugation, enhance

signal detection or the like. If covalent bonding between a compound and the surface is desired, the surface will usually be polyfunctional or be capable of being polyfunctionalized. Functional groups which may be present on the surface and used for linking can include carboxylic acids, aldehydes, amino groups, cyano groups, ethylenic groups, hydroxyl groups, mercapto groups and the like. The manner of linking a wide variety of compounds to various surfaces is well known and is amply illustrated in the literature.

For example, methods for immobilizing nucleic acids by introduction of various functional groups to the molecules is known (see, e.g., Bischoff (1987) *Anal. Biochem.*, 164: 336-344; Kremsky (1987) *Nucl. Acids Res.* 15: 2891-2910). Modified nucleotides can be placed on the target using PCR primers containing the modified nucleotide, or by enzymatic end labeling with modified nucleotides. Use of glass or membrane supports (e.g., nitrocellulose, nylon, polypropylene) for the nucleic acid arrays of the invention is advantageous because of well developed technology employing manual and robotic methods of arraying targets at relatively high element densities. Such membranes are generally available and protocols and equipment for hybridization to membranes is well known.

Target elements of various sizes, ranging from 1 mm diameter down to 1 μm can be used. Smaller target elements containing low amounts of concentrated, fixed probe DNA are used for high complexity comparative hybridizations since the total amount of sample available for binding to each target element will be limited. Thus it is advantageous to have small array target elements that contain a small amount of concentrated probe DNA so that the signal that is obtained is highly localized and bright. Such small array target elements are typically used in arrays with densities greater than $10^4/\text{cm}^2$. Relatively simple approaches capable of quantitative fluorescent imaging of 1 cm^2 areas have been described that permit acquisition of data from a large number of target elements in a single image (see, e.g., Wittrup (1994) *Cytometry* 16:206-213).

If fluorescently labeled nucleic acid samples are used, arrays on solid surface substrates with much lower fluorescence than membranes, such as glass, quartz, or small beads, can achieve much better sensitivity. Substrates such as glass or fused silica are advantageous in that they provide a very low fluorescence substrate, and a highly efficient hybridization environment. Covalent attachment of the target nucleic acids to glass or synthetic fused silica can be accomplished according to a number of

known techniques (described above). Nucleic acids can be conveniently coupled to glass using commercially available reagents. For instance, materials for preparation of silanized glass with a number of functional groups are commercially available or can be prepared using standard techniques (see, *e.g.*, Gait (1984) *Oligonucleotide Synthesis: A Practical Approach*, IRL Press, Wash., D.C.). Quartz cover slips, which have at least 10-fold lower autofluorescence than glass, can also be silanized.

Alternatively, probes can also be immobilized on commercially available coated beads or other surfaces. For instance, biotin end-labeled nucleic acids can be bound to commercially available avidin-coated beads. Streptavidin or anti-digoxigenin antibody can also be attached to silanized glass slides by protein-mediated coupling using *e.g.*, protein A following standard protocols (see, *e.g.*, Smith (1992) *Science* 258: 1122-1126). Biotin or digoxigenin end-labeled nucleic acids can be prepared according to standard techniques. Hybridization to nucleic acids attached to beads is accomplished by suspending them in the hybridization mix, and then depositing them on the glass substrate for analysis after washing. Alternatively, paramagnetic particles, such as ferric oxide particles, with or without avidin coating, can be used.

A variety of other nucleic acid hybridization formats are known to those skilled in the art. For example, common formats include sandwich assays and competition or displacement assays. Hybridization techniques are generally described in Hames and Higgins (1985) *Nucleic Acid Hybridization, A Practical Approach*, IRL Press; Gall and Pardue (1969) *Proc. Natl. Acad. Sci. USA* 63: 378-383; and John *et al.* (1969) *Nature* 223: 582-587.

Sandwich assays are commercially useful hybridization assays for detecting or isolating nucleic acid sequences. Such assays utilize a "capture" nucleic acid covalently immobilized to a solid support and a labeled "signal" nucleic acid in solution. The sample will provide the target nucleic acid. The "capture" nucleic acid and "signal" nucleic acid probe hybridize with the target nucleic acid to form a "sandwich" hybridization complex. To be most effective, the signal nucleic acid should not hybridize with the capture nucleic acid.

Detection of a hybridization complex may require the binding of a signal generating complex to a duplex of target and probe polynucleotides or nucleic acids. Typically, such binding occurs through ligand and anti-ligand interactions as between a ligand-conjugated probe and an anti-ligand conjugated with a signal.

09438435-4449
06777-3232460

The sensitivity of the hybridization assays may be enhanced through use of a nucleic acid amplification system that multiplies the target nucleic acid being detected. Examples of such systems include the polymerase chain reaction (PCR) system and the ligase chain reaction (LCR) system. Other methods recently described in the art are the nucleic acid sequence based amplification (NASBAO, Cangene, Mississauga, Ontario) and Q Beta Replicase systems.

Nucleic acid hybridization simply involves providing a denatured probe and target nucleic acid under conditions where the probe and its complementary target can form stable hybrid duplexes through complementary base pairing. The nucleic acids that do not form hybrid duplexes are then washed away leaving the hybridized nucleic acids to be detected, typically through detection of an attached detectable label. It is generally recognized that nucleic acids are denatured by increasing the temperature or decreasing the salt concentration of the buffer containing the nucleic acids, or in the addition of chemical agents, or the raising of the pH. Under low stringency conditions (e.g., low temperature and/or high salt and/or high target concentration) hybrid duplexes (e.g., DNA:DNA, RNA:RNA, or RNA:DNA) will form even where the annealed sequences are not perfectly complementary. Thus specificity of hybridization is reduced at lower stringency. Conversely, at higher stringency (e.g., higher temperature or lower salt) successful hybridization requires fewer mismatches.

One of skill in the art will appreciate that hybridization conditions may be selected to provide any degree of stringency. In a preferred embodiment, hybridization is performed at low stringency to ensure hybridization and then subsequent washes are performed at higher stringency to eliminate mismatched hybrid duplexes. Successive washes may be performed at increasingly higher stringency (e.g., down to as low as 0.25 X SSPE-T at 37°C to 70°C) until a desired level of hybridization specificity is obtained. Stringency can also be increased by addition of agents such as formamide. Hybridization specificity may be evaluated by comparison of hybridization to the test probes with hybridization to the various controls that can be present.

In general, there is a tradeoff between hybridization specificity (stringency) and signal intensity. Thus, in a preferred embodiment, the wash is performed at the highest stringency that produces consistent results and that provides a signal intensity greater than approximately 10% of the background intensity. Thus, in a preferred embodiment, the hybridized array may be washed at successively higher

stringency solutions and read between each wash. Analysis of the data sets thus produced will reveal a wash stringency above which the hybridization pattern is not appreciably altered and which provides adequate signal for the particular probes of interest.

Methods of optimizing hybridization conditions are well known to those of skill in the art (see, e.g., Tijssen (1993) *Laboratory Techniques in Biochemistry and Molecular Biology, Vol. 24: Hybridization With Nucleic Acid Probes*, Elsevier, N.Y.).

Labeling and detection of nucleic acids.

In a preferred embodiment, the hybridized nucleic acids are detected by detecting one or more labels attached to the sample or probe nucleic acids. The labels may be incorporated by any of a number of means well known to those of skill in the art. Means of attaching labels to nucleic acids include, for example nick translation or end-labeling (e.g. with a labeled RNA) by kinasing of the nucleic acid and subsequent attachment (ligation) of a nucleic acid linker joining the sample nucleic acid to a label (e.g., a fluorophore). A wide variety of linkers for the attachment of labels to nucleic acids are also known. In addition, intercalating dyes and fluorescent nucleotides can also be used.

Detectable labels suitable for use in the present invention include any composition detectable by spectroscopic, photochemical, biochemical, immunochemical, electrical, optical or chemical means. Useful labels in the present invention include biotin for staining with labeled streptavidin conjugate, magnetic beads (e.g., Dynabeads™), fluorescent dyes (e.g., fluorescein, texas red, rhodamine, green fluorescent protein, and the like, see, e.g., Molecular Probes, Eugene, Oregon, USA), radiolabels (e.g., ^3H , ^{125}I , ^{35}S , ^{14}C , or ^{32}P), enzymes (e.g., horse radish peroxidase, alkaline phosphatase and others commonly used in an ELISA), and colorimetric labels such as colloidal gold (e.g., gold particles in the 40 -80 nm diameter size range scatter green light with high efficiency) or colored glass or plastic (e.g., polystyrene, polypropylene, latex, etc.) beads. Patents teaching the use of such labels include U.S. Patent Nos. 3,817,837; 3,850,752; 3,939,350; 3,996,345; 4,277,437; 4,275,149; and 4,366,241.

A fluorescent label is preferred because it provides a very strong signal with low background. It is also optically detectable at high resolution and sensitivity through a quick scanning procedure. The nucleic acid samples can all be labeled with a single label, e.g., a single fluorescent label. Alternatively, in another embodiment, different nucleic acid samples can be simultaneously hybridized where each nucleic acid

sample has a different label. For instance, one target could have a green fluorescent label and a second target could have a red fluorescent label. The scanning step will distinguish sites of binding of the red label from those binding the green fluorescent label. Each nucleic acid sample (target nucleic acid) can be analyzed independently from one another.

5 Suitable chromogens which can be employed include those molecules and compounds which absorb light in a distinctive range of wavelengths so that a color can be observed or, alternatively, which emit light when irradiated with radiation of a particular wave length or wave length range, *e.g.*, fluorescers.

Desirably, fluorescers should absorb light above about 300 nm, preferably
10 about 350 nm, and more preferably above about 400 nm, usually emitting at wavelengths greater than about 10 nm higher than the wavelength of the light absorbed. It should be noted that the absorption and emission characteristics of the bound dye can differ from the unbound dye. Therefore, when referring to the various wavelength ranges and characteristics of the dyes, it is intended to indicate the dyes as employed and not the dye
15 which is unconjugated and characterized in an arbitrary solvent.

Fluorescers are generally preferred because by irradiating a fluorescer with light, one can obtain a plurality of emissions. Thus, a single label can provide for a plurality of measurable events.

Detectable signal can also be provided by chemiluminescent and
20 bioluminescent sources. Chemiluminescent sources include a compound which becomes electronically excited by a chemical reaction and can then emit light which serves as the detectable signal or donates energy to a fluorescent acceptor. Alternatively, luciferins can be used in conjunction with luciferase or lucigenins to provide bioluminescence. Spin labels are provided by reporter molecules with an unpaired electron spin which can
25 be detected by electron spin resonance (ESR) spectroscopy. Exemplary spin labels include organic free radicals, transitional metal complexes, particularly vanadium, copper, iron, and manganese, and the like. Exemplary spin labels include nitroxide free radicals.

The label may be added to the target (sample) nucleic acid(s) prior to, or
30 after the hybridization. So called "direct labels" are detectable labels that are directly attached to or incorporated into the target (sample) nucleic acid prior to hybridization. In contrast, so called "indirect labels" are joined to the hybrid duplex after hybridization. Often, the indirect label is attached to a binding moiety that has been attached to the

target nucleic acid prior to the hybridization. Thus, for example, the target nucleic acid may be biotinylated before the hybridization. After hybridization, an avidin-conjugated fluorophore will bind the biotin bearing hybrid duplexes providing a label that is easily detected. For a detailed review of methods of labeling nucleic acids and detecting labeled
5 hybridized nucleic acids see *Laboratory Techniques in Biochemistry and Molecular Biology, Vol. 24: Hybridization With Nucleic Acid Probes*, P. Tijssen, ed. Elsevier, N.Y., (1993)).

Fluorescent labels are easily added during an *in vitro* transcription reaction. Thus, for example, fluorescein labeled UTP and CTP can be incorporated into
10 the RNA produced in an *in vitro* transcription.

The labels can be attached directly or through a linker moiety. In general, the site of label or linker-label attachment is not limited to any specific position. For example, a label may be attached to a nucleoside, nucleotide, or analogue thereof at any position that does not interfere with detection or hybridization as desired. For example,
15 certain Label-ON Reagents from Clontech (Palo Alto, CA) provide for labeling interspersed throughout the phosphate backbone of an oligonucleotide and for terminal labeling at the 3' and 5' ends. As shown for example herein, labels can be attached at positions on the ribose ring or the ribose can be modified and even eliminated as desired. The base moieties of useful labeling reagents can include those that are naturally
20 occurring or modified in a manner that does not interfere with the purpose to which they are put. Modified bases include but are not limited to 7-deaza A and G, 7-deaza-8-aza A and G, and other heterocyclic moieties.

It will be recognized that fluorescent labels are not to be limited to single species organic molecules, but include inorganic molecules, multi-molecular mixtures of
25 organic and/or inorganic molecules, crystals, heteropolymers, and the like. Thus, for example, CdSe-CdS core-shell nanocrystals enclosed in a silica shell can be easily derivatized for coupling to a biological molecule (Bruchez *et al.* (1998) *Science*, 281: 2013-2016). Similarly, highly fluorescent quantum dots (zinc sulfide-capped cadmium selenide) have been covalently coupled to biomolecules for use in ultrasensitive
30 biological detection (Warren and Nie (1998) *Science*, 281: 2016-2018).

Amplification-based assays.

In another embodiment, amplification-based assays can be used to detect nucleic acids. In such amplification-based assays, the nucleic acid sequences act as a

template in an amplification reaction (e.g. Polymerase Chain Reaction (PCR). Detailed protocols for quantitative PCR are provided in Innis *et al.* (1990) *PCR Protocols, A Guide to Methods and Applications*, Academic Press, Inc. N.Y.).

Other suitable amplification methods include, but are not limited to ligase chain reaction (LCR) (see Wu and Wallace (1989) *Genomics* 4: 560, Landegren *et al.* (1988) *Science* 241: 1077, and Barringer *et al.* (1990) *Gene* 89: 117, transcription amplification (Kwoh *et al.* (1989) *Proc. Natl. Acad. Sci. USA* 86: 1173), and self-sustained sequence replication (Guatelli *et al.* (1990) *Proc. Nat. Acad. Sci. USA* 87: 1874).

Detection of *C. pneumoniae* gene expression

The nucleic acids of the invention can also be used to *C. pneumoniae* detect gene transcripts. Methods of detecting and/or quantifying gene transcripts using nucleic acid hybridization techniques are known to those of skill in the art (see Sambrook *et al. supra*). For example, a Northern transfer may be used for the detection of the desired mRNA directly. In brief, the mRNA is isolated from a given cell sample using, for example, an acid guanidinium-phenol-chloroform extraction method. The mRNA is then electrophoresed to separate the mRNA species and the mRNA is transferred from the gel to a nitrocellulose membrane. As with the Southern blots, labeled probes are used to identify and/or quantify the target mRNA.

In another preferred embodiment, the gene transcript can be measured using amplification (e.g. PCR) based methods as described above for directly assessing copy number of the target sequences.

Expression of *C. pneumoniae* proteins

The nucleic acids disclosed here can be used for recombinant expression of the proteins. In these methods, the nucleic acids encoding the proteins of interest are introduced into suitable host cells, followed by induction of the cells to produce large amounts of the protein. The invention relies on routine techniques in the field of recombinant genetics, well known to those of ordinary skill in the art. A basic text disclosing the general methods of use in this invention is Sambrook *et al.*, *Molecular Cloning, A Laboratory Manual* (2nd ed. 1989).

Standard transfection methods are used to produce prokaryotic, mammalian, yeast or insect cell lines which express large quantities of the desired

polypeptide, which is then purified using standard techniques (*see, e.g., Colley et al., J. Biol. Chem.* 264:17619-17622, 1989; *Guide to Protein Purification, supra*).

The nucleotide sequences used to transfect the host cells can be modified to yield *Chlamydia* polypeptides with a variety of desired properties. For example, the polypeptides can vary from the naturally-occurring sequence at the primary structure level by amino acid, insertions, substitutions, deletions, and the like. These modifications can be used in a number of combinations to produce the final modified protein chain.

The amino acid sequence variants can be prepared with various objectives in mind, including facilitating purification and preparation of the recombinant polypeptide. The modified polypeptides are also useful for modifying plasma half life, improving therapeutic efficacy, and lessening the severity or occurrence of side effects during therapeutic use. The amino acid sequence variants are usually predetermined variants not found in nature but exhibit the same immunogenic activity as naturally occurring protein. In general, modifications of the sequences encoding the polypeptides may be readily accomplished by a variety of well-known techniques, such as site-directed mutagenesis (*see Gillman & Smith, Gene* 8:81-97 (1979); Roberts *et al., Nature* 328:731-734 (1987)). One of ordinary skill will appreciate that the effect of many mutations is difficult to predict. Thus, most modifications are evaluated by routine screening in a suitable assay for the desired characteristic. For instance, the effect of various modifications on the ability of the polypeptide to elicit a protective immune response can be easily determined using *in vitro* assays. For instance, the polypeptides can be tested for their ability to induce lymphoproliferation, T cell cytotoxicity, or cytokine production using standard techniques.

The particular procedure used to introduce the genetic material into the host cell for expression of the polypeptide is not particularly critical. Any of the well known procedures for introducing foreign nucleotide sequences into host cells may be used. These include the use of calcium phosphate transfection, spheroplasts, electroporation, liposomes, microinjection, plasmid vectors, viral vectors and any of the other well known methods for introducing cloned genomic DNA, cDNA, synthetic DNA or other foreign genetic material into a host cell (*see Sambrook et al., supra*). It is only necessary that the particular procedure utilized be capable of successfully introducing at least one gene into the host cell which is capable of expressing the gene.

Any of a number of well known cells and cell lines can be used to express the polypeptides of the invention. For instance, prokaryotic cells such as *E. coli* can be used. Eukaryotic cells include, yeast, Chinese hamster ovary (CHO) cells, COS cells, and insect cells.

5 The particular vector used to transport the genetic information into the cell is also not particularly critical. Any of the conventional vectors used for expression of recombinant proteins in prokaryotic and eukaryotic cells may be used. Expression vectors for mammalian cells typically contain regulatory elements from eukaryotic viruses.

10 The expression vector typically contains a transcription unit or expression cassette that contains all the elements required for the expression of the polypeptide DNA in the host cells. A typical expression cassette contains a promoter operably linked to the DNA sequence encoding a polypeptide and signals required for efficient polyadenylation of the transcript. The term "operably linked" as used herein refers to linkage of a
15 promoter upstream from a DNA sequence such that the promoter mediates transcription of the DNA sequence. The promoter is preferably positioned about the same distance from the heterologous transcription start site as it is from the transcription start site in its natural setting. As is known in the art, however, some variation in this distance can be accommodated without loss of promoter function.

20 Following the growth of the recombinant cells and expression of the polypeptide, the culture medium is harvested for purification of the secreted protein. The media are typically clarified by centrifugation or filtration to remove cells and cell debris and the proteins are concentrated by adsorption to any suitable resin or by use of ammonium sulfate fractionation, polyethylene glycol precipitation, or by ultrafiltration.

25 Other routine means known in the art may be equally suitable. Further purification of the polypeptide can be accomplished by standard techniques, for example, affinity chromatography, ion exchange chromatography, sizing chromatography, His₆ tagging and Ni-agarose chromatography (as described in Dobeli *et al.*, *Mol. and Biochem. Parasit.* 41:259-268 (1990)), or other protein purification techniques to obtain homogeneity. The
30 purified proteins are then used to produce pharmaceutical compositions, as described below.

An alternative method of preparing recombinant polypeptides useful as vaccines involves the use of recombinant viruses (e.g., vaccinia). Vaccinia virus is grown

in suitable cultured mammalian cells such as the HeLa S3 spinner cells, as described by Mackett *et al.*, in *DNA cloning Vol. II: A practical approach*, pp. 191-211 (Glover, ed.).

Antibody Production

5 The proteins of the present invention can be used to produce antibodies specifically reactive with *C pneumoniae* antigens. If isolated proteins are used, they may be recombinantly produced or isolated from *Chlamydia* cultures. Synthetic peptides made using the protein sequences may also be used.

10 Methods of production of polyclonal antibodies are known to those of skill in the art. In brief, an immunogen, preferably a purified protein, is mixed with an adjuvant and animals are immunized. When appropriately high titers of antibody to the immunogen are obtained, blood is collected from the animal and antisera is prepared. Further fractionation of the antisera to enrich for antibodies reactive to *Chlamydia* proteins can be done if desired (*see* Harlow & Lane, *Antibodies: A Laboratory Manual* (1988)).

15 Polyclonal antisera are used to identify and characterize *Chlamydia* in the tissues of patients using, for instance, *in situ* techniques and immunoperoxidase test procedures described in Anderson *et al. JAVMA* 198:241 (1991) and Barr *et al. Vet. Pathol.* 28:110-116 (1991).

20 Monoclonal antibodies may be obtained by various techniques familiar to those skilled in the art. Briefly, spleen cells from an animal immunized with a desired antigen are immortalized, commonly by fusion with a myeloma cell (*see* Kohler & Milstein, *Eur. J. Immunol.* 6:511-519 (1976)). Alternative methods of immortalization include transformation with Epstein Barr Virus, oncogenes, or retroviruses, or other methods well known in the art. Colonies arising from single immortalized cells are
25 screened for production of antibodies of the desired specificity and affinity for the antigen, and yield of the monoclonal antibodies produced by such cells may be enhanced by various techniques, including injection into the peritoneal cavity of a vertebrate host.

Monoclonal antibodies produced in such a manner are used, for instance, in ELISA diagnostic tests, immunoperoxidase tests, immunohistochemical tests, for the
30 *in vitro* evaluation of spirochete invasion, to select candidate antigens for vaccine development, protein isolation, and for screening genomic and cDNA libraries to select appropriate gene sequences.

Immunodiagnostic detection of *C. pneumoniae* infections

The present invention also provides methods for detecting the presence or absence of *C. pneumoniae*, or antibodies reactive with it, in a biological sample. For instance, antibodies specifically reactive with *Chlamydia* can be detected using either
5 *Chlamydia* proteins or the isolates described here. The proteins and isolates can also be used to raise specific antibodies (either monoclonal or polyclonal) to detect the antigen in a sample. In addition, the nucleic acids disclosed and claimed here can be used to detect *Chlamydia*-specific sequences using standard hybridization techniques.

For a review of immunological and immunoassay procedures in general,
10 see *Basic and Clinical Immunology* (Stites & Terr ed., 7th ed. 1991)). The immunoassays of the present invention can be performed in any of several configurations, which are reviewed extensively in *Enzyme Immunoassay* (Maggio, ed., 1980); Tijssen, *Laboratory Techniques in Biochemistry and Molecular Biology* (1985)). For instance, the proteins and antibodies disclosed here are conveniently used in ELISA, immunoblot analysis and
15 agglutination assays.

In brief, immunoassays to measure anti-*Chlamydia* antibodies or antigens can be either competitive or noncompetitive binding assays. In competitive binding assays, the sample analyte (e.g., anti-*Chlamydia* antibodies) competes with a labeled analyte (e.g., anti-*Chlamydia* monoclonal antibody) for specific binding sites on a capture
20 agent (e.g., isolated *Chlamydia* protein) bound to a solid surface. The concentration of labeled analyte bound to the capture agent is inversely proportional to the amount of free analyte present in the sample.

Noncompetitive assays are typically sandwich assays, in which the sample analyte is bound between two analyte-specific binding reagents. One of the binding
25 agents is used as a capture agent and is bound to a solid surface. The second binding agent is labelled and is used to measure or detect the resultant complex by visual or instrument means.

A number of combinations of capture agent and labelled binding agent can be used. For instance, an isolated *Chlamydia* protein or culture can be used as the
30 capture agent and labelled anti-human antibodies specific for the constant region of human antibodies can be used as the labelled binding agent. Goat, sheep and other non-human antibodies specific for human immunoglobulin constant regions (e.g., γ or μ) are

well known in the art. Alternatively, the anti-human antibodies can be the capture agent and the antigen can be labelled.

Various components of the assay, including the antigen, anti-*Chlamydia* antibody, or anti-human antibody, may be bound to a solid surface. Many methods for immobilizing biomolecules to a variety of solid surfaces are known in the art. For instance, the solid surface may be a membrane (e.g., nitrocellulose), a microtiter dish (e.g., PVC or polystyrene) or a bead. The desired component may be covalently bound or noncovalently attached through nonspecific bonding.

Alternatively, the immunoassay may be carried out in liquid phase and a variety of separation methods may be employed to separate the bound labeled component from the unbound labelled components. These methods are known to those of skill in the art and include immunoprecipitation, column chromatography, adsorption, addition of magnetizable particles coated with a binding agent and other similar procedures.

An immunoassay may also be carried out in liquid phase without a separation procedure. Various homogeneous immunoassay methods are now being applied to immunoassays for protein analytes. In these methods, the binding of the binding agent to the analyte causes a change in the signal emitted by the label, so that binding may be measured without separating the bound from the unbound labelled component.

Western blot (immunoblot) analysis can also be used to detect the presence of antibodies to *Chlamydia* in the sample. This technique is a reliable method for confirming the presence of antibodies against a particular protein in the sample. The technique generally comprises separating proteins by gel electrophoresis on the basis of molecular weight, transferring the separated proteins to a suitable solid support, (such as a nitrocellulose filter, a nylon filter, or derivatized nylon filter), and incubating the sample with the separated proteins. This causes specific target antibodies present in the sample to bind their respective proteins. Target antibodies are then detected using labeled anti-human antibodies.

The immunoassay formats described above employ labelled assay components. The label may be coupled directly or indirectly to the desired component of the assay according to methods well known in the art. A wide variety of labels may be used. The component may be labelled by any one of several methods. Traditionally a radioactive label incorporating ^3H , ^{125}I , ^{35}S , ^{14}C , or ^{32}P was used. Non-radioactive labels

include ligands which bind to labelled antibodies, fluorophores, chemiluminescent agents, enzymes, and antibodies which can serve as specific binding pair members for a labelled ligand. The choice of label depends on sensitivity required, ease of conjugation with the compound, stability requirements, and available instrumentation.

5 Enzymes of interest as labels will primarily be hydrolases, particularly phosphatases, esterases and glycosidases, or oxidoreductases, particularly peroxidases. Fluorescent compounds include fluorescein and its derivatives, rhodamine and its derivatives, dansyl, umbelliferone, etc. Chemiluminescent compounds include luciferin, and 2,3-dihydrophthalazinediones, e.g., luminol. For a review of various labelling or
10 signal producing systems which may be used, see U.S. Patent No. 4,391,904, which is incorporated herein by reference.

15 Non-radioactive labels are often attached by indirect means. Generally, a ligand molecule (e.g., biotin) is covalently bound to the molecule. The ligand then binds to an anti-ligand (e.g., streptavidin) molecule which is either inherently detectable or covalently bound to a signal system, such as a detectable enzyme, a fluorescent compound, or a chemiluminescent compound. A number of ligands and anti-ligands can be used. Where a ligand has a natural anti-ligand, for example, biotin, thyroxine, and cortisol, it can be used in conjunction with the labelled, naturally occurring anti-ligands. Alternatively, any haptenic or antigenic compound can be used in combination with an
20 antibody.

 Some assay formats do not require the use of labelled components. For instance, agglutination assays can be used to detect the presence of the target antibodies. In this case, antigen-coated particles are agglutinated by samples comprising the target antibodies. In this format, none of the components need be labelled and the presence of
25 the target antibody is detected by simple visual inspection.

Pharmaceutical Compositions

 The peptides or antibodies (typically monoclonal antibodies) of the present invention and pharmaceutical compositions thereof are useful for administration to mammals, particularly humans, to treat and/or prevent *Chlamydia* infections. Suitable
30 formulations are found in *Remington's Pharmaceutical Sciences*, Mack Publishing Company, Philadelphia, PA, 17th ed. (1985).

The immunogenic peptides or antibodies of the invention are administered prophylactically or to an individual already suffering from the disease. The peptide compositions are administered to a patient in an amount sufficient to elicit an effective immune response to *Chlamydia*. An effective immune response is one that inhibits infection. An amount adequate to accomplish this is defined as "therapeutically effective dose" or "immunogenically effective dose." Amounts effective for this use will depend on, e.g., the peptide composition, the manner of administration, the stage and severity of the disease being treated, the weight and general state of health of the patient, and the judgment of the prescribing physician, but generally range for the initial immunization (that is for therapeutic or prophylactic administration) from about 0.1 mg to about 1.0 mg per 70 kilogram patient, more commonly from about 0.5 mg to about 0.75 mg per 70 kg of body weight. Boosting dosages are typically from about 0.1 mg to about 0.5 mg of peptide using a boosting regimen over weeks to months depending upon the patient's response and condition. A suitable protocol would include injection at time 0, 4, 2, 6, 10 and 14 weeks, followed by further booster injections at 24 and 28 weeks.

For therapeutic use, administration should begin at the first sign of infection. This is followed by boosting doses until at least symptoms are substantially abated and for a period thereafter. In some circumstances, loading doses followed by boosting doses may be required. The resulting immune response helps to cure or at least partially arrest symptoms and/or complications. Vaccine compositions containing the peptides are administered prophylactically to a patient susceptible to or otherwise at risk of the infection.

The pharmaceutical compositions (containing either peptides or antibodies) are intended for parenteral or oral administration. Preferably, the pharmaceutical compositions are administered parenterally, e.g., subcutaneously, intradermally, or intramuscularly. Thus, the invention provides compositions for parenteral administration which comprise a solution of the immunogenic polypeptides dissolved or suspended in an acceptable carrier, preferably an aqueous carrier. A variety of aqueous carriers may be used, e.g., water, buffered water, 0.4% saline, 0.3% glycine, hyaluronic acid and the like. These compositions may be sterilized by conventional, well known sterilization techniques, or may be sterile filtered. The resulting aqueous solutions may be packaged for use as is, or lyophilized, the lyophilized preparation being combined with a sterile solution prior to administration. The compositions may contain

pharmaceutically acceptable auxiliary substances as required to approximate physiological conditions, such as buffering agents, tonicity adjusting agents, wetting agents and the like, for example, sodium acetate, sodium lactate, sodium chloride, potassium chloride, calcium chloride, sorbitan monolaurate, triethanolamine oleate, etc.

5 The compositions may also comprise carriers to enhance the immune response. Useful carriers are well known in the art, and include, e.g., KLH, thyroglobulin, albumins such as human serum albumin, tetanus toxoid, polyamino acids such as poly(lysine:glutamic acid), influenza, hepatitis B virus core protein, hepatitis B virus recombinant vaccine and the like.

10 For solid compositions, conventional nontoxic solid carriers may be used which include, for example, pharmaceutical grades of mannitol, lactose, starch, magnesium stearate, sodium saccharin, talcum, cellulose, glucose, sucrose, magnesium carbonate, and the like. For oral administration, a pharmaceutically acceptable nontoxic composition is formed by incorporating any of the normally employed excipients, such as
15 those carriers previously listed, and generally 10-95% of active ingredient, that is, one or more peptides of the invention, and more preferably at a concentration of 25%-75%.

As noted above, the peptide compositions are intended to induce an immune response to *Chlamydia*. Thus, compositions and methods of administration suitable for maximizing the immune response are preferred. For instance, peptides may
20 be introduced into a host, including humans, linked to a carrier or as a homopolymer or heteropolymer of active peptide units from various *Chlamydia* proteins disclosed here. Alternatively, a "cocktail" of polypeptides can be used. A mixture of more than one polypeptide has the advantage of increased immunological reaction and, where different peptides are used to make up the polymer, the additional ability to induce antibodies to a
25 number of epitopes.

The compositions also include an adjuvant. As used here, number of adjuvants are well known to one skilled in the art. Suitable adjuvants include incomplete Freund's adjuvant, alum, aluminum phosphate, aluminum hydroxide,
N-acetyl-muramyl-L-threonyl-D-isoglutamine (thr-MDP),
30 N-acetyl-nor-muramyl-L-alanyl-D-isoglutamine (CGP 11637, referred to as nor-MDP), N-acetylmuramyl-L-alanyl-D-isoglutaminyl-L-alanine-2-(1'-2'-dipalmitoyl-sn-glycero-3-hydroxyphosphoryloxy)-ethylamine (CGP 19835A, referred to as MTP-PE), and RIBI, which contains three components extracted from bacteria, monophosphoryl

lipid A, trehalose dimycolate and cell wall skeleton (MPL+TDM+CWS) in a 2% squalene/Tween 80 emulsion. The effectiveness of an adjuvant may be determined by measuring the amount of antibodies directed against the immunogenic peptide.

The concentration of immunogenic peptides of the invention in the pharmaceutical formulations can vary widely, i.e. from less than about 0.1%, usually at or at least about 2% to as much as 20% to 50% or more by weight, and will be selected primarily by fluid volumes, viscosities, etc., in accordance with the particular mode of administration selected.

The peptides of the invention can also be expressed by attenuated viral hosts, such as vaccinia or fowlpox. This approach involves the use of vaccinia virus as a vector to express nucleotide sequences that encode the peptides of the invention. Upon introduction into a host, the recombinant vaccinia virus expresses the immunogenic peptide, and thereby elicits an immune response. Vaccinia vectors and methods useful in immunization protocols are described in, e.g., U.S. Patent No. 4,722,848. Another vector is BCG (Bacille Calmette Guerin). BCG vectors are described in Stover et al. (*Nature* 351:456-460 (1991)). A wide variety of other vectors useful for therapeutic administration or immunization of the peptides of the invention, e.g., *Salmonella typhi* vectors and the like, will be apparent to those skilled in the art from the description herein.

The DNA encoding one or more of the peptides of the invention can also be administered to the patient. This approach is described, for instance, in Wolff et al., *Science* 247: 1465-1468 (1990) as well as U.S. Patent Nos. 5,580,859 and 5,589,466.

In order to enhance serum half-life, the peptides may also be encapsulated, introduced into the lumen of liposomes, prepared as a colloid, or other conventional techniques may be employed which provide an extended serum half-life of the peptides. A variety of methods are available for preparing liposomes, as described in, e.g., Szoka et al., *Ann. Rev. Biophys. Bioeng.* 9:467 (1980), U.S. Pat. Nos. 4,235,871, 4,501,728 and 4,837,028.

30

EXAMPLES

The following examples are offered to illustrate, but no to limit the claimed invention.

Example 1:

This example describes comparison of the *C. pneumoniae* genome disclosed here and the, previously sequenced, *C. trachomatis* genome (Stephens, *et al. Science* 282:754-759 (1998)).

The apparent low level of DNA homology between *C. trachomatis* and *C. pneumoniae* (Campbell, *et al., J. Clin. Microbiol.* 25:1911-1916 (1987)) yet analogous cell structures and developmental cycles, predicts that comparative analysis of the two genomes will significantly enhance the understanding of both pathogens. Identification of genes that are present in one species but not the other are of particular importance for the mutually exclusive biological, virulence and pathogenesis capabilities of each.

10 Identification of genes shared between the two species strongly supports the requirement for these capabilities in a biological system that has, over its long-term association with mammalian host cells, evolved to reduce the metabolic capacities while optimizing survival, growth and transmission of these unique pathogens.

The previously sequenced *C. trachomatis* genome contains 1,042,519 nucleotides and 875 likely protein-coding genes. Similarity searching permitted the inferred functional assignment of sequences 636 (60%) genes disclosed here and 251 (23%) are similar to hypothetical genes for other bacterial organisms including those for *C. trachomatis*. The remaining 186 (17%) genes are not homologous to sequences deposited in GenBank.. Seventy *C. trachomatis* genes are not represented in the *C. pneumoniae* genome. These are contained within blocks consisting of 2-17 genes and 19 single genes. Of the 70 *C. trachomatis* genes without homologs in *C. pneumoniae*, 60 are classified as encoding hypothetical proteins. The remaining genes not represented in *C. pneumoniae* consist of the tryptophan operon (*trpA,B,R*), *trpC*, two predicted thiol protease genes, and 4 genes assigned to the phospholipase-D superfamily.

25 It is evident that there is a high level of functional conservation between *C. pneumoniae* and *C. trachomatis* as orthologs to *C. trachomatis* genes were identified for 859 (80%) of the predicted coding sequences for *C. pneumoniae*. The level of similarity for individual encoded proteins spans a wide spectrum (22-95% amino acid identity) with an average of 62% amino acid identity between orthologs from the two species. The

30 percent amino acid identity between orthologous chlamydial proteins is similar among functional groups with the highest for proteins associated with translation and the lowest for proteins whose function in chlamydiae is uncharacterized and not related to proteins encoded by other organisms. The gene order of the homologous set of genes in *C.*

pneumoniae shows reorganization relative to the genome of *C. trachomatis*; however, there is a high level of synteny for the gene organization of the two genomes. We identified thirty-nine blocks of 2 or more genes whose gene organization is colinear with homologs to *C. trachomatis*, although some of these are inverted. The distribution of genome reorganization is not evenly distributed on the chromosome as the region between *C. pneumoniae* coding sequences 0130-0300 contains substantially more reorganization than other areas of the genome. This region coincides with the predicted chromosome replication terminus.

We identified orthologs of enzymes characterized in other bacteria that account for the essential requirements for DNA replication, repair, transcription and translation including two predicted DNA helicases of the Swi2/Snf2 family found in *C. trachomatis*. Similar to *C. trachomatis*, alternative sigma subunits for RNA polymerase, σ^{28} and σ^{54} , were identified in addition to anti- σ regulatory system factors RsbV, a RsbW-like single-domain histidine kinase, and a RsbU-like protein phosphatase. These findings suggest that the fundamental mechanisms of transcriptional regulation are conserved among *Chlamydia*. The *C. trachomatis* proteins containing SET and SWIB domains, and a SWIB domain fused to the C-terminus of the chlamydial topoisomerase I, not identified outside eukaryotes, are found in *C. pneumoniae* supporting their possible role in the chromatin condensation-decondensation characteristic of the biologically unique chlamydial developmental cycle.

The central metabolic pathways inferred from the *C. pneumoniae* genome sequence are the same as those identified for *C. trachomatis*. *C. pneumoniae* has a glycolytic pathway and a linked tricarboxylic acid cycle, although likely functional, is incomplete as genes for citrate synthase, aconitase, and isocitrate dehydrogenase were not identified. *C. pneumoniae* has a complete glycogen synthesis and degradation system supporting a role for glycogen synthesis and utilization of glucose-derivatives in chlamydial metabolism. Genes encoding essential functions in aerobic respiration are present and electron flux may be supported by pyruvate, succinate, glycerol-3-phosphate, and NADH dehydrogenases, NADH-ubiquinone oxidoreductase and cytochrome oxidase. *C. pneumoniae* also contains the V (vacuolar)-type ATPase operon and the two ATP translocases found in *C. trachomatis*.

The type-III secretion virulence system required for invasion by several pathogenic bacteria and found in the *C. trachomatis* genome in three chromosomal

locations is also present in the *C. pneumoniae* genome. Each of the components is conserved and their relative genomic contexts are conserved. Genes such as a predicted serine/threonine protein kinase and other genes physically linked to genes encoding structural components of the type-III secretion apparatus, but without identified
 5 homologs, are also highly similar between the two species suggesting the functional roles in modifying cellular biology are fundamentally conserved.

Chlamydia-encoded proteins that are not found in chlamydial organisms but localized to the intracellular chlamydial inclusion membrane are likely essential for the unique intracellular biology and perhaps differences in inclusion morphology
 10 observed between species of *Chlamydia*. Several such proteins, termed IncA,B&C, have been characterized for a *C. psittaci* strain (Rockey, *et al. Mol. Microbiol.* 15:617-626 (1995); Rockey *et al. Infect. Immun.* 62:106-112 (1994)). *C. pneumoniae* and *C. trachomatis* encode orthologs to *C. psittaci* IncB and IncC and *C. trachomatis* also contains an ortholog to IncA. *C. pneumoniae* contains two genes that encode proteins
 15 with similarity to IncA (CPn0186 and CPn0585), although the level of homology is low suggesting analogous but possibly altered functions.

The tryptophan biosynthesis operon (*trpA*, *trpB*, *trpR*) and *trpC* identified in *C. trachomatis* is conspicuously missing in the *C. pneumoniae* genome. This represents the entire repertoire of genes associated with tryptophan biosynthesis identified
 20 in *C. trachomatis*. Seventeen genes adjacent to the *C. trachomatis* tryptophan operon also were not found in the *C. pneumoniae* genome. This region is the single largest loss of a contiguous genomic segment and includes 4 HKD superfamily encoding genes that encompass a family of proteins related to endonuclease and phospholipase D. These findings may be important for the ability of *Chlamydia* to persist in their hosts and cause
 25 disease by eliciting potent, focal and persistent inflammatory responses thought to be essential for pathogenesis.

The *C. pneumoniae* genome contains 187,711 additional nucleotides compared to the *C. trachomatis* genome, and the 214 coding sequences not found in *C. trachomatis* account for most of the increased genome size. Eighty-eight of these genes
 30 are found in blocks of >10 genes (11-30 genes/block), 41 are single genes, and the remainder are partnered with at least one other gene. Based upon the observation that ~70% of all the *C. pneumoniae* genes have an identifiable homolog in GenBank, exclusive of *C. trachomatis*, it would be expected that over 150 of the 214 genes should

have a homolog in GenBank, many associated with a function. However, only 28 coding sequences have similarity to genes from other organisms. Thus the majority of the genes that are mutually exclusive of *C. trachomatis* (186 of 214), and the 60 of 70 *C. trachomatis* genes that lacked an identifiable homolog in *C. pneumoniae*, do not have detectable homologs to genes from other organisms. We predict that most of the unique genes are essential for specific attributes that define the differential biology, tropism and pathogenesis of *C. trachomatis* and *C. pneumoniae*. Moreover, this suggests that *C. pneumoniae* has more unique biological (i.e., virulence) capacity than *C. trachomatis*. The ability of *C. pneumoniae* to be more invasive and survive in a broader range of host cell types than *C. trachomatis* is consistent with this hypothesis. Not all of the differences in biological capacity may be associated with mutually exclusive genes. One explanation for the significantly lower level of homology between protein sequences assigned as having *C. pneumoniae* and *C. trachomatis* orthologs but no identifiable orthologs in other organisms is that this set of proteins is not only associated with biological requirements specific for *Chlamydia* but this polymorphism may account for differential biology between the two species. The determination of the genome sequence from a representative of the *C. psittaci* group will precisely delineate those genes that are mutually exclusive and specific for each species.

The major functionally identifiable addition to the *C. pneumoniae* genome is a large expansion of genes encoding a new family of chlamydial polymorphic membrane proteins (Pmp), alone representing 22% of the increased coding capacity. While the *C. trachomatis* genome has 9 *pmp* genes, remarkably the *C. pneumoniae* genome contains 21 *pmp* genes. Most of these genes appear to be amplified in two regions of the genome with three stand-alone genes. Interestingly one of the stand-alone genes is most closely related to the *C. trachomatis pmpD* which is the only stand-alone *pmp* gene in the *C. trachomatis* genome and it is located with the same relative genomic context, suggesting an essential and conserved function for this paralog. Six Pmp-coding genes are presumably not functional as five contain predicted coding frame-shifts and one is truncated. The amplification of this gene family and the confidently predicted frame-shifts suggest a specific molecular mechanism to promote functional or antigenic diversity. The biological role of this protein family remains enigmatic, although at least one of the proteins in *C. psittaci* related to this family is exposed on the chlamydial surface.

While a function could not be assigned for most of the unique *C. pneumoniae* genes, several have significant similarity to genes from other organisms. Functional assignments could be made for genes encoding GMP synthetase, IMP dehydrogenase, UMP synthase, uridine kinase, biotin synthase pathway proteins, methylthioadenosine nucleosidase, a DNA glycosylase and aromatic amino acid hydroxylase. Thus a complete pathway was identified for biotin biosynthesis. The additional purine and pyrimidine salvage pathway genes presumably reflect metabolic limitations in one of the cell types that *C. pneumoniae* infects or differences in the ability of *C. pneumoniae* to transport precursor nucleosides or nucleotides.

The addition of aromatic amino acid hydroxylase in *C. pneumoniae* is intriguing especially in light of the loss of tryptophan biosynthetic genes and the inability to synthesize other amino acids including phenylalanine. Aromatic amino acid hydroxylases include three distinct enzymes that function to receptively oxidize phenylalanine to tyrosine, tyrosine to Dopa, and tryptophan to 5-hydroxytryptophan and serotonin. Although the chlamydial protein is similar to proteins of this family and incrementally more closely related to tryptophan hydroxylase, its specific function could not be confidently predicted. We hypothesize that it may be involved in *C. pneumoniae* virulence. Tryptophan hydroxylase has not been previously identified in bacteria and the origin of the chlamydial gene appears to be from eukaryotes. The functional role of an aromatic amino acid hydroxylase for *C. pneumoniae* is linked to the unique intracellular biology of this organism and may represent a key contribution to *C. pneumoniae* persistence and pathogenesis.

It is understood that the examples and embodiments described herein are for illustrative purposes only and that various modifications or changes in light thereof will be suggested to persons skilled in the art and are to be included within the spirit and purview of this application and scope of the appended claims. All publications, patents, and patent applications cited herein are hereby incorporated by reference in their entirety for all purposes.

Table 1 provides functional assignments of *C. pneumoniae* nonprotein-encoding genomic sequences. Table 2 provides functional assignments of protein coding sequences. Table 3 provides the amino acid sequences of the proteins corresponding to the coding sequences.

TABLE 1

type	SEQ ID NO:1 start position	SEQ ID NO:1 end position	Gene
Ori	841664	841396	(R) Putative Origin of Replication
tmRNA	138493	138074	(R) tmRNA
pRNA	607342	607649	Ribonuclease P RNA
rRNA	1000564	1002115	16S rRNA
rRNA	1002415	1005278	23S rRNA
rRNA	1005393	1005509	5S rRNA
tRNA	269070	269142	Ala tRNA_1
tRNA	164318	164389	Asn tRNA
tRNA	296224	296151	(R) Asp tRNA
tRNA	836191	836119	(R) Ala tRNA_2
tRNA	1030533	1030603	Cys tRNA
tRNA	784896	784822	(R) Glu tRNA
tRNA	781680	781610	(R) Gly tRNA_1
tRNA	961536	961607	Gly tRNA_2
tRNA	999949	1000023	His tRNA
tRNA	268992	269065	Ile tRNA
tRNA	672236	672318	Leu tRNA_1
tRNA	680178	680257	Leu tRNA_2
tRNA	715889	715971	Leu tRNA_3
tRNA	739403	739486	Leu tRNA_4
tRNA	1175863	1175944	Leu tRNA_5
tRNA	784994	784922	(R) Lys tRNA
tRNA	843926	843999	Pro tRNA_2
tRNA	409922	409848	(R) Pro tRNA_1
tRNA	631373	631445	Phe tRNA
tRNA	677337	677264	(R) Arg tRNA_2
tRNA	807413	807341	(R) Arg tRNA_3
tRNA	877473	877400	(R) Arg tRNA_4
tRNA	462141	462214	Arg tRNA_1
tRNA	1085605	1085676	Gln tRNA
tRNA	786780	786708	(R) Thr tRNA_3
tRNA	89728	89657	(R) Thr tRNA_1
tRNA	293477	293405	(R) Thr tRNA_2
tRNA	87522	87450	(R) Met tRNA_1
tRNA	199301	199229	(R) Met tRNA_2
tRNA	199390	199317	(R) Met tRNA_3
tRNA	626904	626987	Ser tRNA_1
tRNA	708359	708440	Ser tRNA_2
tRNA	1142034	1142117	Ser tRNA_3
tRNA	1230028	1229945	(R) Ser tRNA_4
tRNA	91070	90999	(R) Trp tRNA
tRNA	293399	293317	(R) Tyr tRNA
tRNA	296147	296075	(R) Val tRNA_1
tRNA	1137389	1137462	Val tRNA_2

TABLE 2

Gene #	From	To	Strand	Gene Function (C. trachomatis ortholog in parentheses)
CPn0001	282	4	R	CT001 hypothetical protein
CPn0002	573	875	F	gatC-Glu-tRNA Gln Amidotransferase (C subunit)-(CT002)
CPn0003	895	2370	F	gatA-Glu tRNA Gln Amidotransferase-(CT003)
CPn0004	2170	3131	F	gatB-(Per112) Gln tRNA Gln Amidotransferase (B Subunit)-(CT004)
CPn0005	4127	6892	F	pmp_1-Polymorphic Outer Membrane Protein G Family
CPn0006	7293	7141	R	
CPn0007	7605	10496	F	
CPn0008	10975	11685	F	
CPn0009	11815	13119	F	
CPn0010	13435	14325	F	
CPn0010	14379	15746	F	frame-shift with 0010
CPn0011	15892	16614	F	
CPn0012	16644	18212	F	
CPn0013	18584	21106	F	pmp_2-Polymorphic Outer Membrane Protein G Family
CPn0014	21392	21922	F	pmp_3-Polymorphic Outer Membrane Protein G Family
CPn0015	21835	24174	F	pmp_3-PMP_3 (frame-shift with 0014)
CPn0016	24416	26188	F	pmp_4-Polymorphic Outer Membrane Protein G Family
CPn0017	26094	27170	F	pmp_4-PMP_4 (frame-shift with 0016)
CPn0018	27522	29003	F	pmp_5-Polymorphic Outer Membrane Protein G Family
CPn0019	29007	30356	F	pmp_5-PMP_5 (frame-shift with 0018)
CPn0020	32687	30603	F	Predicted OMP [leader (14) peptide: outer membrane]-(CT351)
CPn0021	34410	32707	R	Predicted OMP [leader (19) peptide]-(CT350)
CPn0022	34982	34395	R	maf-(CT349)
CPn0023	36603	35014	R	yjjK/alr-ABC Transporter Protein ATPase-(CT348)
CPn0024	37596	36661	F	xerC-Integrase/recombinase-(CT347)
CPn0025	38604	37684	R	elaC/atsA-Sulphohydrolase/Glycosulfatase-(CT346)
CPn0026	39625	38762	R	CT345 hypothetical protein-(CT345)
CPn0027	42234	39778	R	lon-Lon ATP-dependent Protease-(CT344)
CPn0028	43325	42543	R	
CPn0029	43755	43390	R	
CPn0030	43891	44529	F	gcp_1-O-Sialoglycoprotein Endopeptidase_1-(CT343)
CPn0031	44711	44884	F	rs21-S21 Ribosomal Protein-(CT342)
CPn0032	44923	46098	F	dnaJ-Heat Shock Protein J-(CT341)
CPn0033	46138	48171	F	pdhA&B/odhA&odhB-(pyruvate) Oxoisovalerate Dehydrogenase Alpha & Beta Fusion-(CT340)
CPn0034	49457	48210	R	
CPn0035	51029	49569	R	CT339 hypothetical protein
CPn0036	51002	51796	F	CT338 hypothetical protein
CPn0037	51792	52115	F	ptsH-PTS Phosphocarrier Protein Hpr-(CT337)
CPn0038	52119	53831	F	ptsI-PTS PEP Phosphotransferase-(CT336)
CPn0039	54250	53963	R	ybaB-(CT335)
CPn0040	55643	54318	R	dnaX_1-DNA Pol III Gamma and Tau_1-(CT334)
CPn0041	55996	57342	F	
CPn0042	57403	58182	F	
CPn0043	58447	60372	F	
CPn0044	60419	60778	F	
CPn0045	61069	62790	F	
CPn0046	62790	63263	F	
CPn0047	63455	63652	F	
CPn0048	63687	65801	F	*yqfF-Bs conserved hypothetical IM protein
CPn0049	66296	65817	R	
CPn0050	66813	66499	R	
CPn0051	66833	67111	F	
CPn0052	68005	67304	R	hemC-Porphobilinogen Deaminase-(CT299)
CPn0053	69344	67986	R	sms-Sms Protein-(CT298)
CPn0054	70023	69313	R	rnc-Ribonuclease III-(CT297)
CPn0055	70129	70590	F	CT296 hypothetical protein
CPn0056	70953	72746	F	mrsA-Phosphomannomutase-(CT295)
CPn0057	72934	73554	F	sodM-Superoxide Dismutase (Mn)-(CT294)
CPn0058	73639	74562	F	accD-AcCoA Carboxylase/Transferase Beta-(CT293)
CPn0059	74616	75050	F	dut-dUTP Nucleotidohydrolase-(CT292)
CPn0060	75055	75528	F	ptsN_1-PTS IIA Protein-(CT291)
CPn0061	75534	76208	F	ptsN_2-PTS IIA Protein + HTH DNA-Binding Domain-(CT290)
CPn0062	76308	77690	F	CT289 hypothetical protein
CPn0063	78112	78267	F	
CPn0064	78346	78576	F	
CPn0065	78924	80651	F	CT288 hypothetical protein
CPn0066	80925	82655	F	

CPn0067	82953	84053	F	
CPn0068	84903	84331	R	CT360 hypothetical protein
CPn0069	85236	87086	F	
CPn0070	87378	87208	R	
CPn0071	88045	87599	R	CT325 hypothetical protein
CPn0072	89061	88057	R	CT324 hypothetical protein
CPn0073	89356	89574	F	infA-Initiation Factor IF-1-(CT323)
CPn0074	89774	90955	F	tufA-Elongation Factor Tu-(CT322)
CPn0075	91102	91350	F	secE-preprotein translocase-(CT321)
CPn0076	91358	91903	F	nusG-Transcriptional Antitermination-(CT320)
CPn0077	92013	92435	F	rl11-L11 Ribosomal Protein-(CT319)
CPn0078	92465	93160	F	rl1-L1 Ribosomal Protein-(CT318)
CPn0079	93179	93688	F	rl10-L10 Ribosomal Protein-(CT317)
CPn0080	93735	94121	F	rl7-L7/L12 Ribosomal Protein-(CT316)
CPn0081	94261	98016	F	rpoB-RNA Polymerase Beta-(CT315)
CPn0082	98043	102221	F	rpoC-RNA Polymerase Beta'-(CT314)
CPn0083	102332	103312	F	tal-Transaldolase-(CT313)
CPn0084	103362	103751	F	predicted ferredoxin-(CT312)
CPn0085	104506	103766	R	CT311 hypothetical protein
CPn0086	104904	105527	F	atpE-ATP Synthase Subunit E-(CT310)
CPn0087	105579	106376	F	CT309 hypothetical protein
CPn0088	106373	108145	F	atpA-ATP Synthase Subunit A-(CT308)
CPn0089	108153	109466	F	atpB-ATP Synthase Subunit B-(CT307)
CPn0090	109454	110080	F	atpD-ATP Synthase Subunit D-(CT306)
CPn0091	110074	112053	F	atpI-ATP Synthase Subunit I-(CT305)
CPn0092	112151	112573	F	atpK-ATP Synthase Subunit K-(CT304)
CPn0093	112509	113015	F	CT303 hypothetical protein
CPn0094	113152	115971	F	vals-Valyl tRNA Synthetase-(CT302)
CPn0095	116037	118790	F	pknD-S/T Protein Kinase-(CT301)
CPn0096	124314	118837	R	uvrA-Excinuclease ABC Subunit A-(CT333)
CPn0097	124555	126006	F	pyk-Pyruvate Kinase-(CT332)
CPn0098	127491	126091	R	htrB-Acyltransferase-(CT010)
CPn0099	127593	127865	F	
CPn0100	129141	127882	R	CT011 hypothetical protein
CPn0101	129932	129141	R	ybbP family hypothetical protein-(CT012)
CPn0102	130123	131466	F	cydA-Cytochrome Oxidase Subunit I-(CT013)
CPn0103	131480	132511	F	cydB-Cytochrome Oxidase Subunit II-(CT014)
CPn0104	133875	132676	R	CT017 hypothetical protein
CPn0105	134847	134029	R	CT016 hypothetical protein
CPn0106	135091	136374	F	phoH-ATPase-(CT015)
CPn0107	137162	136392	R	CT058 hypothetical protein_1
CPn0108	137857	137303	R	CT018
CPn0109	138655	141783	F	ileS-Isoleucyl-tRNA Synthetase-(CT019)
CPn0110	143734	141827	R	lepB-Signal Peptidase I-(CT020)
CPn0111	144686	143934	R	CT021 hypothetical protein
CPn0112	144767	145093	F	rl31-L31 Ribosomal Protein-(CT022)
CPn0113	145335	146405	F	pfrA-Peptide Chain Releasing Factor (RF-1)-(CT023)
CPn0114	146398	147261	F	hemK-A/G specific methylase-(CT024)
CPn0115	147279	148622	F	ffh-Signal Recognition Particle GTPase-(CT025)
CPn0116	148616	148972	F	rs16-S16 Ribosomal Protein-(CT026)
CPn0117	148989	150071	F	trmD-tRNA (guanine N-1)-Methyltransferase-(CT027)
CPn0118	150102	150464	F	rl19-L19 Ribosomal Protein-(CT028)
CPn0119	150523	151164	F	rnhB_1-Ribonuclease HII_1-(CT029)
CPn0120	151164	151778	F	gmk-GMP Kinase-(CT030)
CPn0121	151778	152068	F	CT031 hypothetical protein
CPn0122	152071	153723	F	metG-Methionyl-tRNA Synthetase-(CT032)
CPn0123	155969	153774	R	recD_1-Exodeoxyribonuclease V (Alpha Subunit)_1-(CT033)
CPn0124	156614	158068	F	
CPn0125	158096	158605	F	
CPn0126	158809	161085	F	
CPn0127	162143	161130	R	ytff-Cationic Amino Acid Transporter-(CT034)
CPn0128	162277	163053	F	bpl1-Biotin Protein Ligase-(CT035)
CPn0129	163717	163064	R	similarity to CT036
CPn0130	164245	163751	R	
CPn0131	164549	165580	F	
CPn0132	165587	166561	F	
CPn0133	167334	166564	R	CHLPS hypothetical protein-(CT109)
CPn0134	169098	167467	R	groEL_1-HSP-60_1-(CT110)
CPn0135	169448	169143	R	groES-10KDa Chaperonin-(CT111)
CPn0136	171401	169569	R	pepF-Oligopeptidase-(CT112)
CPn0137	172254	171502	R	ybgI-ACR family-(CT108)
CPn0138	174019	172700	R	hemL-Glutamate-1-semialdehyde-2,1-aminomutase-(CT210)

CPn0139	174656	174093	R	yqgE-(CT210)
CPn0140	175110	174673	R	yqdE-(CT212)
CPn0141	175802	175110	R	rpiA-Ribose-5-P Isomerase A-(CT213)
CPn0142	176091	175816	R	
CPn0143	177335	176214	R	*yxjG_Bs_1 Hypothetical Protein
CPn0144	177963	180560	F	clpB-Clp Protease ATPase-(CT113)
CPn0145	180777	182369	F	CT114 hypothetical protein
CPn0146	182613	183095	F	
CPn0147	183225	183671	F	
CPn0148	183846	185702	F	pkn1-S/T Protein Kinase-(CT145)
CPn0149	185715	187700	F	dnlJ-DNA Ligase-(CT146)
CPn0150	187834	192444	F	CT147 hypothetical protein
CPn0151	194142	192625	R	mhpA-Monooxygenase-(CT148)
CPn0152	195265	194318	R	CT149 hypothetical protein
CPn0153	195433	197892	F	leuS-Leucyl tRNA Synthetase-(CT209)
CPn0154	197892	199202	F	gseA-KDO Transferase-(CT208)
CPn0155	199691	199488	R	
CPn0156	200117	199770	R	
CPn0157	200723	200298	R	
CPn0158	201430	200894	R	
CPn0159	201772	201467	R	
CPn0160	203791	202127	R	pfkA_1-Fructose-6-P Phosphotransferase_1-(CT207)
CPn0161	204622	203798	R	predicted acyltransferase family-(CT206)
CPn0162	205828	204803	R	
CPn0163	206026	206394	F	
CPn0164	206498	206998	F	
CPn0165	206998	207582	F	
CPn0166	207630	207962	F	
CPn0167	208306	207977	R	
CPn0168	208641	208417	R	
CPn0169	209501	208710	R	
CPn0170	211026	210025	R	
CPn0171	212435	211149	R	*guaA-GMP Synthase
CPn0172	213177	212440	R	*guaB/impD-Inosine 5'-monophosphate dehydrogenase (C00H-terminal region only)
CPn0173	213987	213715	R	
CPn0174	214257	214724	F	
CPn0175	214898	215275	F	
CPn0176	215286	216518	F	CT153 hypothetical protein
CPn0177	217459	216608	R	
CPn0178	218052	217789	R	
CPn0179	218403	218056	R	
CPn0180	218851	218355	R	
CPn0181	219175	218777	R	
CPn0182	220695	219334	R	accC-Biotin Carboxylase-(CT124)
CPn0183	221195	220695	R	accB-Biotin Carboxyl Carrier Protein-(CT123)
CPn0184	221775	221221	R	efp_1-Elongation Factor P_1-(CT122)
CPn0185	222451	221765	R	rpe/araD-Ribulose-P Epimerase-(CT121)
CPn0186	222899	224068	F	*similarity to Cps Inca_1-(CT119)
CPn0187	224248	225045	F	predicted methylase-(CT133)
CPn0188	225111	226400	F	CT132 hypothetical protein
CPn0189	226400	229825	F	CT131 homolog-(Possible Transmembrane Protein)
CPn0190	229919	231274	F	
CPn0191	231991	231314	R	glnQ-ABC Amino Acid Transporter ATPase-(CT130)
CPn0192	232634	231984	R	glnP-ABC Amino Acid Transporter Permease-(CT129)
CPn0193	233126	232686	R	*argR-Arginine Repressor
CPn0194	233210	234241	F	gcp_2-O-Sialoglycoprotein Endopeptidase_2-(CT197)
CPn0195	234190	235785	F	oppA_1-Oligopeptide Binding Protein_1
CPn0196	235939	237519	F	oppA_2-Oligopeptide Binding Protein_2-(CT198)
CPn0197	237578	238882	F	oppA_3-Oligopeptide Binding Protein_3
CPn0198	239169	240746	F	oppA_4-Oligopeptide Binding Protein_4
CPn0199	241042	241983	F	oppB_1-Oligopeptide Permease_1-(CT199)
CPn0200	242017	242868	F	oppC_1-Oligopeptide Permease_1-(CT200)
CPn0201	242864	243715	F	oppD-Oligopeptide Transport ATPase-(CT201)
CPn0202	243715	244500	F	oppF-Oligopeptide Transport ATPase-(CT202)
CPn0203	245008	245802	F	
CPn0204	245817	246002	F	
CPn0205	246133	246327	F	
CPn0206	246409	247161	F	CT203 hypothetical protein
CPn0207	247208	248617	F	ybhI/sodiT1-Oxoglutarate/Malate Translocator-(CT204)
CPn0208	248953	250602	F	pfkA_2-Fructose-6-P Phosphotransferase_2-(CT205)
CPn0209	251036	251272	F	

CPn0210	252384	251440	R	
CPn0211	252756	252463	R	
CPn0212	254066	252888	R	
CPn0213	254342	254190	R	
CPn0214	255657	254446	R	
CPn0215	257015	255759	R	
CPn0216	257608	257174	R	
CPn0217	257896	258579	F	ypdP-(CT140)
CPn0218	259058	258582	R	
CPn0219	259357	260472	F	tgt-Queuine tRNA Ribosyl Transferase-(CT193)
CPn0220	260696	261238	F	
CPn0221	261657	262064	F	
CPn0222	262504	262842	F	*weak similarity to Bacteriophage CHP1 (Orf4)
CPn0223	262956	263333	F	
CPn0224	263435	263674	F	
CPn0225	263873	264541	F	
CPn0226	264566	264967	F	
CPn0227	265416	265009	R	dsbB-Disulfide bond Oxidoreductase-(CT176)
CPn0228	266110	265412	R	dsbG-Disulfide Bond Chaperone-(CT177)
CPn0229	266328	267560	F	CT178 hypothetical protein
CPn0230	268253	267576	R	CT179 hypothetical protein
CPn0231	268957	268253	R	tauB-ABC Transport ATPase (Nitrate/Fe)-(CT180)
CPn0232	270122	269232	R	*similarity to 5'-Methylthioadenosine / S-Adenosylhomocysteine Nucleosidase
CPn0233	270424	270248	R	
CPn0234	271240	270548	R	CT181 hypothetical protein
CPn0235	271416	272177	F	kdsB-deoxyoctulononic Acid Synthetase-(CT182)
CPn0236	272156	273766	F	pyrG-CTP Synthetase-(CT183)
CPn0237	273762	274214	F	yggF Family-(CT184)
CPn0238	274303	275838	F	zwf-Glucose-6-P Dehydrogenase-(CT185)
CPn0239	275899	276672	F	devB-Glucose-6-P Dehydrogenase (DevB family)-(CT186)
CPn0240	277861	276698	R	
CPn0241	279354	278203	R	
CPn0242	279918	279487	R	
CPn0243	280555	280133	R	
CPn0244	280918	281556	F	adk-Adenylate Kinase-(CT128)
CPn0245	281645	282499	F	ydH-Polysaccharide Hydrolase-Invasin Repeat Family-(CT127)
CPn0246	282952	282551	R	rs9-S9 Ribosomal Protein-(CT126)
CPn0247	283415	282969	R	rl13-L13 Ribosomal Protein-(CT125)
CPn0248	284327	283650	R	ycfV/ybba-ABC Transporter ATPase-(CT152)
CPn0249	285841	284333	R	CT151 hypothetical protein
CPn0250	286057	285902	R	rl33-L33 Ribosomal Protein-(CT150)
CPn0251	286060	287559	F	*conserved hypothetical protein
CPn0252	288112	287576	R	CT144 hypothetical protein (frame-shift with 0253?)
CPn0253	288456	287950	R	CT144 hypothetical protein_1
CPn0254	289262	288459	R	CT143 hypothetical protein_1
CPn0255	290165	289329	R	CT142 hypothetical protein_1
CPn0256	291264	290398	R	CT144 hypothetical protein_2
CPn0257	292127	291267	R	CT143 hypothetical protein_2
CPn0258	292534	292133	R	CT142 hypothetical protein (frame-shift with 0259?)
CPn0259	292986	292441	R	CT142 hypothetical protein_2
CPn0260	294045	293548	R	secA_1-Protein Translocase Subunit_1-(CT141)
CPn0261	294302	295033	F	ydaO-PP-Loop Superfamily ATPase-(CT217)
CPn0262	295091	295933	F	surE-SurE-like Acid Phosphatase-(CT218)
CPn0263	296249	297136	F	yqfU hypothetical protein-(CT221)
CPn0264	297730	297155	R	ubiD-Phenylacrylate Decarboxylase-(CT220)
CPn0265	298620	297730	R	ubiA-Benzoate Octaphenyltransferase-(CT219)
CPn0266	299184	299876	F	
CPn0267	300122	300910	F	
CPn0268	300935	301318	F	
CPn0269	302450	301476	R	Dipeptidase-(CT138)
CPn0270	303325	302468	R	ylwC-SuA5 Superfamily-related Protein-(CT137)
CPn0271	303634	304362	F	Lysophospholipase esterase-(CT136)
CPn0272	305233	304340	R	dnaX_2-DNA Pol III Gamma and Tau_2-(CT187)
CPn0273	305844	305227	R	tdk-Thymidylate Kinase-(CT188)
CPn0274	308353	305852	R	gyrA_1-DNA Gyrase Subunit A_1-(CT189)
CPn0275	310786	308372	R	gyrB_1-DNA Gyrase Subunit B_1-(CT190)
CPn0276	311137	310793	R	CT191 hypothetical protein
CPn0277	311910	311404	R	
CPn0278	312875	312060	R	*conserved outer membrane lipoprotein protein
CPn0279	313537	312875	R	*Possible ABC Transporter Permease Protein
CPn0280	314572	313550	R	dppF-Dipeptide Transporter ATPase-(CT689)

CPn0281	315057	316103	F	dhnA-Predicted 1,6-Fructose Biphosphate Aldolase (dehydrin family)-(CT215)
CPn0282	316126	317529	F	xasA/gadC-Amino Acid Transporter-(CT216)
CPn0283	318497	317532	R	
CPn0284	319045	318551	R	
CPn0285	320595	319051	R	
CPn0286	322059	320650	R	mgtE-Mg++ Transporter (CBS Domain)-(CT194)
CPn0287	324221	322089	R	
CPn0288	325716	324571	R	CT195 hypothetical protein
CPn0289	325812	326996	F	aaaT-Neutral Amino Acid (Glutamate) Transporter-(CT230)
CPn0290	327042	328523	F	Na-dependent Transporter-(CT231)
CPn0291	328667	329194	F	incB-Inclusion Membrane Protein B-(CT232)
CPn0292	329228	329836	F	incC-Inclusion Membrane Protein C-(CT233)
CPn0293	329949	332723	F	CT234 hypothetical protein
CPn0294	333092	333502	F	cAMP-Dependent Protein Kinase Regulatory Subunit-(CT235)
CPn0295	333863	333627	R	acpP-Acyl Carrier Protein-(CT236)
CPn0296	334765	334022	R	fabG-Oxoacyl (Carrier Protein) Reductase-(CT237)
CPn0297	335697	334774	R	fabD-Malonyl Acyl Carrier Transcyclase-(CT238)
CPn0298	336721	335717	R	fabH-Oxoacyl Carrier Protein Synthase III-(CT239)
CPn0299	336816	337415	F	recR-Recombination Protein-(CT240)
CPn0300	337783	340152	F	yaeT-Omp85 Analog-(CT241)
CPn0301	340250	340762	F	(OmpH-Like Outer Membrane Protein)-(CT242)
CPn0302	340787	341866	F	lpxD-UDP Glucosamine N-Acyltransferase-(CT243)
CPn0303	342958	341921	R	CT244 hypothetical protein
CPn0304	343133	344158	F	pdhA/odpA-Pyruvate Dehydrogenase Alpha-(CT245)
CPn0305	344154	345137	F	pdhB/odpB-Pyruvate Dehydrogenase Beta-(CT246)
CPn0306	345145	346431	F	pdhC-Dihydrolipoamide Acetyltransferase-(CT247)
CPn0307	348986	346515	F	glgP-Glycogen Phosphorylase-(CT248)
CPn0308	349234	349596	F	similarity to CT249
CPn0309	350974	349595	R	dnaA_1-Replication Initiation Protein_1-(CT250)
CPn0310	353433	351049	R	60IM-60kDa Inner Membrane Protein-(CT251)
CPn0311	354438	353575	R	lgt-Prolipoprotein Diacylglycerol Transferase-(CT252)
CPn0312	354524	354976	F	CT101 hypothetical protein
CPn0313	354990	355355	F	acpS-Acyl-carrier Protein Synthase-(CT100)
CPn0314	356285	355353	R	trxB-Thioredoxin Reductase-(CT099)
CPn0315	356977	358716	F	rs1-S1 Ribosomal Protein-(CT098)
CPn0316	358820	360121	F	nusA-N Utilization Protein A-(CT097)
CPn0317	360081	362750	F	infB-Initiation Factor-2-(CT096)
CPn0318	362767	363126	F	rbfA-Ribosome Binding Factor A-(CT095)
CPn0319	363175	363879	F	truB-tRNA Pseudouridine Synthase-(CT094)
CPn0320	363860	364783	F	ribF-FAD Synthase-(CT093)
CPn0321	365858	364767	R	ychF-GTP Binding Protein-(CT092)
CPn0322	366249	367328	F	yscU-YopS Translocation Protein U -(CT091)
CPn0323	367331	369460	F	lcrD- Low Calcium Response D-(CT090)
CPn0324	369492	370688	F	lcrE- Low Calcium Response E-(CT089)
CPn0325	370708	371148	F	syncE-Secretion Chaperone-(CT088)
CPn0326	371148	372725	F	malQ-Glucanotransferase-(CT087)
CPn0327	372945	373211	F	rl28-L28 Ribosomal Protein-(CT086)
CPn0328	373241	374992	F	CT085 hypothetical protein
CPn0329	375088	376146	F	Phospholipase D Superfamily [leader (33) peptide]-(CT084)
CPn0330	376675	376202	R	CT083 hypothetical protein
CPn0331	378437	376701	R	CT082 hypothetical protein
CPn0332	378655	378536	R	CHLTR T2 Protein-(CT081)
CPn0333	379090	378800	R	ltuB-(CT080)
CPn0334	379311	379823	F	CT079 similarity
CPn0335	379817	380674	F	fold-Methylene Tetrahydrofolate Dehydrogenase-(CT078)
CPn0336	380650	381591	F	yojL-(CT077)
CPn0337	382027	381575	R	smpB- Small Protein B-(CT076)
CPn0338	382278	383375	F	dnaN-DNA Pol III (beta chain)-(CT075)
CPn0339	383420	384034	F	recF-ABC superfamily ATPase-(CT074)
CPn0340	383842	384156	F	(frame-shift with 0339)
CPn0341	384160	384495	F	(frame-shift with 0340)
CPn0342	384622	385062	F	predicted OMP [leader (19) peptide]-(CT073)
CPn0343	384999	385595	F	(frame-shift with 0342?)
CPn0344	387420	385558	R	yaeL-Metalloprotease-(CT072)
CPn0345	388572	387436	R	yaeM-(CT071)
CPn0346	389675	388704	R	troD/ytgD-Integral Membrane Protein-(CT070)
CPn0347	391021	389678	R	troC/ytgC-Integral Membrane Protein-(CT069)
CPn0348	391803	391027	R	troB/ytgB-ABC transporter ATPase-(CT068)
CPn0349	392770	391790	R	troA/ytgA-Solute Protein Binding Family-(CT067)
CPn0350	393181	393684	F	CT066 hypothetical protein
CPn0351	393888	395432	F	adt_1-ADP/ATP Translocase_1-(CT065)

CPn0352	395574	396830	F	
CPn0353	396893	397135	F	
CPn0354	397167	398507	F	
CPn0355	399889	398591	R	
CPn0356	400459	400109	R	
CPn0357	401317	400469	R	
CPn0358	401751	401578	R	
CPn0359	402012	403817	F	lepA-GTPase-(CT064)
CPn0360	405358	403922	R	gnd-6-Phosphogluconate Dehydrogenase-(CT063)
CPn0361	406647	405382	R	tyrS-tyrosyl tRNA Synthetase-(CT062)
CPn0362	407825	407055	R	fliA/xpsD-Sigma-28/WhiG Family-(CT061)
CPn0363	409688	407943	R	flhA-Flagellar Secretion Protein-(CT060)
CPn0364	409966	410238	F	fer4-Ferredoxin IV-(CT059)
CPn0365	410528	411544	F	
CPn0366	411976	412440	F	
CPn0367	413102	413836	F	
CPn0368	413790	414107	F	
CPn0369	414351	415562	F	CT058 hypothetical protein_2
CPn0370	415800	416912	F	CT058 hypothetical protein_3
CPn0371	417147	417503	F	
CPn0372	417687	418001	F	
CPn0373	418380	420218	F	gcpE-(CT057)
CPn0374	420218	420961	F	CT056 hypothetical protein
CPn0375	421121	421615	F	
CPn0376	421854	422294	F	
CPn0377	423438	422347	R	sucB_1-Dihydrolipoamide Succinyltransferase_1-(CT055)
CPn0378	426168	423445	R	sucA-Oxoglutarate Dehydrogenase-(CT054)
CPn0379	426322	426765	F	CT053 hypothetical protein
CPn0380	426758	427876	F	hemN_1-Coproporphyrinogen III Oxidase_1-(CT052)
CPn0381	429809	428037	R	CT326 similarity
CPn0382	430749	430036	R	yabC/yraL-SAM-Dependent Methyltransferase-(CT048)
CPn0383	431693	430749	R	CT047 hypothetical protein
CPn0384	432377	431862	R	hctB-Histone-like Protein 2-(CT046)
CPn0385	434018	432522	R	pepA-Leucyl Aminopeptidase A-(CT045)
CPn0386	434525	434046	R	ssb-SS DNA Binding Protein-(CT044)
CPn0387	435196	434699	R	CT043 hypothetical protein
CPn0388	435329	437320	F	glgX-Glycogen Hydrolase (debranching)-(CT042)
CPn0389	438134	437319	R	CT041 hypothetical protein
CPn0390	439144	438134	R	ruvB-Holliday Junction Helicase-(CT040)
CPn0391	439692	439510	R	
CPn0392	439814	440383	F	dcd-dCTP Deaminase-(CT039)
CPn0393	440379	440723	F	CT038 hypothetical protein
CPn0394	440736	441968	F	tlyC_1-CBS Domain protein (Hemolysin Homolog)_1-(CT256)
CPn0395	441964	443175	F	CT257 hypothetical protein
CPn0396	444353	443241	R	yhfo-Nifs-related protein-(CT258)
CPn0397	445115	444381	R	PP2C phosphatase family-(CT259)
CPn0398	445533	445700	F	
CPn0399	445879	446523	F	CT253 hypothetical protein
CPn0400	446536	447306	F	CT254 hypothetical protein
CPn0401	447884	447495	R	CT255 hypothetical protein
CPn0402	448994	447888	R	mutY-Adenine Glycosylase-(CT107)
CPn0403	449015	449710	F	yceC-predicted pseudouridine synthetase family-(CT106)
CPn0404	450887	449871	R	
CPn0405	451739	450966	R	CT105 hypothetical protein
CPn0406	451969	452865	F	fabI-Enoyl-Acyl-Carrier Protein Reductase-(CT104)
CPn0407	453742	452858	R	HAD superfamily hydrolase/phosphatase-(CT103)
CPn0408	454105	454581	F	CT102 hypothetical protein
CPn0409	454645	455127	F	CT260 hypothetical protein
CPn0410	455123	455833	F	dnaQ_1-DNA Pol III Epsilon Chain_1-(CT261)
CPn0411	455833	456609	F	CT262 hypothetical protein
CPn0412	456590	457246	F	CT263 hypothetical protein
CPn0413	459203	457227	R	msbA-Transport ATP Binding Protein-(CT264)
CPn0414	460143	459172	R	accA-AcCoA Carboxylase/Transferase Alpha-(CT265)
CPn0415	461498	460221	R	CT266 hypothetical protein
CPn0416	461856	461557	R	himD/ihfA-Integration Host Factor Alpha-(CT267)
CPn0417	463035	462244	R	amiA-N-Acetylmuramoyl Alanine Amidase-(CT268)
CPn0418	464401	462953	R	murE-N-Acetylmuramoylalananylgutanyl DAP Ligase-(CT269)
CPn0419	466834	464876	R	pbp3- transglycolase/transpeptidase-(CT270)
CPn0420	467108	466824	R	CT271 hypothetical protein
CPn0421	467998	467108	R	yabC-PBP2B Family methyltransferase-(CT272)
CPn0422	468242	468784	F	CT273 hypothetical protein
CPn0423	468791	469216	F	CT274 hypothetical protein

CPn0424	469612	470961	F	dnaA_2-Replication Initiation Factor_4-(CT275)
CPn0425	470980	471564	F	CT276 hypothetical proteins
CPn0426	472111	471536	R	CT277 similarity
CPn0427	472207	473715	F	nqr2-NADH (Ubiquinone) Dehydrogenase-(CT278)
CPn0428	473722	474681	F	nqr3-NADH (Ubiquinone) Oxidoreductase, Gamma-(CT279)
CPn0429	474681	475319	F	nqr4-NADH (Ubiquinone) Reductase 4-(CT280)
CPn0430	475326	476093	F	nqr5-NADH (Ubiquinone) Reductase 5-(CT281)
CPn0431	476483	476151	R	
CPn0432	476816	476514	R	
CPn0433	477273	476929	R	gcsH-Glycine Cleavage System H Protein-(CT282)
CPn0434	479462	477276	R	CT283 hypothetical protein
CPn0435	480902	479475	R	Phospholipase D superfamily [uncleavable leader peptide]-(CT284)
CPn0436	481618	480902	R	lplA-Lipoate Protein Ligase-Like Protein-(CT285)
CPn0437	481816	484350	F	clpC-ClpC Protease-(CT286)
CPn0438	485416	484334	R	ycbF-PP-loop superfamily ATPase-(CT287)
CPn0439	485553	486077	F	
CPn0440	486105	486740	F	
CPn0441	486891	487838	F	CT007 hypothetical protein
CPn0442	488013	488528	F	CT006 hypothetical protein
CPn0443	488729	489979	F	CT005 hypothetical protein
CPn0444	490287	494507	F	pmp_6-Polymorphic Outer Membrane Protein G/I Family
CPn0445	494772	497579	F	pmp_7-Polymorphic Outer Membrane Protein G Family
CPn0446	497626	500415	F	pmp_8-Polymorphic Outer Membrane Protein G Family
CPn0447	500568	503351	F	pmp_9-Polymorphic Outer Membrane Protein G/I Family
CPn0448	504810	503698	R	*yxjG_Bs_2 Hypothetical Protein
CPn0449	507231	505330	R	pmp_10-PMP_10 (Frame-shift with 0451)
CPn0450	508112	507180	R	pmp_10-Polymorphic Outer Membrane Protein G Family
CPn0451	508275	511058	F	pmp_11-Polymorphic Outer Membrane Protein G Family
CPn0452	511319	512860	F	pmp_12-Polymorphic Outer Membrane Protein A/I Family (truncated)
CPn0453	513234	516152	F	pmp_13 -Polymorphic Outer Membrane Protein G Family
CPn0454	516182	519115	F	pmp_14-Polymorphic Outer Membrane Protein H Family
CPn0455	520348	519458	R	
CPn0456	521532	520327	R	
CPn0457	523865	522120	R	
CPn0458	526320	524236	R	
CPn0459	527005	526619	R	
CPn0460	527840	526992	R	
CPn0461	528638	527844	R	
CPn0462	531052	529037	R	
CPn0463	532357	531191	R	
CPn0464	532842	532366	R	
CPn0465	533212	532871	R	
CPn0466	533724	536537	F	pmp_15-Polymorphic Outer Membrane Protein E Family
CPn0467	536633	539434	F	pmp_16-Polymorphic Outer Membrane Protein E Family
CPn0468	539632	540432	F	pmp_17-Polymorphic Outer Membrane Protein E Family
CPn0469	540399	541460	F	pmp_17-Polymorphic Outer Membrane Protein (Frame-shift with 0469)
CPn0470	541357	542532	F	pmp_17-Polymorphic Outer Membrane Protein (Frame-shift with 0470)
CPn0471	542564	545401	F	pmp_18-Polymorphic Outer Membrane Protein E/F Family
CPn0472	547905	545581	R	
CPn0473	549593	548070	R	
CPn0474	551573	549807	R	CT365 hypothetical protein
CPn0475	553844	551685	R	glgB-Glucan Branching Enzyme-(CT866)
CPn0476	554844	553858	R	CT865 hypothetical protein
CPn0477	556106	554844	R	*yqeV_Bs Hypothetical Protein
CPn0478	557625	556210	R	hflX-GTP Binding Protein-(CT379)
CPn0479	558425	557616	R	phnP-Metal Dependent Hydrolase-(CT380)
CPn0480	559303	558650	R	CT383-hypothetical protein
CPn0481	560946	559339	R	
CPn0482	561737	560961	R	artJ-Arginine Periplasmic Binding Protein-(CT381)
CPn0483	561836	564964	F	
CPn0484	564970	565824	F	aroG-Deoxyheptonate Aldolase-(CT382)
CPn0485	566038	566229	F	CT382.1 hypothetical protein
CPn0486	567784	566405	R	*hypothetical proline permease
CPn0487	569740	568112	R	CT384 hypothetical protein
CPn0488	570096	569767	R	hitA-HIT Family Hydrolase-(CT385)
CPn0489	570965	570096	R	CT386 hypothetical protein
CPn0490	571279	573333	F	CT387 hypothetical protein
CPn0491	574352	573336	R	CT389 hypothetical protein
CPn0492	574652	574804	F	
CPn0493	575004	574855	R	
CPn0494	575364	575146	R	
CPn0495	575603	576793	F	aspC-Aspartate Aminotransferase-(CT390)

CPn0496	576793	577812	F	CT391 hypothetical protein
CPn0497	578089	577820	R	CT388 hypothetical protein
CPn0498	579035	578085	R	
CPn0499	580359	579205	R	
CPn0500	580659	582362	F	proS-Prolyl tRNA Synthetase-(CT393)
CPn0501	582457	583650	F	hrcA-MTH Transcriptional Repressor-(CT394)
CPn0502	583650	584201	F	grpE-HSP-70 Cofactor-(CT395)
CPn0503	584234	586213	F	dnaK-HSP-70-(CT396)
CPn0504	586487	588514	F	vacB-ribonuclease family-(CT397)
CPn0505	588519	589106	F	*3-methyladenine DNA glycosylase
CPn0506	589172	589840	F	CT421 hypothetical protein
CPn0507	589961	590122	F	CT421.1 hypothetical protein
CPn0508	590142	590300	F	CT421.2 hypothetical protein
CPn0509	590335	590808	F	(predicted Metalloenzyme)-(CT422)
CPn0510	590813	591973	F	tlyC_2-CBS Domains (Hemolysin homolog)_2-(CT423)
CPn0511	592141	592488	F	rsbV_1-Sigma Regulatory Factor_1-(CT424)
CPn0512	592553	594412	F	CT425 hypothetical protein
CPn0513	594647	595753	F	Fe-S oxidoreductase_1-(CT426)
CPn0514	595729	596520	F	CT427 hypothetical protein
CPn0515	596492	597181	F	ubiE-Ubiquinone Methyltransferase-(CT428)
CPn0516	598814	597255	R	
CPn0517	599631	598795	R	
CPn0518	600803	599832	R	CT429 hypothetical protein
CPn0519	601674	600904	R	dapF-Diaminopimelate Epimerase-(CT430)
CPn0520	602218	601646	R	clpP-CLP Protease-(CT431)
CPn0521	603797	602241	R	glyA-Serine Hydroxymethyltransferase-(CT432)
CPn0522	603987	604655	F	CT433 hypothetical protein
CPn0523	604723	605052	F	
CPn0524	605103	606179	F	
CPn0525	606522	607283	F	CT398 hypothetical protein
CPn0526	608696	607710	R	yrbH-GutQ/KpsF Family Sugar-P Isomerase-(CT399)
CPn0527	609904	608726	R	sucB_2-Dihydrolipoamide Succinyltransferase_2-(CT400)
CPn0528	611162	609921	R	gltT-Glutamate Symport-(CT401)
CPn0529	612259	611165	R	ycaH-ATPase-(CT402)
CPn0530	613254	612460	R	spoU_1-rRNA Methylase_1-(CT403)
CPn0531	614069	613245	R	SAM dependent methyltransferase-(CT404)
CPn0532	614674	614075	R	ribC/risA-Riboflavin Synthase-(CT405)
CPn0533	614930	615385	F	CT406 hypothetical protein
CPn0534	615413	615784	F	dkaA-DnaK Suppressor-(CT407)
CPn0535	615793	616296	F	lspA-Lipoprotein Signal Peptidase-(CT408)
CPn0536	616345	617691	F	dagA_1-D-Ala/Gly Permease_1-(CT409)
CPn0537	617833	618189	F	CT814.1 hypothetical protein
CPn0538	618212	618511	F	CT814 hypothetical protein
CPn0539	618705	621545	F	pmp_19-polymorphic outer membrane protein A Family -(CT412)
CPn0540	621694	626862	F	pmp_20-polymorphic outer membrane protein B Family-(CT413)
CPn0541	627170	628003	F	Solute binding protein (-yebL-Synechocystis Adhesin Homolog)-(CT415)
CPn0542	628003	628737	F	ABC Transporter ATPase-(CT416)
CPn0543	628725	629603	F	(Metal Transport Protein)-(CT417)
CPn0544	630529	629525	R	yhbZ-GTP binding protein-(CT418)
CPn0545	630884	630633	R	rl27-L27 ribosomal protein-(CT419)
CPn0546	631229	630912	R	rl21-L21 Ribosomal Protein-(CT420)
CPn0547	631661	632188	F	ygbB family-(CT434)
CPn0548	633231	632191	R	cysJ-Sulfite Reductase-(CT435)
CPn0549	633569	633255	R	rs10-S10 Ribosomal Protein-(CT436)
CPn0550	635661	633580	R	fusA-Elongation Factor G-(CT437)
CPn0551	636168	635698	R	rs7-S7 Ribosomal Protein-(CT438)
CPn0552	636587	636219	R	rs12-S12 Ribosomal Protein-(CT439)
CPn0553	637747	636812	R	
CPn0554	637854	638141	F	CT440 hypothetical protein
CPn0555	638298	640241	F	tsp-Tail-Specific Protease-(CT441)
CPn0556	640912	640325	R	crpA-15kDa Cysteine-Rich Protein-(CT442)
CPn0557	642861	641194	R	omcB-60kDa Cysteine-Rich Outer Membrane Complex Protein-(CT443)
CPn0558	643300	643031	R	omcA-9kDa-Cysteine-Rich Outer Membrane Complex Lipoprotein-(CT444)
CPn0559	643742	643927	F	CT441.1 hypothetical protein
CPn0560	645612	644098	R	gltX-Glutamyl-tRNA Synthetase-(CT445)
CPn0561	646404	645871	R	euo-CHLPS Euo Protein-(CT446)
CPn0562	648036	646918	R	*CHLPS 43 kDa protein homolog_1
CPn0563	650056	648293	R	recJ-ssDNA Exonuclease-(CT447)
CPn0564	654350	650145	R	secD&secF-Protein Export Proteins SecD/SecF (fusion)-(CT448)
CPn0565	655630	654533	R	CT449 hypothetical protein
CPn0566	656141	656890	F	yaeS family-(CT450)
CPn0567	656894	657817	F	cdaA-Phosphatidate Cytidyltransferase-(CT451)

CPn0568	657817	658464	F	cdsA-Phosphatidate Cytidyltransferase-(CT452)
CPn0569	658464	659099	F	plsC-Glycerol-3-P Acyltransferase-(CT453)
CPn0570	659107	660789	F	argS-Arginyl tRNA Transferase-(CT454)
CPn0571	662122	660749	R	murA-UDP-N-Acetylglucosamine Transferase-(CT455)
CPn0572	662352	664616	F	CT456 hypothetical protein
CPn0573	665404	664691	R	yebC family-(CT457)
CPn0574	665945	665394	R	
CPn0575	666494	665982	R	YhhY-Amino Group Acetyl Transferase-(CT458)
CPn0576	667543	666494	R	prfB-Peptide Chain Release Factor 2 (natural UGA frame-shift)-(CT459)
CPn0576	667598	667530	R	prfB-(natural UGA frame-shift)
CPn0577	667895	668155	F	SWIB (YM74) complex protein-(CT460)
CPn0578	668406	669365	F	yaeI-phosphohydrolase-(CT461)
CPn0579	669361	669993	F	ygbP/yacM-Sugar Nucleotide Phosphorylase-(CT462)
CPn0580	669993	670793	F	truA-Pseudouridylate Synthase I-(CT463)
CPn0581	671434	670745	R	Phosphoglycolate Phosphatase-(CT464)
CPn0582	671503	672177	F	CT465 hypothetical protein
CPn0583	672400	672717	F	CT466 hypothetical protein
CPn0584	672707	673798	F	atoS/ntrB-2-Component Sensor-(CT467)
CPn0585	675817	673865	F	*similarity to Cps IncA ₂
CPn0586	676026	677183	F	atoC/ntrC-2-Component Regulator-(CT468)
CPn0587	677441	678124	F	*yvyD_Bs conserved hypothetical protein
CPn0588	678084	678626	F	CT469 hypothetical protein
CPn0589	678640	679395	F	CT470 hypothetical protein
CPn0590	680112	679516	F	CT471 hypothetical protein
CPn0591	680373	681020	F	yagE family-(CT472)
CPn0592	681153	681461	F	yidD family-(CT473)
CPn0593	682476	681391	F	CT474 hypothetical protein
CPn0594	682583	684958	F	pheT-phenylalanyl tRNA Synthetase Beta-(CT475)
CPn0595	684958	685926	F	CT476 hypothetical protein
CPn0596	685939	686457	F	ada-methyltransferase-(CT477)
CPn0597	688215	686479	R	oppC ₂ -Oligopeptide Permease ₂ -(CT478)
CPn0598	689697	688219	R	oppB ₂ -Oligopeptide Permease ₂ -(CT479)
CPn0599	691802	689682	R	oppA ₅ -oligopeptide Binding Lipoprotein ₅ -(CT480)
CPn0600	692147	691827	R	
CPn0601	693053	692736	R	CT483 hypothetical protein
CPn0602	694105	693104	R	CT484 hypothetical protein
CPn0603	694205	695185	F	hemZ-Ferrochetalase-(CT485)
CPn0604	695945	695196	R	fliY-Glutamine Binding Protein-(CT486)
CPn0605	696707	696150	R	yhhF-Methylase -(CT487)
CPn0606	697444	696707	R	CT488 hypothetical protein
CPn0607	698895	697573	R	glgC-Glucose-1-P Adenyltransferase-(CT489)
CPn0608	699645	699016	R	*pyrF-Uridine 5'-Monophosphate Synthase (Ump Synthase)-truncated?
CPn0609	699705	699986	F	CT490 hypothetical protein
CPn0610	701420	700029	R	rho-Transcription Termination Factor-(CT491)
CPn0611	702025	701420	R	yacE-predicted phosphatase/kinase-(CT492)
CPn0612	704631	702022	R	polA-DNA Polymerase I-(CT493)
CPn0613	705656	704658	R	sohB-Protease-(CT494)
CPn0614	707402	705783	R	adt ₂ -ADP/ATP Translocase ₂ -(CT495)
CPn0615	708137	707634	R	pgsA ₁ -Glycerol-3-P Phosphatidyltransferase ₁ -(CT496)
CPn0616	708791	710137	F	dnaB-Replicative DNA Helicase-(CT497)
CPn0617	710484	712316	F	gidA-FAD-dependent oxidoreductase-(CT498)
CPn0618	712306	713010	F	lplA-Lipoate-Protein Ligase A-(CT499)
CPn0619	713444	713013	R	ndk-Nucleoside-2-P Kinase-(CT500)
CPn0620	714139	713519	R	ruvA-Holliday Junction Helicase-(CT501)
CPn0621	714647	714144	R	ruvC-Crossover Junction Endonuclease-(CT502)
CPn0622	715752	714793	R	CT503 hypothetical protein
CPn0623	716993	716163	R	CT504 hypothetical protein
CPn0624	718015	717011	R	gapA-Glyceraldehyde-3-P Dehydrogenase-(CT505)
CPn0625	718485	718060	R	rl17-L17 Ribosomal Protein-(CT506)
CPn0626	719616	718495	R	rpoA-RNA Polymerase Alpha-(CT507)
CPn0627	720038	719640	R	rs11-S11 Ribosomal Protein-(CT508)
CPn0628	720428	720063	R	rs13-S13 Ribosomal Protein-(CT509)
CPn0629	721857	720487	R	secY-Translocase-(CT510)
CPn0630	722316	721885	R	rl15-L15 Ribosomal Protein-(CT511)
CPn0631	722806	722312	R	rs5-S5 Ribosomal Protein-(CT512)
CPn0632	723195	722827	R	rl18-L18 Ribosomal Protein-(CT513)
CPn0633	723757	723209	R	rl6-L6 Ribosomal Protein-(CT514)
CPn0634	724185	723787	R	rs8-S8 Ribosomal Protein-(CT515)
CPn0635	724745	724206	R	rl5-L5 Ribosomal Protein-(CT516)
CPn0636	725082	724750	R	rl24-L24 Ribosomal Protein-(CT517)
CPn0637	725464	725099	R	rl14-L14 Ribosomal Protein-(CT518)
CPn0638	725747	725490	R	rs17-S17 Ribosomal Protein-(CT519)

CPn0639	725958	725743	R	rl29-L29 Ribosomal Protein-(CT520)
CPn0640	726377	725964	R	rl16-L16 Ribosomal Protein-(CT521)
CPn0641	727077	726409	R	rs3-S3 Ribosomal Protein-(CT522)
CPn0642	727428	727096	R	rl22-L22 Ribosomal Protein-(CT523)
CPn0643	727713	727450	R	rs19-S19 Ribosomal Protein-(CT524)
CPn0644	728573	727722	R	rl2-L2 Ribosomal Protein-(CT525)
CPn0645	728930	728598	R	rl23-L23 Ribosomal Protein-(CT526)
CPn0646	729621	728950	R	rl4-L4 Ribosomal Protein-(CT527)
CPn0647	730331	729657	R	rl3-L3 Ribosomal Protein-(CT528)
CPn0648	731603	730605	R	CT529 hypothetical protein
CPn0649	732672	731710	R	fmt-Methionyl tRNA Formyltransferase-(CT530)
CPn0650	733501	732665	R	lpxA-Acyl-Carrier UDP-GlcNAc -(CT531)
CPn0651	733975	733517	R	fabZ-Myristoyl-Acyl Carrier Dehydratase-(CT532)
CPn0652	734835	733990	R	lpxC-Myristoyl GlcNAc Deacetylase-(CT533)
CPn0653	736490	734868	R	cutE-Apolipoprotein N-Acetyltransferase-(CT534)
CPn0654	736967	736503	R	vdID/yciA-acyl-CoA Thioesterase-(CT535)
CPn0655	737847	737101	R	dnaQ_2-DNA Pol III Epsilon Chain_2-(CT536)
CPn0656	737872	738048	F	
CPn0657	738473	738051	R	yjeE (ATPase or Kinase)-(CT537)
CPn0658	739168	738455	R	CT538 hypothetical protein
CPn0659	739533	739838	F	trxA-Thioredoxin-(CT539)
CPn0660	740327	739860	R	spoU_2-rRNA Methylase_2-(CT540)
CPn0661	741100	740327	R	mip-FKBP-type peptidyl-prolyl cis-trans isomerase-(CT541)
CPn0662	742923	741172	R	aspS-Aspartyl tRNA Synthetase-(CT542)
CPn0663	744190	742901	R	hisS-Histidyl tRNA Synthetase-(CT543)
CPn0664	744757	744557	R	
CPn0665	745001	746365	F	uhpC-Hexosphosphate Transport -(CT544)
CPn0666	746388	750107	F	dnaE-DNA Pol III Alpha-(CT545)
CPn0667	751058	750177	R	predicted OMP (leader (17))-(CT546)
CPn0668	751209	752162	F	CT547 hypothetical protein
CPn0669	752179	752775	F	CT548 hypothetical protein
CPn0670	752765	753196	F	rsbW-sigma regulatory factor-histidine kinase-(CT549)
CPn0671	753630	753205	R	CT550 hypothetical protein
CPn0672	753741	755048	F	dacF(pbp5)-D-Ala-D-Ala Carboxypeptidase-(CT551)
CPn0673	755287	755463	F	CT552 hypothetical protein
CPn0674	756668	755577	R	fmu-RNA Methyltransferase-(CT553)
CPn0675	757919	756768	R	CT696 hypothetical protein
CPn0676	759217	758051	R	homologous to CT695
CPn0677	760401	759256	R	
CPn0678	761320	760682	R	
CPn0679	762930	761725	R	pgk-Phosphoglycerate Kinase-(CT693)
CPn0680	764248	762971	R	ygo4-Phosphate Permease-(CT692)
CPn0681	764929	764258	R	CT691 hypothetical protein
CPn0682	764984	765955	F	dppD-ABC ATPase Dipeptide Transport-(CT690)
CPn0683	765948	766919	F	dppF-ABC ATPase Dipeptide Transport-(CT689)
CPn0684	768038	767181	R	spoJ/parB-Chromosome Partitioning Protein-(CT688)
CPn0685	768068	768217	F	
CPn0686	768361	768176	R	
CPn0687	768564	769214	F	CT482 hypothetical protein
CPn0688	769382	770137	F	CT481 hypothetical protein
CPn0689	771404	770187	R	yfhO_1-Nifs-related Aminotransferase_1-(CT687)
CPn0690	772680	771436	R	ABC Transporter Membrane Protein-(CT686)
CPn0691	773452	772685	R	abcX-ABC Transporter ATPase-(CT685)
CPn0692	774912	773461	R	ABC Transporter-(CT684)
CPn0693	776256	775240	R	TPR Repeats (O-Linked GlcNAc Transferase similarity)-(CT683)
CPn0694	779599	776330	R	pbp2-PBP2-transglycolase/transpeptidase-(CT682)
CPn0695	780216	781382	F	ompA-Major Outer Membrane Protein-(CT681)
CPn0696	781769	782599	F	rs2-S2 Ribosomal Protein-(CT680)
CPn0697	782602	783447	F	tsf-Elongation Factor TS-(CT679)
CPn0698	783458	784201	F	pyrH-UMP Kinase-(CT679)
CPn0699	784182	784721	F	rrf-Ribosome Releasing Factor-(CT677)
CPn0700	785097	785609	F	CT676 hypothetical protein
CPn0701	785599	786672	F	karG-Arginine Kinase-(CT675)
CPn0702	789685	786929	R	yscC/gspD-Yop C/Gen Secretion Protein D-(CT674)
CPn0703	791190	789685	R	pkn5-S/T Protein Kinase-(CT673)
CPn0704	792321	791209	R	fliN- Flagellar Motor Switch Domain/YscQ family-(CT672)
CPn0705	793173	792334	R	CT671 hypothetical protein
CPn0706	793683	793180	R	CT670 hypothetical protein
CPn0707	795029	793704	R	yscN-Yop N (Flagellar-Type ATPase)-(CT669)
CPn0708	795705	795034	R	CT668 hypothetical protein
CPn0709	796188	795742	R	CT667 hypothetical protein
CPn0710	796461	796210	R	CT666 hypothetical protein

CPn0711	796731	796486	R	CT665 hypothetical protein
CPn0712	799315	796781	R	FHA domain; homology to adenylate cyclase)-(CT664)
CPn0713	799721	799332	R	CT663 hypothetical protein
CPn0714	801107	800091	R	hemA-Glutamyl tRNA Reductase-(CT662)
CPn0715	801657	803462	F	gyrB_2-DNA Gyrase Subunit B_2-(CT661)
CPn0716	803469	804902	F	gyrA_2-DNA Gyrase Subunit A_2-(CT660)
CPn0717	805010	805306	F	CT656 hypothetical protein
CPn0718	805309	805626	F	CT657 hypothetical protein
CPn0719	805916	806890	F	sfhB-(Pseudouridine Synthase)-(CT658)
CPn0720	807003	807236	F	CT659 hypothetical protein
CPn0721	807683	808489	F	kdsA-KDO Synthetase-(CT655)
CPn0722	808489	808974	F	CT654 hypothetical protein
CPn0723	808984	809703	F	yhbG-ABC Transporter ATPase-(CT653)
CPn0724	810527	809706	R	
CPn0725	810811	810587	R	CT652.1 hypothetical protein
CPn0726	813372	810880	R	CT620 hypothetical protein
CPn0727	813577	816192	F	CT619 hypothetical protein
CPn0728	818477	816525	R	CHLPN 76kDa Homolog_1 (CT622)
CPn0729	819857	818592	R	CHLPN 76kDa Homolog_2 (CT623)
CPn0730	821603	819963	R	mviN-Integral Membrane Protein-(CT624)
CPn0731	821587	821760	F	
CPn0732	822098	822976	F	nfo-Endonuclease IV-(CT625)
CPn0733	823727	823101	R	rs4-S4 Ribosomal Protein-(CT626)
CPn0734	823944	824915	F	yceA-(CT627)
CPn0735	825668	825003	R	*pyrH/udk-Uridine Kinase (Uridine Monophosphokinase) (Pyrimidine Ribonucleoside Kinase).
CPn0736	827686	825992	R	ygeD-Efflux Protein-(CT641)
CPn0737	827685	830756	F	recC-Exodeoxyribonuclease V, Gamma-(CT640)
CPn0738	830746	833895	F	recB-Exodeoxyribonuclease V, Beta-(CT639)
CPn0739	834871	833861	R	CT638 hypothetical protein
CPn0740	836048	834864	R	tyrB-Aromatic AA Aminotransferase-(CT637)
CPn0741	838350	836185	R	greA-Transcription Elongation Factor-(CT636)
CPn0742	838463	838888	F	CT635 hypothetical protein
CPn0743	838962	840362	F	nqrA-Ubiquinone Oxidoreductase, Alpha-(CT634)
CPn0744	841384	840389	R	hemB-Porphobilinogen Synthase-(CT633)
CPn0745	841903	841742	R	
CPn0746	841975	843567	F	CT632 hypothetical protein
CPn0747	843675	843740	F	CT631 hypothetical protein
CPn0747	843725	843910	F	CT631 hypothetical protein (frame-shift)
CPn0748	844987	844121	R	ispa-Geranyl Transtransferase-(CT628)
CPn0749	845629	845006	R	glmU-UDP-GlcNAc Pyrophosphorylase-(CT629)
CPn0750	846411	845707	R	tctD/cpxR-HTH Transcriptional Regulatory Protein + Receiver Domain-(CT630)
CPn0751	846608	848434	F	CT651 hypothetical protein
CPn0752	848604	850082	F	recD_2-Exodeoxyribonuclease V, Alpha_2-(CT652)
CPn0753	851006	850161	R	
CPn0754	851336	851040	R	rs20-S20 Ribosomal Protein-(CT617)
CPn0755	851597	852799	F	CT616 hypothetical protein
CPn0756	852961	854676	F	rpoD-RNA Polymerase Sigma-66 -(CT615)
CPn0757	854733	855134	F	folX-Dihydroneopterin Aldolase-(CT614)
CPn0758	855110	856459	F	folP/dhps-Dihydropteroate Synthase-(CT613)
CPn0759	856488	856997	F	folA-Dihydrofolate Reductase-(CT612)
CPn0760	856957	857694	F	CT611 hypothetical protein
CPn0761	857704	858375	F	CT610 hypothetical protein
CPn0762	859597	858539	R	recA-RecA recombination protein-(CT650)
CPn0763	860511	859972	R	ygfA-Formyltetrahydrofolate Cycloligase-(CT649)
CPn0764	861807	860524	R	CT648 hypothetical protein
CPn0765	862382	861801	R	CT647 hypothetical protein
CPn0766	863782	862394	R	CT646 hypothetical protein
CPn0767	863884	864177	F	CT645 hypothetical protein
CPn0768	864159	865163	F	yohI/nir3-predicted oxidoreductase -(CT644)
CPn0769	867733	865121	R	topA-DNA Topoisomerase I-Fused to SWI Domain-(CT643)
CPn0770	868340	869131	F	CT642 hypothetical protein
CPn0771	870463	869144	R	rpoN-RNA Polymerase Sigma-54-(CT609)
CPn0772	872385	870469	R	uvrD-DNA Helicase-(CT608)
CPn0773	872488	873195	F	ung-Uracil DNA Glycosylase-(CT607)
CPn0774	873195	873425	F	CT606.1 hypothetical protein
CPn0775	874031	873414	R	yggV family-(CT606)
CPn0776	874246	875487	F	CT605 hypothetical protein
CPn0777	875601	877178	F	groEL_2-heat shock protein-60 -(CT604)
CPn0778	877505	878092	F	tsa/ahpC-Thio-specific Antioxidant (TSA) Peroxidase-(CT603)
CPn0779	878481	878095	R	CT602 hypothetical protein

CPn0780	879205	878591	R	papQ/amiB-N-Acetylmuramoyl-L-Ala Amidase-(CT601)
CPn0781	879773	879198	R	pai-Peptidoglycan-Associated Lipoprotein-(CT600)
CPn0782	881065	879773	R	tolB-polysaccharide transporter-(CT599)
CPn0783	881885	881100	R	CT598 hypothetical protein
CPn0784	882296	881892	R	exbD-Biopolymer Transport Protein-(CT597)
CPn0785	882991	882296	R	exbB/tolQ-polysaccharide transporter-(CT596)
CPn0786	883185	885293	F	dsbD/xprA-Thio:disulfide Interchange Protein-(CT595)
CPn0787	885619	886401	F	yabD/ycfH-PHP superfamily (urease/pyrimidinase) hydrolase-(CT594)
CPn0788	886542	887432	F	sdhC-Succinate Dehydrogenase-(CT593)
CPn0789	887439	889316	F	sdhA-Succinate Dehydrogenase-(CT592)
CPn0790	889330	890103	F	sdhB-Succinate Dehydrogenase-(CT591)
CPn0791	893050	890111	R	CT590 hypothetical protein
CPn0792	894919	893108	R	CT589 hypothetical protein
CPn0793	896823	894919	R	rbsU-sigma regulatory family protein-PP2C phosphatase (RsbW antagonist)-(CT588)
CPn0794	897174	898004	F	
CPn0795	898128	899195	F	
CPn0796	899301	901340	F	
CPn0797	901600	902694	F	
CPn0798	902846	903856	F	
CPn0799	904986	903940	R	
CPn0800	906532	905249	R	eno-Enolase-(CT587)
CPn0801	908697	906727	R	uvrB-Exonuclease ABC Subunit B-(CT586)
CPn0802	909740	908709	R	trpS-Tryptophanyl tRNA Synthetase-(CT585)
CPn0803	910303	909752	R	CT584 hypothetical protein
CPn0804	911059	910310	R	gp6D-CHLTR Plasmid Paralog-(CT583)
CPn0805	911831	911067	R	minD-chromosome partitioning ATPase-CHLTR plasmid protein GP5D-(CT582)
CPn0806	913771	911867	R	thrS-Threonyl tRNA Synthetase-(CT581)
CPn0807	913971	914879	F	CT580 hypothetical protein
CPn0808	916287	914956	R	CT579 hypothetical protein
CPn0809	917785	916307	R	CT578 hypothetical protein
CPn0810	918184	917825	R	CT577 hypothetical protein
CPn0811	918900	918208	R	lcrH_1-Low Ca Response Protein H_1-(CT576)
CPn0812	919123	920862	F	mutL-DNA Mismatch Repair-(CT575)
CPn0813	920870	921934	F	pepP-Aminopeptidase P-(CT574)
CPn0814	922107	923357	F	CT573 hypothetical protein
CPn0815	923361	925622	F	gspD/pilQ-Gen. Secretion Protein D-(CT572)
CPn0816	925615	927102	F	gspE-Gen. Secretion Protein E-(CT571)
CPn0817	927115	928287	F	gspF-Gen. Secretion Protein F-(CT570)
CPn0818	928314	928682	F	predicted OMP [leader (16) peptide]-(CT569)
CPn0819	928689	929132	F	CT568 hypothetical protein
CPn0820	929120	929659	F	CT567 hypothetical protein
CPn0821	929667	930668	F	CT566 hypothetical protein
CPn0822	930756	931229	F	CT565 hypothetical protein
CPn0823	932367	931501	R	yscT/spaR-YopT Translocation T-(CT564)
CPn0824	932662	932378	R	yscS/fliQ-YopS/fliQ Translocation Protein-(CT563)
CPn0825	933594	932677	R	yscR-Yop Translocation R-(CT562)
CPn0826	934310	933612	R	yscL-Yop Translocation L-(CT561)
CPn0827	935264	934434	R	CT560 hypothetical protein
CPn0828	936271	935267	R	yscJ-Yop Translocation J-(CT559)
CPn0829	936744	937298	F	
CPn0830	937444	937959	F	
CPn0831	938267	938434	F	
CPn0832	939747	938827	R	lipA-Lipoate Synthetase-(CT558)
CPn0833	941129	939747	R	lpdA-Lipoamide Dehydrogenase-(CT557)
CPn0834	941553	942014	F	CT556 hypothetical protein
CPn0835	945689	942045	R	mot1_1-SWI/SNF-family-helicase_1-(CT555)
CPn0836	946879	945722	R	brnQ-Amino Acid (Branched) Transport-(CT554)
CPn0837	947771	947145	R	nth-Endonuclease III-(CT697)
CPn0838	949106	947781	R	thdF-Thiophene/Furan Oxidation Protein-(CT698)
CPn0839	949257	950159	F	psdD-Phosphatidylserine Decarboxylase-(CT699)
CPn0840	950222	951544	F	CT700 hypothetical protein
CPn0841	951731	954640	F	secA_2-Translocase SecA_2-(CT701)
CPn0842	954883	954710	R	CT702 hypothetical protein (frame-shift with 0843)
CPn0843	955191	954994	R	CT702 hypothetical protein
CPn0844	956730	955270	R	yphC-GTPase/GTP-binding protein-(CT703)
CPn0845	958079	956850	R	pcnB_1-Poly A Polymerase_1-(CT704)
CPn0846	959374	958112	R	clpX-CLP Protease ATPase-(CT705)
CPn0847	959995	959387	R	clpP-CLP Protease Subunit-(CT706)
CPn0848	961502	960177	R	tig/murI-Trigger Factor-peptidyl-prolyl isomerase-(CT707)
CPn0849	961788	965285	F	mot1_2-SWI/SNF family helicase_2-(CT708)
CPn0850	965293	966390	F	mreB-Rod Shape Protein-Sugar Kinase-(CT709)

CPn0851	966396	968195	F	pckA-Phosphoenolpyruvate Carboxykinase-(CT710)
CPn0852	968316	970613	F	CT711 hypothetical protein
CPn0853	970637	971803	F	CT712 hypothetical protein
CPn0854	972837	971806	R	ompB-Outer Membrane Protein B-(CT713)
CPn0855	973995	972994	R	gpdA-Glycerol-3-P Dehydrogenase-(CT714)
CPn0856	975377	973995	R	AgX-1 Homolog-UDP-Glucose Pyrophosphorylase-(CT715)
CPn0857	975757	975392	R	CT716 hypothetical protein
CPn0858	977055	975757	R	fliI-Flagellum-specific ATP Synthase-(CT717)
CPn0859	977588	977055	R	CT718 hypothetical protein
CPn0860	978630	977608	R	fliF-Flagellar M-Ring Protein-(CT719)
CPn0861	979722	978925	R	nifU-NifU-related protein-(CT720)
CPn0862	980873	979722	R	yfhO_2-NifS-related protein_2-(CT721)
CPn0863	981514	980831	R	pgmA-Phosphoglycerate Mutase-(CT722)
CPn0864	981670	982374	F	yjbC-predicted pseudouridine synthase-(CT723)
CPn0865	982418	982942	F	CT724 hypothetical protein
CPn0866	983491	982916	R	birA-Biotin Synthetase-(CT725)
CPn0867	983423	984667	F	rodA-Rod Shape Protein-(CT726)
CPn0868	986643	984670	F	zntA/cadA-Metal Transport P-type ATPase-(CT727)
CPn0869	987401	986658	F	CT728 hypothetical protein
CPn0870	988728	987448	F	serS-Seryl tRNA Synthetase_2-(CT729)
CPn0871	988772	989899	F	ribD-Riboflavin Deaminase-(CT730)
CPn0872	989963	991216	F	ribA&ribB-GTP Cyclohydratase & DHBP Synthase -(CT731)
CPn0873	991233	991694	F	ribE-Ribityllumazine Synthase-(CT732)
CPn0874	993107	991749	F	CT733 hypothetical protein
CPn0875	993372	994022	F	CT734 hypothetical protein
CPn0876	994144	995517	F	dagA_2-D-Alanine/Glycine Permease_2-(CT735)
CPn0877	995533	995982	F	ybcL family-(CT736)
CPn0878	996654	995992	F	SET Domain protein-(CT737)
CPn0879	997439	996645	R	yycJ-metal dependent hydrolase-(CT738)
CPn0880	999861	997444	R	ftsK-Cell Division Protein FtsK-(CT739)
CPn0881	1005667	1006209	F	
CPn0882	1006268	1007404	F	
CPn0883	1008865	1007573	R	dmpP/nqr6-Phenolhydrolase/NADH ubiquinone oxidoreductase-(CT740)
CPn0884	1009359	1009009	R	CT741 hypothetical protein
CPn0885	1010635	1009433	R	ygcA-rRNA Methyltransferase-(CT742)
CPn0886	1011276	1010908	R	hctA-Histone-Like Developmental Protein-(CT743)
CPn0887	1011692	1014157	F	CHLTR possible phosphoprotein-(CT744)
CPn0888	1015423	1014119	R	hemG-protoporphyrinogen Oxidase-(CT745)
CPn0889	1016835	1015462	R	hemN_2-Coproporphyrinogen III Oxidase_2-(CT746)
CPn0890	1017805	1016819	R	hemE-Uroporphyrinogen Decarboxylase-(CT747)
CPn0891	1021073	1017819	R	mfd-Transcription-Repair Coupling-(CT748)
CPn0892	1023661	1021046	R	alaS-Alanyl tRNA Synthetase-(CT749)
CPn0893	1023894	1025888	F	tktB-Transketolase-(CT750)
CPn0894	1026766	1025888	R	amn-AMP Nucleosidase-(CT751)
CPn0895	1026988	1027557	F	efp_2-Elongation Factor P_2-(CT752)
CPn0896	1027595	1027822	F	CT753 hypothetical protein
CPn0897	1028737	1027853	R	(possible phosphohydrolase)-(CT754)
CPn0898	1030460	1028904	R	Mitochondrial HSP60 Chaperonin Homolog-(CT755)
CPn0899	1030875	1032215	F	murF-Muramoyl-DAP Ligase-(CT756)
CPn0900	1032235	1033281	F	mraY-Muramoyl-Pentapeptide Transferase-(CT757)
CPn0901	1033287	1034537	F	murD-Muramoylalanine-Glutamate Ligase-(CT758)
CPn0902	1034543	1035241	F	nlpD-Muramidase (invasin repeat family)-(CT759)
CPn0903	1035263	1036417	F	ftsW-Cell Division Protein FtsW-(CT760)
CPn0904	1036326	1037396	F	murG-Peptidoglycan Transferase-(CT761)
CPn0905	1037409	1039835	F	murC&ddlA-Muramate-Ala Ligase & D-Ala-D-Alam Ligase-(CT762)
CPn0906	1040340	1039915	R	CT763 hypothetical protein
CPn0907	1040780	1040445	R	*cutA Periplasmic Divalent Cation Tolerance Protein CutA (C-Type Cytochrome Biogenesis Protein)
CPn0908	1041589	1040780	R	CT764 hypothetical protein
CPn0909	1041637	1041966	F	rsbV_2-Sigma Factor Regulator_2-(CT765)
CPn0910	1041979	1043004	F	miaA-tRNA Pyrophosphate Transferase-(CT766)
CPn0911	1044043	1042985	R	Fe-S cluster oxidoreductase_2-(CT767)
CPn0912	1044129	1045760	F	CT768 hypothetical protein
CPn0913	1045760	1045945	F	
CPn0914	1045999	1046397	F	
CPn0915	1046461	1046817	F	ybeB-iojap superfamily ortholog-(CT769)
CPn0916	1046837	1048084	F	fabF-Acyl Carrier Protein Synthase-(CT770)
CPn0917	1048090	1048539	F	hydrolase/phosphatase homolog-(CT771)
CPn0918	1049223	1048579	R	ppa-Inorganic Pyrophosphatase-(CT772)
CPn0919	1049378	1050430	F	ldh-Leucine Dehydrogenase-(CT773)
CPn0920	1051405	1050431	R	cysQ-Sulfite Synthesis/biphosphate phosphatase-(CT774)
CPn0921	1051535	1052293	F	snGlycerol-3-P Acyltransferase-(CT775)

CPn0922	1052314	1053927	F	aas-Acylglycerophosphoethanolamine Acyltransferase-(CT776)
CPn0923	1053984	1055093	F	bioF_1-Oxononanoate Synthase_1-(CT777)
CPn0924	1057274	1055028	R	priA-Primosomal Protein N' -(CT778)
CPn0925	1057900	1057226	R	CT779 hypothetical protein
CPn0926	1058060	1058557	F	Thioredoxin Disulfide Isomerase-(CT780)
CPn0927	1059809	1058670	R	*CHLPS 43 kDa protein homolog_2
CPn0928	1061008	1059884	R	*CHLPS 43 kDa protein homolog_3
CPn0929	1062292	1061186	R	*CHLPS 43 kDa protein homolog_4
CPn0930	1062857	1063330	F	
CPn0931	1064138	1065718	F	lysS-Lysyl tRNA Synthetase-(CT781)
CPn0932	1067142	1065721	R	cysS-CysteinyI tRNA Synthetase-(CT782)
CPn0933	1067535	1068578	F	predicted disulfide bond isomerase-(CT783)
CPn0934	1068942	1068526	R	rnpA-Ribonuclease P Protein Component-(CT784)
CPn0935	1069091	1068957	R	rl34-L34 Ribosomal Protein-(CT785)
CPn0936	1069336	1069470	F	rl36-L36 Ribosomal Protein-(CT786)
CPn0937	1069496	1069798	F	rs14-S14 Ribosomal Protein-(CT787)
CPn0938	1070322	1069849	R	CT788 hypothetical protein -(leader (60) peptide-periplasmic)
CPn0939	1070728	1071195	F	CT790 hypothetical protein
CPn0940	1073012	1071204	R	uvrC-Excinuclease ABC, Subunit C-(CT791)
CPn0941	1075501	1073018	R	mutS-DNA Mismatch Repair-(CT792)
CPn0942	1075985	1077754	F	dnaG/prim-DNA Primase-(CT794)
CPn0943	1077978	1078238	F	CT794.1 hypothetical protein
CPn0944	1078512	1078997	F	
CPn0945	1079070	1079660	F	CT795 hypothetical protein
CPn0946	1082786	1079745	R	glyQ-Glycyl tRNA Synthetase-(CT796)
CPn0947	1083442	1084059	F	pgsA_2-Glycerol-3-P-Phosphatidyltransferase_2-(CT797)
CPn0948	1085474	1084047	R	glgA-Glycogen Synthase-(CT798)
CPn0949	1085929	1086483	F	ctc-General Stress Protein-(CT799)
CPn0950	1086488	1087027	F	pth-Peptidyl tRNA Hydrolase-(CT800)
CPn0951	1087122	1087457	F	rs6-S6 Ribosomal Protein-(CT801)
CPn0952	1087478	1087723	F	rs18-S18 Ribosomal Protein-(CT802)
CPn0953	1087742	1088248	F	rl9-L9 Ribosomal Protein-(CT803)
CPn0954	1088286	1088708	F	ychB-Predicted Kinase-(CT804)
CPn0955	1088612	1089175	F	(frame-shift with 0954)
CPn0956	1089560	1090909	F	CT805 hypothetical protein
CPn0957	1093788	1090963	R	ide/ptr-Insulinase family/Protease III-(CT806)
CPn0958	1094785	1093793	R	plsB-Glycerol-3-P Acyltransferase-(CT807)
CPn0959	1096343	1094799	R	cafE-Axial Filament Protein-(CT808)
CPn0960	1096764	1097102	F	CT809 hypothetical protein
CPn0961	1097118	1097297	F	rl32-L32 Ribosomal Protein-(CT810)
CPn0962	1097316	1098275	F	plsX-FA/Phospholipid Synthesis Protein-(CT811)
CPn0963	1098398	1103224	F	pmp_21-Polymorphic Outer Membrane Protein D Family-(CT812)
CPn0964	1104758	1103301	R	
CPn0965	1106736	1104925	R	lpxB-Lipid A Disaccharide Synthase-(CT411)
CPn0966	1108037	1106748	R	pcnB_2-PolyA Polymerase_2-(CT410)
CPn0967	1108512	1109885	F	mrsA/pgm-Phosphoglucomutase-(CT815)
CPn0968	1109895	1111721	F	glmS-Glucosamine-Fructose-6-P Aminotransferase-(CT816)
CPn0969	1111812	1112999	F	0969-tyrP_1-Tyrosine Transport_1-(CT817) tyrP_1-Tyrosine Transport_1-(CT817)
CPn0970	1113461	1114648	F	0970-tyrP_2-Tyrosine Transport_2-(CT818) tyrP_2-Tyrosine Transport_2-(CT818)
CPn0971	1114702	1115415	F	yccA-Transport Permease-(CT819)
CPn0972	1116299	1115430	R	ftsY-Cell Division Protein FtsY-(CT820)
CPn0973	1116370	1117527	F	sucC-Succinyl-CoA Synthetase, Beta-(CT821)
CPn0974	1117544	1118422	F	sucD-Succinyl-CoA Synthetase, Alpha-(CT822)
CPn0975	1119104	1119637	F	
CPn0976	1120082	1121185	F	
CPn0977	1121371	1122402	F	
CPn0978	1122665	1123693	F	
CPn0979	1123980	1125443	F	htrA-DO Serine Protease-(CT823)
CPn0980	1126982	1125504	R	*similarity to Saccharomyces cerevisiae hypothetical 52.9KD protein
CPn0981	1127031	1129952	F	Zinc Metalloprotease (insulinase family)-(CT824)
CPn0982	1131194	1129962	R	yigN family-(CT825)
CPn0983	1132000	1131206	R	pssA-Glycerol-Serine Phosphatidyltransferase-(CT826)
CPn0984	1132379	1135510	F	nrdA-Ribonucleoside Reductase, Large Chain-(CT827)
CPn0985	1135534	1136571	F	nrdB-Ribonucleoside Reductase, Small Chain-(CT828)
CPn0986	1136724	1137395	F	yggH-predicted rRNA Methylase-(CT829)
CPn0987	1137516	1138115	F	ytgB-like predicted rRNA methylase-(CT830)
CPn0988	1138986	1138075	R	murB-UDP-N-Acetylenolpyruvylglucosamine Reductase-(CT831)
CPn0989	1139495	1139016	R	CT832 hypothetical protein
CPn0990	1139883	1140440	F	infC-Initiation Factor 3-(CT833)
CPn0991	1140421	1140612	F	rl35-L35 Ribosomal Protein-(CT834)

CPn0992	1140634	1140996	F	rl20-L20 Ribosomal Protein-(CT835)
CPn0993	1141014	1142030	F	pheS-Phenylalanyl tRNA Synthetase, Alpha-(CT836)
CPn0994	1142398	1144440	F	CT837 hypothetical protein
CPn0995	1145512	1144415	R	CT838 hypothetical protein
CPn0996	1146589	1145519	R	CT839 hypothetical protein
CPn0997	1146708	1147664	F	mesJ-PP-loop superfamily ATPase-(CT840)
CPn0998	1147855	1150584	F	ftsH-ATP-dependent zinc protease-(CT841)
CPn0999	1152847	1150766	R	pnp-Polyribonucleotide Nucleotidyltransferase-(CT842)
CPn1000	1153157	1152891	R	rs15-S15 Ribosomal Protein-(CT843)
CPn1001	1153405	1153869	F	yfhC-cytosine deaminase-(CT844)
CPn1002	1153862	1154089	F	CT845 hypothetical protein
CPn1003	1154796	1154092	R	CT846 hypothetical protein
CPn1004	1155397	1154879	R	CT847 hypothetical protein
CPn1005	1155933	1155415	R	CT848 hypothetical protein
CPn1006	1156472	1155990	R	CT849 hypothetical protein
CPn1007	1156689	1156907	F	CT849.1 hypothetical protein
CPn1008	1156928	1158223	F	CT850 hypothetical protein
CPn1009	1159058	1158186	R	map-Methionine Aminopeptidase-(CT851)
CPn1010	1159672	1159067	R	CT852 hypothetical protein
CPn1011	1160306	1159902	R	CT853 hypothetical protein
CPn1012	1162193	1160421	R	yzcB-ABC transporter permease-(CT854)
CPn1013	1162245	1163624	F	fumC-Fumarate Hydratase-(CT855)
CPn1014	1165426	1163732	R	ychM-Sulfate Transporter-(CT856)
CPn1015	1165634	1166893	F	CT857 hypothetical protein (possible IM protein)
CPn1016	1167042	1168898	F	CT858 hypothetical protein
CPn1017	1169006	1169935	F	lytB-Metalloprotease-(CT859)
CPn1018	1169898	1170629	F	
CPn1019	1172128	1170638	R	CT860 hypothetical protein
CPn1020	1173679	1172150	R	CT861 hypothetical protein
CPn1021	1174213	1173698	R	lcrH_2-Low Calcium Response_2-(CT862)
CPn1022	1175673	1174216	R	CT863 hypothetical protein
CPn1023	1176035	1176331	F	
CPn1024	1177236	1176334	R	xerD-Integrase/recombinase-(CT864)
CPn1025	1177302	1178879	F	pgi-Glucose-6-P Isomerase-(CT378)
CPn1026	1178997	1179137	F	ltuA-(CT377)
CPn1027	1179175	1180755	F	
CPn1028	1181016	1181999	F	mdhC-Malate Dehydrogenase-(CT376)
CPn1029	1182008	1182844	F	
CPn1030	1183886	1182843	R	predicted D-amino acid dehydrogenase-(CT375)
CPn1031	1185552	1184098	R	arcD-Arginine/Ornithine Antiporter-(CT374)
CPn1032	1186150	1185566	R	CT373 hypothetical protein
CPn1033	1187500	1186187	R	CT372 hypothetical protein
CPn1034	1188517	1187732	R	Predicted OMP_1 (CT371) [leader (18) peptide]
CPn1035	1190000	1188570	R	AroE-Shikimate 5-Dehydrogenase-(CT370)
CPn1036	1191135	1189984	R	AroB-Dehydroquinase Synthase-(CT369)
CPn1037	1192199	1191123	R	AroC-Chorismate Synthase-(CT368)
CPn1038	1192726	1192199	R	aroL-Shikimate Kinase II-(CT367)
CPn1039	1193999	1192665	R	aroA-Phosphoshikimate Vinyltransferase-(CT366)
CPn1040	1194741	1194073	R	
CPn1041	1195994	1194726	R	*bioA-Adenosylmethionine-8-Amino-7-Oxononanoate Aminotransferase
CPn1042	1196590	1195934	R	*bioD-dethiobiotin synthetase
CPn1043	1197717	1196572	R	bioF_2-Oxononanoate Synthase_2
CPn1044	1198691	1197699	R	*bioB-Biotin Synthase
CPn1045	1199590	1198901	R	*conserved hypothetical bacterial membrane protein
CPn1046	1200675	1199590	R	*Tryptophan Hydroxylase
CPn1047	1200552	1201343	F	dapB-Dihydrodipicolinate Reductase-(CT364)
CPn1048	1201606	1202604	F	asd-Aspartate Dehydrogenase-(CT363)
CPn1049	1202595	1203914	F	lysC-Aspartokinase III-(CT362)
CPn1050	1203926	1204798	F	dapA-Dihydrodipicolinate Synthase-(CT361)
CPn1051	1204962	1205270	F	
CPn1052	1205417	1206169	F	
CPn1053	1206153	1206701	F	
CPn1054	1207034	1209466	F	
CPn1055	1209694	1210521	F	
CPn1056	1210527	1211228	F	
CPn1057	1211497	1213596	F	CT356 hypothetical protein
CPn1058	1213748	1214836	F	CT355 hypothetical protein
CPn1059	1214848	1215678	F	kgsA-Dimethyladenosine Transferase-(CT354)
CPn1060	1217658	1215727	R	dxs/tkt-Transketolase-(CT331)
CPn1061	1217920	1217666	R	CT330 hypothetical protein
CPn1062	1219820	1218159	R	xseA-Exodeoxyribonuclease VII-(CT329)
CPn1063	1219951	1220712	F	tpiS-Triosephosphate Isomerase-(CT328)

Table 2 (Supplemental Data) Functional Assignments of *C. pneumoniae* Coding Sequences. *C. trachomatis* genes are shown in parentheses.

5			Amino Acid Biosynthesis
		<i>Aromatic Family</i>	
	1039 (CT366)	aroA	Phosphoshikimate Vinyltransferase
	1036 (CT369)	aroB	Dehydroquinate Synthase
	1037 (CT368)	aroC	Chorismate Synthase
10	1035 (CT370)	aroE	Shikimate 5-Dehydrogenase
	0484 (CT382)	aroG	Deoxyheptonate Aldolase
	1038 (CT367)	aroL	Shikimate Kinase II
	0740 (CT637)	tyrB	Aromatic AA Aminotransferase
		<i>Aspartate Family (lysine)</i>	
15	1048 (CT363)	asd	Aspartate Dehydrogenase
	1050 (CT361)	dapA	Dihydrodipicolinate Synthase
	1047 (CT364)	dapB	Dihydrodipicolinate Reductase
	0519 (CT430)	dapF	Diaminopimelate Epimerase
	1049 (CT362)	lysC	Aspartokinase III
20		<i>Serine Family</i>	
	0433 (CT282)	gcsH	Glycine Cleavage System H Protein
	0521 (CT432)	glyA	Serine Hydroxymethyltransferase
		<i>Base & Nucleotide Metabolism</i>	
	0171	guaA	GMP Synthase
25	0172	guaB	Inosine 5'-Monophosphate Dehydrogenase
	0608		Uridine 5'-Monophosphate Synthase
	0735		Uridine Kinase
	0244 (CT128)	adk	Adenylate Kinase
	0894 (CT751)	amn	AMP Nucleosidase
30	0568 (CT452)	cmk	CMP Kinase
	0392 (CT039)	dcd	dCTP Deaminase
	0059 (CT292)	dut	dUTP Nucleotidohydrolase
	0120 (CT030)	gmK	GMP Kinase
	0619 (CT500)	ndk	Nucleoside-2-P Kinase
35	0984 (CT827)	nrdA	Ribonucleoside Reductase, Large Chain
	0985 (CT828)	nrdB	Ribonucleoside Reductase, Small Chain
	0236 (CT183)	pyrG	CTP Synthetase
	0698 (CT678)	pyrH	UMP Kinase
	0273 (CT188)	tdk	Thymidylate Kinase
40	0659 (CT539)	trxA	Thioredoxin
	0314 (CT099)	trxB	Thioredoxin Reductase
	1001 (CT844)	yfhC	Cytosine Deaminase
			Biosynthesis of Cofactors
45		<i>Biotin, Lipoate & Ubiquinone</i>	
	1041	bioA	Adenosylmethionine-8-Amino-7-Oxononanoate Aminotransferase
	1044	bioB	Biotin Synthase
	1042	bioD	Dethiobiotin Synthetase
	0923 (CT777)	bioF_1	Oxononanoate Synthase_1
50	1043 (CT777)	bioF_2	Oxononanoate Synthase_2
	0866 (CT725)	birA	Biotin Synthetase
	0748 (CT628)	ispA	Geranyl Transtransferase
	0832 (CT558)	lipA	Lipoate Synthetase

	0265	(CT219)	ubiA	Benzoate Octaphenyltransferase
	0264	(CT220)	ubiD	Phenylacrylate Decarboxylase
	0515	(CT428)	ubiE	Ubiquinone Methyltransferase
	<i>Folic Acid</i>			
5	0759	(CT612)	folA	Dihydrofolate Reductase
	0335	(CT078)	folD	Methylene Tetrahydrofolate Dehydrogenase
	0758	(CT613)	folP	Dihydropteroate Synthase
	0757	(CT614)	folX	Dihydroneopterin Aldolase
	0763	(CT649)	ygfA	Formyltetrahydrofolate Cycloligase
10	<i>Porphyrin</i>			
	0714	(CT662)	hemA	Glutamyl tRNA Reductase
	0744	(CT633)	hemB	Porphobilinogen Synthase
	0052	(CT299)	hemC	Porphobilinogen Deaminase
	0890	(CT747)	hemE	Uroporphyrinogen Decarboxylase
15	0888	(CT745)	hemG	protoporphyrinogen Oxidase
	0138	(CT210)	hemL	Glutamate-1-Semialdehyde-2,1-Aminomutase
	0380	(CT052)	hemN_1	Coproporphyrinogen III Oxidase_1
	0889	(CT746)	hemN_2	Coproporphyrinogen III Oxidase_2
	0603	(CT485)	hemZ	Ferrochetalase
20	<i>Riboflavin</i>			
	0872	(CT731)	ribA&ribB	GTP Cyclohydrtase & DHBP Synthase
	0532	(CT405)	ribC	Riboflavin Synthase
	0871	(CT730)	ribD	Riboflavin Deaminase
	0873	(CT732)	ribE	Ribityllumazine Synthase
25	0320	(CT093)	ribF	FAD Synthase
	<i>Cell Envelope</i>			
	<i>Fatty Acid & Phospholipid Metabolism</i>			
	0161	(CT206)		(predicted acyltransferase family)
30	0922	(CT776)	aas	Acylglycerophosphoethanolamine Acyltransferase
	0414	(CT265)	accA	AcCoA Carboxylase/Transferase Alpha
	0183	(CT123)	accB	Biotin Carboxyl Carrier Protein
	0182	(CT124)	accC	Biotin Carboxylase
	0058	(CT293)	accD	AcCoA Carboxylase/Transferase Beta
35	0295	(CT236)	acpP	Acyl Carrier Protein
	0313	(CT100)	acpS	Acyl-carrier Protein Synthase
	0567	(CT451)	cdsA	Phosphatidate Cytidyltransferase
	0297	(CT238)	fabD	Malonyl Acyl Carrier Transcyclase
	0916	(CT770)	fabF	Acyl Carrier Protein Synthase
40	0296	(CT237)	fabG	Oxoacyl (Carrier Protein) Reductase
	0298	(CT239)	fabH	Oxoacyl Carrier Protein Synthase III
	0406	(CT104)	fabI	Enoyl-Acyl-Carrier Protein Reductase
	0651	(CT532)	fabZ	Myristoyl-Acyl Carrier Dehydratase
	0098	(CT010)	htrB	Acyltransferase
45	0271	(CT136)		Lysophospholipase Esterase
	0615	(CT496)	pgsA_1	Glycerol-3-P Phosphatidyltransferase_1
	0947	(CT797)	pgsA_2	Glycerol-3-P Phosphatidyltransferase_2
	0958	(CT807)	plsB	Glycerol-3-P Acyltransferase
	0569	(CT453)	plsC	Glycerol-3-P Acyltransferase
50	0962	(CT811)	plsX	FA/Phospholipid Synthesis Protein
	0839	(CT699)	psdD	Phosphatidylserine Decarboxylase
	0983	(CT826)	pssA	Glycerol-Serine Phosphatidyltransferase
	0921	(CT775)		snGlycerol-3-P Acyltransferase
	0654	(CT535)	yciA	Acyl-CoA Thioesterase
55	0877	(CT736)	ybcL	CT736 Hypothetical Protein

LPS

	0154	(CT208)	gseA	KDO Transferase
	0721	(CT655)	kdsA	KDO Synthetase
	0235	(CT182)	kdsB	Deoxyoctulosonic Acid Synthetase
5	0650	(CT531)	lpxA	Acyl-Carrier UDP-GlcNAc O-Acyltransferase
	0965	(CT411)	lpxB	Lipid A Disaccharide Synthase
	0652	(CT533)	lpxC	Myristoyl GlcNAc Deacetylase
	0302	(CT243)	lpxD	UDP Glucosamine N-Acyltransferase

Membrane Proteins, Lipoproteins & Porins

	0310	(CT251)	60IM	60kDa Inner Membrane Protein
10	0556	(CT442)	crpA	15kDa Cysteine-Rich Protein
	0653	(CT534)	cutE	Apolipoprotein N-Acetyltransferase
	0311	(CT252)	lgt	Proteolipoprotein Diacylglycerol Transferase
	0558	(CT444)	omcA	9kDa-Cysteine-Rich Lipoprotein
	0557	(CT443)	omcB	60kDa Cysteine-Rich OMP
15	0695	(CT681)	ompA	Major Outer Membrane Protein
	0854	(CT713)	ompB	Outer Membrane Protein B
	0781	(CT600)	pal	Peptidoglycan-Associated Lipoprotein
	0300	(CT241)	yaeT	Omp85 Homolog

Peptidoglycan

20	0417	(CT268)	amiA	N-Acetylmuramoyl Alanine Amidase
	0780	(CT601)	amiB	N-Acetylmuramoyl-L-Ala Amidase
	0672	(CT551)	dacF	D-Ala-D-Ala Carboxypeptidase
	0968	(CT816)	glmS	Glucosamine-Fructose-6-P Aminotransferase
	0749	(CT629)	glmU	UDP-GlcNAc Pyrophosphorylase
25	0900	(CT757)	mraY	Muramoyl-Pentapeptide Transferase
	0571	(CT455)	murA	UDP-N-Acetylglucosamine Transferase
	0988	(CT831)	murB	UDP-N-Acetylenolpyruvoylglucosamine Reductase
	0905	(CT762)	murC&ddlA	Muramate-Ala Ligase & D-Ala-D-Ala Ligase
	0901	(CT758)	murD	Muramoylalanine-Glutamate Ligase
30	0418	(CT269)	murE	N-Acetylmuramoylalanine-glutamyl DAP Ligase
	0899	(CT756)	murF	Muramoyl-DAP Ligase
	0904	(CT761)	murG	Peptidoglycan Transferase
	0902	(CT759)	nlpD	Muramidase (invasin repeat family)
	0694	(CT682)	pbp2	PBP2-Transglycosylase/Transpeptidase
35	0419	(CT270)	pbp3	Transglycosylase/Transpeptidase
	0421	(CT272)	yabC	PBP2B Family Methyltransferase

Cellular Processes

Cell Division

40	0959	(CT808)	cafE	Axial Filament Protein
	0880	(CT739)	ftsK	Cell Division Protein FtsK
	0903	(CT760)	ftsW	Cell Division Protein FtsW
	0972	(CT820)	ftsY	Cell Division Protein FtsY
	0617	(CT498)	gidA	FAD-dependent Oxidoreductase
45	0805	(CT582)	minD	Chromosome Partitioning ATPase
	0850	(CT709)	mreB	Rod Shape Protein-Sugar Kinase
	0867	(CT726)	rodA	Rod Shape Protein

0684 (CT688) parB Chromosome Partitioning Protein

Detoxification

50	0057	(CT294)	sodM	Superoxide Dismutase (Mn)
	0778	(CT603)	ahpC	Thio-specific Antioxidant (TSA) Peroxidase

Signal Transduction

	0148	(CT145)		S/T Protein Kinase
	0584	(CT467)	atoS	Two-Component Sensor
55	0294	(CT235)		cAMP-Dependent Protein Kinase Regulatory Subunit
	0712	(CT664)		(FHA domain)

0599	(CT480)	oppA_5	Oligopeptide Binding Lipoprotein_5
0199	(CT199)	oppB_1	Oligopeptide Permease_1
0598	(CT479)	oppB_2	Oligopeptide Permease_2
0200	(CT200)	oppC_1	Oligopeptide Permease_1
0597	(CT478)	oppC_2	Oligopeptide Permease_2
0201	(CT201)	oppD	Oligopeptide Transport ATPase
0202	(CT202)	oppF	Oligopeptide Transport ATPase
0231	(CT180)	tauB	ABC Transport ATPase (Nitrate/Fe)
0782	(CT599)	tolB	Macromolecule Transporter
0969	(CT817)	tyrP_1	Tyrosine Transport_1
0970	(CT818)	tyrP_2	Tyrosine Transport_2
0665	(CT544)	uhpC	Hexosphosphate Transport
0282	(CT216)	xasA	Amino Acid Transporter
0207	(CT204)	ybhI	dicarboxylate Translocator
0971	(CT819)	yccA	Transport Permease
0248	(CT152)	ycfV	ABC Transporter ATPase
1014	(CT856)	ychM	Sulfate Transporter
0736	(CT641)	ygeD	Efflux Protein
0680	(CT692)	ygo4	Phosphate Permease
0723	(CT653)	yhbG	ABC Transporter ATPase
0023	(CT348)	yjiK	ABC Transporter Protein ATPase
0127	(CT034)	ytfF	Cationic Amino Acid Transporter
0349	(CT067)	ytgA	Solute Protein Binding Family
0348	(CT068)	ytgB	ABC transporter ATPase
0347	(CT069)	ytgC	Integral Membrane Protein
0346	(CT070)	ytgD	Integral Membrane Protein
1012	(CT854)	yzcB	ABC Transporter Permease
0868	(CT727)	zntA	Metal Transport P-type ATPase
0279			Possible ABC Transporter Permease Protein
0543	(CT417)		(Metal Transport Protein)
0692	(CT684)		ABC Transporter
0542	(CT416)		ABC Transporter ATPase
0690	(CT686)		ABC Transporter Membrane Protein
0541	(CT415)		solute binding protein
<i>Type-III Secretion</i>			
0323	(CT090)	lcrD	Low Calcium Response D
0324	(CT089)	lcrE	Low Calcium Response E
0811	(CT576)	lcrH_1	Low Ca Response Protein H_1
1021	(CT862)	lcrH_2	Low Calcium Response_2
0325	(CT088)	sycE	Secretion Chaperone
0702	(CT674)	yscC	Yop C/Gen Secretion Protein D
0828	(CT559)	yscJ	Yop Translocation J
0826	(CT561)	yscL	Yop Translocation L
0707	(CT669)	yscN	Yop N (Flagellar-Type ATPase)
0825	(CT562)	yscR	Yop Translocation R
0824	(CT563)	yscS	YopS Translocation Protein
0823	(CT564)	yscT	YopT Translocation T
0322	(CT091)	yscU	Yop Translocation Protein U

50

Central Intermediary Metabolism

Glycogen Metabolism

0856	(CT715)		UDP-Glucose Pyrophosphorylase
0948	(CT798)	glgA	Glycogen Synthase
0475	(CT866)	glgB	Glucan Branching Enzyme
0607	(CT489)	glgC	Glucose-1-P Adenyltransferase
0307	(CT248)	glgP	Glycogen Phosphorylase
0388	(CT042)	glgX	Glycogen Hydrolase (debranching)

55

0835	(CT555)	SWI/SNF family helicase_1
0849	(CT708)	SWI/SNF family helicase_2
0769	(CT643)	topA DNA Topoisomerase I-Fused to SWI Domain
0024	(CT347)	xerC Integrase/recombinase
1024	(CT864)	xerD Integrase/recombinase

Eukaryotic-Type Chromatin Factors

0886	(CT743)	hctA	Histone-Like Developmental Protein
0384	(CT046)	hctB	Histone-like Protein 2
0878	(CT737)		SET Domain protein
0577	(CT460)		SWIB (YM74) Complex Protein

UVR Excinuclease Repair System

0096	(CT333)	uvrA	Excinuclease ABC Subunit A
0801	(CT586)	uvrB	Exinuclease ABC Subunit B
0940	(CT791)	uvrC	Excinuclease ABC, Subunit C
0772	(CT608)	uvrD	DNA Helicase

Energy Metabolism

Aerobic

20	0855 (CT714)	<i>gpdA</i>	Glycerol-3-P Dehydrogenase
	0743 (CT634)	<i>nqrA</i>	Ubiquinone Oxidoreductase, Alpha
	0427 (CT278)	<i>nqr2</i>	NADH (Ubiquinone) Dehydrogenase
	0428 (CT279)	<i>nqr3</i>	NADH (Ubiquinone) Oxidoreductase, Gamma
	0429 (CT280)	<i>nqr4</i>	NADH (Ubiquinone) Reductase 4
	0430 (CT281)	<i>nqr5</i>	NADH (Ubiquinone) Reductase 5
25	0883 (CT740)	<i>nqr6</i>	Phenolhydrolase/NADH (Ubiquinone) Oxidoreductase 6

ATP Biogenesis and metabolism

	0351	(CT065)	adt_1	ADP/ATP Translocase_1
	0614	(CT495)	adt_2	ADP/ATP Translocase_2
30	0088	(CT308)	atpA	ATP Synthase Subunit A
	0089	(CT307)	atpB	ATP Synthase Subunit B
	0090	(CT306)	atpD	ATP Synthase Subunit D
	0086	(CT310)	atpE	ATP Synthase Subunit E
	0091	(CT305)	atpI	ATP Synthase Subunit I
	0092	(CT304)	atpK	ATP Synthase Subunit K
35	0860	(CT719)	flhF	Flagellar M-Ring Protein

Electron Transport Chain

0102	(CT013)	cydA	Cytochrome Oxidase Subunit I
0103	(CT014)	cydB	Cytochrome Oxidase Subunit II
0364	(CT059)		Ferredoxin
0084	(CT312)		Predicted Ferredoxin

Glycolysis & Gluconeogenesis

0281	(CT215)	dhnA	Predicted 1,6-Fructose Biphosphate Aldolase
0800	(CT587)	eno	Enolase
0624	(CT505)	gapA	Glyceraldehyde-3-P Dehydrogenase
0056	(CT295)	mrsA	Phosphomannomutase
0967	(CT815)	pgm	Phosphoglucomutase
0160	(CT207)	pfkA 1	Fructose-6-P Phosphotransferase 1

0208	(CT205)	pfkA_2	Fructose-6-P Phosphotransferase_2
1025	(CT378)	pgi	Glucose-6-P Isomerase
0679	(CT693)	pgk	Phosphoglycerate Kinase
0863	(CT722)	pgmA	Phosphoglycerate Mutase
0097	(CT332)	pyk	Pyruvate Kinase
1063	(CT328)	tpiS	Triosephosphate Isomerase

Pentose Phosphate Pathway

55	0239	(CT186)	devB	Glucose-6-P Dehydrogenase (DevB family)
	1060	(CT331)	dxs	Transketolase

0360	(CT063)	gnd	6-Phosphogluconate Dehydrogenase
0185	(CT121)	rpe	Ribulose-P Epimerase
0141	(CT213)	rpiA	Ribose-5-P Isomerase A
0083	(CT313)	tal	Transaldolase
0893	(CT750)	uktB	Transketolase
0238	(CT185)	zwf	Glucose-6-P Dehydrogenase

Pyruvate Dehydrogenase

0833	(CT557)	lpdA	Lipoamide Dehydrogenase
0436	(CT285)	lplA_1	Lipoate Protein Ligase-Like Protein
0618	(CT499)	lplA_2	Lipoate-Protein Ligase A
0033	(CT340)	pdhA&B	Oxoisovalerate Dehydrogenase α/β Fusion
0304	(CT245)	pdhA	Pyruvate Dehydrogenase Alpha
0305	(CT246)	pdhB	Pyruvate Dehydrogenase Beta
0306	(CT247)	pdhC	Dihydrolipoamide Acetyltransferase

TCA Cycle

0495	(CT390)	aspC	Aspartate Aminotransferase
1013	(CT855)	fumC	Fumarate Hydratase
1028	(CT376)	mdhC	Malate Dehydrogenase
0789	(CT592)	sdhA	Succinate Dehydrogenase
0790	(CT591)	sdhB	Succinate Dehydrogenase
0788	(CT593)	sdhC	Succinate Dehydrogenase
0378	(CT054)	sucA	Oxoglutarate Dehydrogenase
0377	(CT055)	sucB_1	Dihydrolipoamide Succinyltransferase_1
0527	(CT400)	sucB_2	Dihydrolipoamide Succinyltransferase_2
0973	(CT821)	sucC	Succinyl-CoA Synthetase, Beta
0974	(CT822)	sucD	Succinyl-CoA Synthetase, Alpha

Protein Folding, Assembly & Modification

Chaperones

0949	(CT799)	ctc	General Stress Protein
0534	(CT407)	dksA	DnaK Suppressor
0032	(CT341)	dnaJ	Heat Shock Protein J
0503	(CT396)	dnaK	Hsp-70
0134	(CT110)	groEL_1	Hsp-60_1
0777	(CT604)	groEL_2	Hsp-60_2
0898	(CT755)	groEL_3	Hsp-60_3
0135	(CT111)	groES	10KDa Chaperonin
0502	(CT395)	grpE	HSP-70 Cofactor
0661	(CT541)	mip	FKBP-type Peptidyl-prolyl Cis-Trans Isomerase

Proteases

0144	(CT113)	clpB	Clp Protease ATPase
0437	(CT286)	clpC	ClpC Protease
0520	(CT431)	clpP_1	CLP Protease
0847	(CT706)	clpP_2	CLP Protease Subunit
0846	(CT705)	clpX	CLP Protease ATPase
0269	(CT138)		Dipeptidase
0998	(CT841)	ftsH	ATP-dependent Zinc Protease
0030	(CT343)	gcp_1	O-Sialoglycoprotein Endopeptidase_1
0194	(CT197)	gcp_2	O-Sialoglycoprotein Endopeptidase_2
0979	(CT823)	htrA	DO Serine Protease
0957	(CT806)	ide	Insulinase family/Protease III
0027	(CT344)	lon	Lon ATP-dependent Protease
1017	(CT859)	lytB	Metalloprotease
1009	(CT851)	map	Methionine Aminopeptidase
0385	(CT045)	pepA	Leucyl Aminopeptidase A
0136	(CT112)	pepF	Oligopeptidase

5	0813	(CT574)	pepP	Aminopeptidase P
	0613	(CT494)	sohB	Protease
	0555	(CT441)	tsp	Tail-Specific Protease
	0344	(CT072)	yaeL	Metalloprotease
	0981	(CT824)		Zinc Metalloprotease (insulinase family)

Protein Isomerases

10	0227	(CT176)	dsbB	Disulfide bond Oxidoreductase
	0786	(CT595)	dsbD	Thio:disulfide Interchange Protein
	0228	(CT177)	dsbG	Disulfide Bond Chaperone
	0933	(CT783)		Predicted Disulfide Bond Isomerase
	0926	(CT780)		Thioredoxin Disulfide Isomerase

00438185 444300
00438185 444300

姓名	性别	年龄	职业	住址	电话	备注
王德胜	男	45	工人	XX路XX号	XXXXXX	
李小明	男	32	教师	XX街XX号	XXXXXX	
张小红	女	28	护士	XX巷XX号	XXXXXX	
赵国强	男	55	退休	XX村XX号	XXXXXX	
刘小华	女	38	医生	XX路XX号	XXXXXX	
陈大伟	男	42	工程师	XX街XX号	XXXXXX	
周小丽	女	35	会计	XX巷XX号	XXXXXX	
吴大刚	男	50	农民	XX村XX号	XXXXXX	
郑小芳	女	30	学生	XX路XX号	XXXXXX	
孙大强	男	48	商人	XX街XX号	XXXXXX	
马小娟	女	25	职员	XX巷XX号	XXXXXX	
徐大伟	男	52	工人	XX村XX号	XXXXXX	
黄小华	女	33	教师	XX路XX号	XXXXXX	
郭大刚	男	40	医生	XX街XX号	XXXXXX	
周小丽	女	36	护士	XX巷XX号	XXXXXX	
吴大刚	男	51	退休	XX村XX号	XXXXXX	
郑小芳	女	31	学生	XX路XX号	XXXXXX	
孙大强	男	49	商人	XX街XX号	XXXXXX	
马小娟	女	26	职员	XX巷XX号	XXXXXX	
徐大伟	男	53	工人	XX村XX号	XXXXXX	
黄小华	女	34	教师	XX路XX号	XXXXXX	
郭大刚	男	41	医生	XX街XX号	XXXXXX	
周小丽	女	37	护士	XX巷XX号	XXXXXX	
吴大刚	男	52	退休	XX村XX号	XXXXXX	
郑小芳	女	32	学生	XX路XX号	XXXXXX	
孙大强	男	50	商人	XX街XX号	XXXXXX	
马小娟	女	27	职员	XX巷XX号	XXXXXX	
徐大伟	男	54	工人	XX村XX号	XXXXXX	
黄小华	女	35	教师	XX路XX号	XXXXXX	
郭大刚	男	42	医生	XX街XX号	XXXXXX	
周小丽	女	38	护士	XX巷XX号	XXXXXX	
吴大刚	男	53	退休	XX村XX号	XXXXXX	
郑小芳	女	33	学生	XX路XX号	XXXXXX	
孙大强	男	51	商人	XX街XX号	XXXXXX	
马小娟	女	28	职员	XX巷XX号	XXXXXX	
徐大伟	男	55	工人	XX村XX号	XXXXXX	
黄小华	女	36	教师	XX路XX号	XXXXXX	
郭大刚	男	43	医生	XX街XX号	XXXXXX	
周小丽	女	39	护士	XX巷XX号	XXXXXX	
吴大刚	男	54	退休	XX村XX号	XXXXXX	
郑小芳	女	34	学生	XX路XX号	XXXXXX	
孙大强	男	52	商人	XX街XX号	XXXXXX	
马小娟	女	29	职员	XX巷XX号	XXXXXX	
徐大伟	男	56	工人	XX村XX号	XXXXXX	
黄小华	女	37	教师	XX路XX号	XXXXXX	
郭大刚	男	44	医生	XX街XX号	XXXXXX	
周小丽	女	40	护士	XX巷XX号	XXXXXX	
吴大刚	男	55	退休	XX村XX号	XXXXXX	
郑小芳	女	35	学生	XX路XX号	XXXXXX	
孙大强	男	53	商人	XX街XX号	XXXXXX	
马小娟	女	30	职员	XX巷XX号	XXXXXX	
徐大伟	男	57	工人	XX村XX号	XXXXXX	
黄小华	女	38	教师	XX路XX号	XXXXXX	
郭大刚	男	45	医生	XX街XX号	XXXXXX	
周小丽	女	41	护士	XX巷XX号	XXXXXX	
吴大刚	男	56	退休	XX村XX号	XXXXXX	
郑小芳	女	36	学生	XX路XX号	XXXXXX	
孙大强	男	54	商人	XX街XX号	XXXXXX	
马小娟	女	31	职员	XX巷XX号	XXXXXX	
徐大伟	男	58	工人	XX村XX号	XXXXXX	
黄小华	女	39	教师	XX路XX号	XXXXXX	
郭大刚	男	46	医生	XX街XX号	XXXXXX	
周小丽	女	42	护士	XX巷XX号	XXXXXX	
吴大刚	男	57	退休	XX村XX号	XXXXXX	
郑小芳	女	37	学生	XX路XX号	XXXXXX	
孙大强	男	55	商人	XX街XX号	XXXXXX	

5

0999	(CT842)	pnp	Polyribonucleotide Nucleotidyltransferase
0054	(CT297)	rnc	Ribonuclease III
0119	(CT029)	mhB_1	Ribonuclease HII_1
1068	(CT008)	mhB_2	Ribonuclease HII_2
0934	(CT784)	mpA	Ribonuclease P Protein Component
0504	(CT397)	vacB	Ribonuclease Family

10

0741	(CT636)	<i>greA</i>	Transcription Elongation Factor
0316	(CT097)	<i>nusA</i>	N Utilization Protein A
0076	(CT320)	<i>nusG</i>	Transcriptional Antitermination
0845	(CT704)	<i>pcnB_1</i>	Poly A Polymerase_1
0966	(CT410)	<i>pcnB_2</i>	PolyA Polymerase_2
0610	(CT491)	<i>rho</i>	Transcription Termination Factor

15

0674	(CT553)	fmu	RNA Methyltransferase
1059	(CT354)	kgsA	Dimethyladenosine Transferase
0187	(CT133)		Predicted Methylase
0530	(CT403)	spoU_1	rRNA Methylase_1
0660	(CT540)	spoU_2	rRNA Methylase_2
0117	(CT027)	trmD	tRNA (Guanine N-1)-Methyltransferase
0885	(CT742)	ygcA	rRNA Methyltransferase
0986	(CT829)	yggH	Predicted rRNA Methylase
0987	(CT830)	yvgB	Predicted rRNA Methylase

25

0649	(CT530)	fnt	Methionyl tRNA Formyltransferase
0910	(CT766)	miaA	tRNA Pyrophosphate Transferase
0719	(CT658)	sfbB	Predicted Pseudouridine Synthase
0219	(CT193)	igt	Queuine tRNA Ribosyl Transferase
0580	(CT463)	truA	Pseudouridylyate Synthase I
0319	(CT094)	truB	tRNA Pseudouridine Synthase
0403	(CT106)	yceC	Predicted Pseudouridine Synthetase Family
0864	(CT723)	yjbC	Predicted Pseudouridine Synthase

25

0586	(CT468)	<i>atoC</i>	Two-Component Regulator
0362	(CT061)	<i>rpsD</i>	Sigma-28/WhiG Family
0501	(CT394)	<i>hrcA</i>	HTH Transcriptional Repressor
0793	(CT588)	<i>rbsU</i>	Sigma Regulatory Family Protein—PP2C Phosphatase (RsbW Antagonist)
0626	(CT507)	<i>rpoA</i>	RNA Polymerase Alpha
0081	(CT315)	<i>rpoB</i>	RNA Polymerase Beta
0082	(CT314)	<i>rpoC</i>	RNA Polymerase Beta'
0756	(CT615)	<i>rpoD</i>	RNA Polymerase Sigma-66
0771	(CT609)	<i>rpoN</i>	RNA Polymerase Sigma-54
0511	(CT424)	<i>rsbV_1</i>	Sigma Regulatory Factor_1
0909	(CT765)	<i>rsbV_2</i>	Sigma Factor Regulator_2

50

0750	(CT630)	tctD	HTH Transcriptional Regulatory Protein + Receiver Domain
1069	(CT009)	yfgA	HTH Transcriptional Regulator

55

0892	(CT749)	alaS	Alanyl tRNA Synthetase
0570	(CT454)	argS	Arginyl tRNA Transferase
0662	(CT542)	aspS	Aspartyl tRNA Synthetase

	0932	(CT782)	cysS	CysteinyI tRNA Synthetase
	0003	(CT003)	gatA	Glu tRNA Gln Amidotransferase (A subunit)
	0004	(CT004)	gatB	Glu tRNA Gln Amidotransferase (B Subunit)
	0002	(CT002)	gatC	Glu tRNA Gln Amidotransferase (C subunit)
5	0560	(CT445)	gltX	Glutamyl-tRNA Synthetase
	0946	(CT796)	glyQ	Glycyl tRNA Synthetase
	0663	(CT543)	hisS	Histidyl tRNA Synthetase
	0109	(CT019)	ileS	Isoleucyl-tRNA Synthetase
	0153	(CT209)	leuS	Leucyl tRNA Synthetase
10	0931	(CT781)	lysS	Lysyl tRNA Synthetase
	0122	(CT032)	metG	Methionyl-tRNA Synthetase
	0993	(CT836)	pheS	Phenylalanyl tRNA Synthetase, Alpha
	0594	(CT475)	pheT	Phenylalanyl tRNA Synthetase Beta
	0500	(CT393)	proS	Prolyl tRNA Synthetase
15	0870	(CT729)	serS	Seryl tRNA Synthetase_2
	0806	(CT581)	thrS	Threonyl tRNA Synthetase
	0802	(CT585)	trpS	Tryptophanyl tRNA Synthetase
	0361	(CT062)	tyrS	Tyrosyl tRNA Synthetase
	0094	(CT302)	valS	Valyl tRNA Synthetase
20	<i>Peptide Chain Initiation, Elongation & Termination</i>			
	1067	(CT353)	def	Polypeptide Deformylase
	0184	(CT122)	efp_1	Elongation Factor P_1
	0895	(CT752)	efp_2	Elongation Factor P_2
	0550	(CT437)	fusA	Elongation Factor G
25	0073	(CT323)	infA	Initiation Factor IF-1
	0317	(CT096)	infB	Initiation Factor-2
	0990	(CT833)	infC	Initiation Factor 3
	0113	(CT023)	pfrA	Peptide Chain Releasing Factor 1
	0576	(CT459)	prfB	Peptide Chain Release Factor 2
30	0950	(CT800)	pth	Peptidyl tRNA Hydrolase
	0318	(CT095)	rbfA	Ribosome Binding Factor A
	0699	(CT677)	rrf	Ribosome Releasing Factor
	0697	(CT679)	tsf	Elongation Factor TS
	0074	(CT322)	tufA	Elongation Factor Tu
35	<i>Ribosomal Proteins</i>			
	0078	(CT318)	r11	L1 Ribosomal Protein
	0644	(CT525)	r12	L2 Ribosomal Protein
	0647	(CT528)	r13	L3 Ribosomal Protein
	0646	(CT527)	r14	L4 Ribosomal Protein
40	0635	(CT516)	r15	L5 Ribosomal Protein
	0633	(CT514)	r16	L6 Ribosomal Protein
	0080	(CT316)	r17	L7/L12 Ribosomal Protein
	0953	(CT803)	r19	L9 Ribosomal Protein
	0079	(CT317)	r110	L10 Ribosomal Protein
45	0077	(CT319)	r111	L11 Ribosomal Protein
	0247	(CT125)	r113	L13 Ribosomal Protein
	0637	(CT518)	r114	L14 Ribosomal Protein
	0630	(CT511)	r115	L15 Ribosomal Protein
	0640	(CT521)	r116	L16 Ribosomal Protein
50	0625	(CT506)	r117	L17 Ribosomal Protein
	0632	(CT513)	r118	L18 Ribosomal Protein
	0118	(CT028)	r119	L19 Ribosomal Protein
	0992	(CT835)	r120	L20 Ribosomal Protein
	0546	(CT420)	r121	L21 Ribosomal Protein
55	0642	(CT523)	r122	L22 Ribosomal Protein
	0645	(CT526)	r123	L23 Ribosomal Protein

5	0636	(CT517)	rl24	L24 Ribosomal Protein
	0545	(CT419)	rl27	L27 ribosomal protein
	0327	(CT086)	rl28	L28 Ribosomal Protein
	0639	(CT520)	rl29	L29 Ribosomal Protein
	0112	(CT022)	rl31	L31 Ribosomal Protein
10	0961	(CT810)	rl32	L32 Ribosomal Protein
	0250	(CT150)	rl33	L33 Ribosomal Protein
	0935	(CT785)	rl34	L34 Ribosomal Protein
	0991	(CT834)	rl35	L35 Ribosomal Protein
	0936	(CT786)	rl36	L36 Ribosomal Protein
15	0315	(CT098)	rs1	S1 Ribosomal Protein
	0696	(CT680)	rs2	S2 Ribosomal Protein
	0641	(CT522)	rs3	S3 Ribosomal Protein
	0733	(CT626)	rs4	S4 Ribosomal Protein
	0631	(CT512)	rs5	S5 Ribosomal Protein
20	0951	(CT801)	rs6	S6 Ribosomal Protein
	0551	(CT438)	rs7	S7 Ribosomal Protein
	0634	(CT515)	rs8	S8 Ribosomal Protein
	0246	(CT126)	rs9	S9 Ribosomal Protein
	0549	(CT436)	rs10	S10 Ribosomal Protein
25	0627	(CT508)	rs11	S11 Ribosomal Protein
	0552	(CT439)	rs12	S12 Ribosomal Protein
	0628	(CT509)	rs13	S13 Ribosomal Protein
	0937	(CT787)	rs14	S14 Ribosomal Protein
	1000	(CT843)	rs15	S15 Ribosomal Protein
30	0116	(CT026)	rs16	S16 Ribosomal Protein
	0638	(CT519)	rs17	S17 Ribosomal Protein
	0952	(CT802)	rs18	S18 Ribosomal Protein
	0643	(CT524)	rs19	S19 Ribosomal Protein
	0754	(CT617)	rs20	S20 Ribosomal Protein
35	0031	(CT342)	rs21	S21 Ribosomal Protein
	Other Categories			
40	<i>Chlamydia-Specific Proteins</i>			
	0561	(CT446)	Euo	CHLPS Euo Protein
	0804	(CT583)	Gp6D	CHLTR Plasmid Paralog
	0186	(CT119)		Similarity to IncA_1
	0291	(CT232)	incB	Inclusion Membrane Protein B
45	0292	(CT233)	incC	Inclusion Membrane Protein C
	1026	(CT377)		LtuA Protein
	0333	(CT080)		LtuB Protein
	0005	(CT871)	pmp_1	Polymorphic Outer Membrane Protein G Family
	0013	(CT871)	pmp_2	Polymorphic Outer Membrane Protein G Family
50	0014	(CT871)	pmp_3	Polymorphic Outer Membrane Protein G Family
	0015	(CT871)	pmp_3	PMP_3 (frame-shift with 0014)
	0016	(CT874)	pmp_4	Polymorphic Outer Membrane Protein G Family
	0017	(CT871)	pmp_4	PMP_4 (frame-shift with 0016)
	0018	(CT874)	pmp_5	Polymorphic Outer Membrane Protein G Family
55	0019	(CT871)	pmp_5	PMP_5 (frame-shift with 0018)
	0444	(CT871)	pmp_6	Polymorphic Outer Membrane Protein G/I Family
	0445	(CT871)	pmp_7	Polymorphic Outer Membrane Protein G Family
	0446	(CT871)	pmp_8	Polymorphic Outer Membrane Protein G Family
	0447	(CT871)	pmp_9	Polymorphic Outer Membrane Protein G/I Family
	0450	(CT871)	pmp_10	Polymorphic Outer Membrane Protein G Family
	0449	(CT871)	pmp_10	PMP_10 (Frame-shift with 0450)

	0451 (CT871)	pmp_11	Polymorphic Outer Membrane Protein G Family
	0452 (CT874)	pmp_12	Polymorphic Outer Membrane Protein (truncated) A/I Family
	0453 (CT871)	pmp_13	Polymorphic Outer Membrane Protein G Family
	0454 (CT872)	pmp_14	Polymorphic Outer Membrane Protein H Family
5	0466 (CT869)	pmp_15	Polymorphic Outer Membrane Protein E Family
	0467 (CT869)	pmp_16	Polymorphic Outer Membrane Protein E Family
	0468 (CT869)	pmp_17	Polymorphic Outer Membrane Protein E Family
	0469 (CT869)	pmp_17	PMP_17 (Frame-shift with 0468)
	0470 (CT869)	pmp_17	PMP_17 (Frame-shift with 0469)
10	0471 (CT870)	pmp_18	Polymorphic Outer Membrane Protein E/F Family
	0539 (CT412)	pmp_19	Polymorphic Membrane Protein A Family
	0540 (CT413)	pmp_20	Polymorphic Membrane Protein B Family
	0963 (CT812)	pmp_21	Polymorphic Membrane Protein D Family
	0562		CHLPS 43 kDa Protein Homolog_1
15	0927		CHLPS 43 kDa Protein Homolog_2
	0928		CHLPS 43 kDa Protein Homolog_3
	0929		CHLPS 43 kDa Protein Homolog_4
	0728 (CT622)		CHLPS 76kDa Homolog_1 (CT622)
	0729 (CT623)		CHLPS 76kDa Homolog_2 (CT623)
20	0133 (CT109)		CHLPS Hypothetical Protein
	0332 (CT081)		CHLPS R T2 Protein
<i>Miscellaneous Enzymes/Conserved Proteins</i>			
	0193	argR	Possible Arginine Repressor
	1046		Aromatic Amino Acid Hydroxylase
25	0232		Similarity to 5'-Methylthioadenosine Nucleosidase
	0128 (CT035)		Biotin Protein Ligase
	0513 (CT426)		Fe-S Oxidoreductase_1
	0911 (CT767)		Fe-S Oxidoreductase_2
	0373 (CT057)	gcpE	GcpE Protein
30	0407 (CT103)		HAD Superfamily Hydrolase/Phosphatase
	0917 (CT771)		Hydrolase/Phosphatase Homolog
	0488 (CT385)	ycfF	HIT Family Hydrolase
	0701 (CT675)	karG	Arginine Kinase
	0526 (CT399)	kpsF	GutQ/KpsF Family Sugar-P Isomerase
35	0919 (CT773)	ldh	Leucine Dehydrogenase
	0022 (CT349)	maf	Maf protein
	0997 (CT840)	mesJ	PP-loop superfamily ATPase
	0151 (CT148)	mhpA	Monooxygenase
40	0730 (CT624)	mviN	Integral Membrane Protein
	0861 (CT720)		NifU-Related Protein
	0479 (CT380)	phnP	Metal Dependent Hydrolase
	0106 (CT015)	phoH	ATPase
	0329 (CT084)		Phospholipase D Superfamily
	0435 (CT284)		Phospholipase D Superfamily
45	0581 (CT464)		Phosphoglycolate Phosphatase
	0897 (CT754)		Predicted Phosphohydrolase
	0509 (CT422)		Predicted Metalloenzyme
	1030 (CT375)		Predicted D-Amino Acid Dehydrogenase
	0531 (CT404)		SAM Dependent Methyltransferase
50	0337 (CT076)	smgB	Small Protein B
	0394 (CT256)	tlyC_1	CBS Domain Protein (Hemolysin Homolog)_1
	0510 (CT423)	tlyC_2	CBS Domains (Hemolysin Homolog)_2
	0382 (CT048)	yabC	SAM-Dependent Methyltransferase
	0787 (CT594)	yabD	PHP Superfamily (Urease/Pyrimidinase) Hydrolase
55	0611 (CT492)	yacE	Predicted Phosphatase/Kinase
	0579 (CT462)	yacM	Sugar Nucleotide Phosphorylase
	0578 (CT461)	yacI	Phosphohydrolase

	0345	(CT071)	yaeM	CT071 Hypothetical Protein
	0566	(CT450)	yaeS	YaeS family Hypothetical Protein
	0591	(CT472)	yagE	YagE family
5	0039	(CT335)	ybaB	YbaB family Hypothetical Protein
	0101	(CT012)	ybbP	YbbP family Hypothetical Protein
	0915	(CT769)	ybeB	iojap Superfamily Ortholog
	0137	(CT108)	ybgI	ACR family
	0529	(CT402)	ycaH	ATPase
10	0438	(CT287)	ycbF	PP-loop Superfamily ATPase
	0734	(CT627)	yceA	YceA Hypothetical Protein
	0954	(CT804)	ychB	Predicted Kinase
	0261	(CT217)	ydaO	PP-Loop Superfamily ATPase
	0245	(CT127)	ydhO	Polysaccharide Hydrolase-Invasin Repeat Family
15	0573	(CT457)	yebC	YebC Family Hypothetical Protein
	0689	(CT687)	yfhO_1	NifS-related Aminotransferase_1
	0862	(CT721)	yfhO_2	NifS-related Aminotransferase_2
	0547	(CT434)	ygbB	YgbB Family Hypothetical Protein
	0237	(CT184)	yggF	YggF Family Hypothetical Protein
	0775	(CT606)	yggV	YggV Family Hypothetical Protein
20	0396	(CT258)	yhfO_3	NifS-related Aminotransferase_3
	0605	(CT487)	yhhF	Predicted Methylase
	0575	(CT458)	yhhY	Amino Group Acetyl Transferase
	0592	(CT473)	yidD	YidD Family
25	0982	(CT825)	yigN	YigN Family Hypothetical Protein
	0657	(CT537)	yjeE	YjeE Hypothetical Protein
	0768	(CT644)	yohI	YohI Predicted Oxidoreductase
	0336	(CT077)	yojL	YojL Hypothetical Protein
	0217	(CT140)	ypdP	YpdP Hypothetical Protein
30	0140	(CT212)	yqde	Yqde Hypothetical Protein
	0263	(CT221)	yqfU	YqfU Hypothetical Protein
	0139	(CT211)	yqgE	YqgE Hypothetical Protein
	0270	(CT137)	ywlC	SuA5 Superfamily-related Protein
	0879	(CT738)	yycJ	Metal Dependent Hydrolase
35	Homologs to CHLTR Hypothetical Coding Genes			
	0001	(CT001)	CT001	Hypothetical Protein
	0020	(CT351)	CT351	Hypothetical Protein
	0021	(CT350)	CT350	Hypothetical Protein
40	0026	(CT345)	CT345	Hypothetical Protein
	0035	(CT339)	CT339	Hypothetical Protein
	0036	(CT338)	CT338	Hypothetical Protein
	0055	(CT296)	CT296	Hypothetical Protein
	0062	(CT289)	CT289	Hypothetical Protein
45	0065	(CT288)	CT288	Hypothetical Protein
	0068	(CT360)	CT360	Hypothetical Protein
	0071	(CT325)	CT325	Hypothetical Protein
	0072	(CT324)	CT324	Hypothetical Protein
	0085	(CT311)	CT311	Hypothetical Protein
50	0087	(CT309)	CT309	Hypothetical Protein
	0093	(CT303)	CT303	Hypothetical Protein
	0100	(CT011)	CT011	Hypothetical Protein
	0104	(CT017)	CT017	Hypothetical Protein
	0105	(CT016)	CT016	Hypothetical Protein
55	0107	(CT058)	CT058	Hypothetical Protein_1
	0108	(CT018)	CT018	Similarity
	0111	(CT021)	CT021	Hypothetical Protein
	0121	(CT031)	CT031	Hypothetical Protein

	0129	(CT036)	CT036 Similarity
	0145	(CT114)	CT114 Hypothetical Protein
	0150	(CT147)	CT147 Hypothetical Protein
	0152	(CT149)	CT149 Hypothetical Protein
5	0176	(CT153)	CT153 Hypothetical Protein
	0188	(CT132)	CT132 Hypothetical Protein
	0189	(CT131)	CT131 Hypothetical Protein
	0206	(CT203)	CT203 Hypothetical Protein
	0229	(CT178)	CT178 Hypothetical Protein
10	0230	(CT179)	CT179 Hypothetical Protein
	0234	(CT181)	CT181 Hypothetical Protein
	0249	(CT151)	CT151 Hypothetical Protein
	0253	(CT144)	CT144 Hypothetical Protein_1
	0254	(CT143)	CT143 Hypothetical Protein_1
15	0255	(CT142)	CT142 Hypothetical Protein_1
	0256	(CT144)	CT144 Hypothetical Protein_2
	0257	(CT143)	CT143 Hypothetical Protein_2
	0259	(CT142)	CT142 Hypothetical Protein_2
	0276	(CT191)	CT191 Hypothetical Protein
20	0288	(CT195)	CT195 Hypothetical Protein
	0293	(CT234)	CT234 Hypothetical Protein
	0301	(CT242)	CT368 Hypothetical Protein
	0303	(CT244)	CT244 Hypothetical Protein
	0308	(CT249)	CT249 Similarity
25	0312	(CT101)	CT101 Hypothetical Protein
	0328	(CT085)	CT085 Hypothetical Protein
	0330	(CT083)	CT083 Hypothetical Protein
	0331	(CT082)	CT082 Hypothetical Protein
	0334	(CT079)	CT079 Similarity
30	0342	(CT073)	CT073 Hypothetical Protein
	0343	(CT073)	(frame-shift with 0342?)
	0350	(CT066)	CT066 Hypothetical Protein
	0369	(CT058)	CT058 Hypothetical Protein_2
	0370	(CT058)	CT058 Hypothetical Protein_3
35	0374	(CT056)	CT056 Hypothetical Protein
	0379	(CT053)	CT053 Hypothetical Protein
	0381	(CT326)	CT326 Similarity
	0383	(CT047)	CT047 Hypothetical Protein
	0387	(CT043)	CT043 Hypothetical Protein
40	0389	(CT041)	CT041 Hypothetical Protein
	0393	(CT038)	CT038 Hypothetical Protein
	0395	(CT257)	CT257 Hypothetical Protein
	0399	(CT253)	CT253 Hypothetical Protein
	0400	(CT254)	CT254 Hypothetical Protein
45	0401	(CT255)	CT255 Hypothetical Protein
	0405	(CT105)	CT105 Hypothetical Protein
	0408	(CT102)	CT102 Hypothetical Protein
	0409	(CT260)	CT260 Hypothetical Protein
	0411	(CT262)	CT262 Hypothetical Protein
50	0412	(CT263)	CT263 Hypothetical Protein
	0415	(CT266)	CT266 Hypothetical Protein
	0420	(CT271)	CT271 Hypothetical Protein
	0422	(CT273)	CT273 Hypothetical Protein
	0423	(CT274)	CT274 Hypothetical Protein
55	0425	(CT276)	CT276 Hypothetical Proteins
	0426	(CT277)	CT277 Similarity
	0434	(CT283)	CT283 Hypothetical Protein

5

10

15

20

25

30

35

40

45

50

55

0709	(CT667)	CT667 Hypothetical Protein
0710	(CT666)	CT666 Hypothetical Protein
0711	(CT665)	CT665 Hypothetical Protein
0713	(CT663)	CT663 Hypothetical Protein
0717	(CT656)	CT656 Hypothetical Protein
0718	(CT657)	CT657 Hypothetical Protein
0720	(CT659)	CT659 Hypothetical Protein
0722	(CT654)	CT654 Hypothetical Protein
0725	(CT652)	CT652.1 Hypothetical Protein
0726	(CT620)	CT620 Hypothetical Protein
0727	(CT619)	CT619 Hypothetical Protein
0739	(CT638)	CT368 Hypothetical Protein
0742	(CT635)	CT635 Hypothetical Protein
0746	(CT632)	CT632 Hypothetical Protein
0747	(CT631)	CT631 Hypothetical Protein
0751	(CT651)	CT651 Hypothetical Protein
0755	(CT616)	CT616 Hypothetical Protein
0760	(CT611)	CT611 Hypothetical Protein
0761	(CT610)	CT610 Hypothetical Protein
0764	(CT648)	CT648 Hypothetical Protein
0765	(CT647)	CT647 Hypothetical Protein
0766	(CT646)	CT646 Hypothetical Protein
0767	(CT645)	CT645 Hypothetical Protein
0770	(CT642)	CT642 Hypothetical Protein
0774	(CT606)	CT606.1 Hypothetical Protein
0776	(CT605)	CT605 Hypothetical Protein
0779	(CT602)	CT602 Hypothetical Protein
0783	(CT598)	CT598 Hypothetical Protein
0791	(CT590)	CT590 Hypothetical Protein
0792	(CT589)	CT589 Hypothetical Protein
0803	(CT584)	CT584 Hypothetical Protein
0807	(CT580)	CT580 Hypothetical Protein
0808	(CT579)	CT579 Hypothetical Protein
0809	(CT578)	CT578 Hypothetical Protein
0810	(CT577)	CT577 Hypothetical Protein
0814	(CT573)	CT573 Hypothetical Protein
0818	(CT569)	CT569 Hypothetical Protein
0819	(CT568)	CT568 Hypothetical Protein
0820	(CT567)	CT567 Hypothetical Protein
0821	(CT566)	CT566 Hypothetical Protein
0822	(CT565)	CT565 Hypothetical Protein
0827	(CT560)	CT560 Hypothetical Protein
0834	(CT556)	CT556 Hypothetical Protein
0840	(CT700)	CT700 Hypothetical Protein
0842	(CT702)	CT702 Hypothetical Protein
0843	(CT702)	CT702 Hypothetical Protein
0852	(CT711)	CT711 Hypothetical Protein
0853	(CT712)	CT712 Hypothetical Protein
0857	(CT716)	CT716 Hypothetical Protein
0859	(CT718)	CT718 Hypothetical Protein
0865	(CT724)	CT724 Hypothetical Protein
0869	(CT728)	CT728 Hypothetical Protein
0874	(CT733)	CT733 Hypothetical Protein
0875	(CT734)	CT734 Hypothetical Protein
0884	(CT741)	CT741 Hypothetical Protein
0887	(CT744)	CHLTR Possible Phosphoprotein
0896	(CT753)	CT753 Hypothetical Protein

5	0906	(CT763)	CT763 Hypothetical Protein
	0908	(CT764)	CT764 Hypothetical Protein
	0912	(CT768)	CT768 Hypothetical Protein
	0925	(CT779)	CT779 Hypothetical Protein
	0938	(CT788)	CT788 Hypothetical Protein
	0939	(CT790)	CT790 Hypothetical Protein
	0943	(CT794)	CT794.1 Hypothetical Protein
	0945	(CT795)	CT795 Hypothetical Protein
10	0956	(CT805)	CT805 Hypothetical Protein
	0960	(CT809)	CT809 Hypothetical Protein
	0989	(CT832)	CT832 Hypothetical Protein
	0994	(CT837)	CT837 Hypothetical Protein
	0995	(CT838)	CT838 Hypothetical Protein
	0996	(CT839)	CT839 Hypothetical Protein
15	1002	(CT845)	CT845 Hypothetical Protein
	1003	(CT846)	CT846 Hypothetical Protein
	1004	(CT847)	CT847 Hypothetical Protein
	1005	(CT848)	CT848 Hypothetical Protein
	1006	(CT849)	CT849 Hypothetical Protein
20	1007	(CT849)	CT849.1 Hypothetical Protein
	1008	(CT850)	CT850 Hypothetical Protein
	1010	(CT852)	CT852 Hypothetical Protein
	1011	(CT853)	CT853 Hypothetical Protein
	1015	(CT857)	CT857 Hypothetical Protein
25	1016	(CT858)	CT858 Hypothetical Protein
	1019	(CT860)	CT860 Hypothetical Protein
	1020	(CT861)	CT861 Hypothetical Protein
	1022	(CT863)	CT863 Hypothetical Protein
	1032	(CT373)	CT373 Hypothetical Protein
30	1033	(CT372)	CT372 Hypothetical Protein
	1034	(CT371)	CT371 Hypothetical Protein
	1057	(CT356)	CT356 Hypothetical Protein
	1058	(CT355)	CT355 Hypothetical Protein
35	1061	(CT330)	CT330 Hypothetical Protein
	1073	(CT371)	CT371 Hypothetical Protein

Coding Genes Not in *C. trachomatis*

	0486		Hypothetical Proline Permease
40	0279		Possible ABC Transporter Permease Protein
	0505		3-Methyladenine DNA Glycosylase
	0193	argR	Similarity to Arginine Repressor
	1041	bioA	Adenosylmethionine-8-Amino-7-Oxononanoate Aminotransferase
	1044	bioB	Biotin Synthase
45	1042	bioD	Dethiobiotin synthetase
	0585		Similarity to Cps IncA_2
	0562		CHLPS 43 kDa Protein Homolog_1
	0927		CHLPS 43 kDa Protein Homolog_2
	0928		CHLPS 43 kDa Protein Homolog_3
	0929		CHLPS 43 kDa Protein Homolog_4
50	1045		Conserved Hypothetical Membrane Protein
	0251		Conserved Hypothetical Protein
	0278		Conserved Outer Membrane Lipoprotein Protein
	0907		CutA-like Periplasmic Divalent Cation Tolerance Protein
	0171	guaA	GMP Synthase
55	0172	guaB	Inosine 5'-Monophosphate Dehydrogenase
	0608		Uridine 5'-Monophosphate Synthase
	0735		Uridine Kinase

	0980	Similar to <i>Saccharomyces cerevisiae</i> 52.9KDa Protein	
	0232	Similarity to 5'-Methylthiadenosine Nucleosidase	
	1046	Tryptophan Hydroxylase	
5	0477	yqeV_Bs	Conserved Hypothetical Protein
	0048	yqfF-Bs	Conserved Hypothetical IM Protein
	0587	yvyD_Bs	Conserved Hypothetical Protein
	0143	yxjG_Bs_1	Conserved Hypothetical Protein
10	0448	yxjG_Bs_2	Conserved Hypothetical Protein
	0006	0180	0440 0977
	0007	0181	0455 0978
	0008	0190	0456 1018
15	0009	0203	0457 1023
	0010	0204	0458 1027
	0011	0205	0459 1029
	0012	0209	0460 1040
20	0028	0210	0461 1051
	0029	0211	0462 1052
	0034	0212	0463 1053
	0041	0213	0464 1054
25	0042	0214	0465 1055
	0043	0215	0472 1056
	0044	0216	0473 1064
	0045	0218	0481 1065
30	0046	0220	0483 1066
	0047	0221	0492 1070
	0049	0222	0493 1071
	0050	0223	0494 1072
35	0051	0224	0498
	0063	0225	0499
	0064	0226	0516
	0066	0233	0517
40	0067	0240	0523
	0069	0241	0524
	0070	0242	0553
	0099	0243	0574
45	0124	0266	0600
	0125	0267	0656
	0126	0268	0664
	0130	0277	0677
50	0131	0283	0678
	0132	0284	0685
	0142	0285	0686
	0146	0287	0724
55	0147	0352	0731
	0155	0353	0745
	0156	0354	0753
	0157	0355	0794
	0158	0356	0795
	0159	0357	0796
50	0162	0358	0797
	0163	0365	0798
	0164	0366	0799
	0165	0367	0829
55	0166	0368	0830
	0167	0371	0831
	0168	0372	0881
	0169	0375	0882

5

0170	0376	0913
0173	0391	0914
0174	0398	0930
0175	0404	0944
0177	0431	0964
0178	0432	0975
0179	0439	0976

004335 449
0044 9073400

Chlamydia pneumoniae Genome Encoded Pr

CPn_0001 330 4
CT001 hypothetical protein
KRLKDEIKYTSLRRKAMLGKIIRGLSSLIVILCALNVGLIGITHNKLNIIAKLCGVSTP
AQTATYIIIGIAGVICLLSFCPFCSKKSRHSHGDCSCSGGCHSHHSDKI

[illegible]

CpN_0003 889 2370
gatA-Glu tRNA Gln Amidotransferase
KIMRYSALEAKAVTIGELTATGTGQHFHRIIEAEGQVGAFISLCKEQALEQAEIDK
KRSRGEPLGKLAGVPGVKIDNHTVGTGKTCASRVLENYPFPDATVVERIKKEDGIILG
KLNMDFAMSTLTITISAFPHFNWDLRSRVPGSGSGSAAVASRMFCVPLGSDGTGSR
APAFACFGVGPKSPSYGVRGSLVAFASLLQIGPLANTVEDVALVDFVSCRDPKDATS
REFFADFSMGLKSTVEPKVIGVPTFTLGLRDDINRENFSSLAIFEGEGTHLVVDVELDIL
SHAVSIIVTILSAAEAAATLAFRDGVGYRSPQAHITISQDLSRSGDFGKEVMHRIIL
NVLSAQRNYQYKKTATVAKRIKVAFTFAEKELIAMPVCSPFAFEGIELDPDPTLYL
QDIITYVAMNLVLPALIAVPSGFSKEGLPLGLQIGQGGQDDQVCQVGSFQEHQAQKQLF
SKRYAKSVLGGQS

CpN_0004 2334 3833
gatB-(Pet112) Glu tRNA Gln Amidotransferase (B Subunit)
ETFCQCKSSRRSISMAVYDAWESVIGLEHVHLENTASKLPSSALNRGDEPNTNISTVCTG
LPGSLPVLNGSAVEKAVLFGCAVEGIESLLSRSLGSLPDPNPRNFQITQFHPRIITRG
RIKATVQGEQVLEFLAQTIIEDDAGMLKKHGFEGFACVDYNRAGVPLIEIVTSKSPCPEDA
VAYATSLSVLSLDYIGISIDNMEEGSIIRFDVNVSRVKGSPSELRLKVEIKQMNISAFMAQA
LEAEKQRIQIDEYLPNGPNKPQILVPAATYVDPWEKKTVLHKLKESAEDYKYFPEPDLPT
LOQTSEYIERIKTLPGLPYDKYHRIQYEGLSEDIASTLSIDNGIATFIEVACKCKNKF
RSLSNVNVIFVFGCKRTLPGVLPSGGIFPEGVALQNAIDQGVITQKIAEILADHMSPP
GKNPEETLKEKPELMLPSDEGELQKI TAEVLANPESIVDYKNGKTKALGFLVQKIMKRT
AGKAPPRVNLNLLSDLDKG

CpN_0005 4097 6892
pmp-1-Polymorphic Outer Membrane Protein
SDIHFDLGTMPFSLGCGFLVFSFTLLSVFDLSLSTATTSLHLPEDSFHGDQSNARSYNV
QAGDVYSLGSDVSIYNVDNALNACFNVTSVGSVTFAGNHGLVFNINSGGTKBGVALVC
CQDPQATARFGSDSTLSFISQSDPIKEQGLYSKINALMLNNYVTFEQNGSKTKGGAIS
GAMTIVIGNYDVSFVFNQATFAGIHSSGLPTQIAVNGEIAIRFQNTAGKSGGGALYSDG
IDIDEDQAVLFPRENAELTIGKGGAVCSLPGSSQTFPVIITVFSDNKQLVPERNHSIM
EGGATYARKLSISGGGPTFLNINSYANSONLGAIAIDTGGELISAEKGTITFQGNRT
SLPLNGTHLLQNAKFLKIQARNYSIEFYDFITSEADSGTLNMGDPKINQETQITLFS
SECKSLANDPRDFKTIPOPNVLSAGVLVYKEGAEVTSKSTPSGSHLVLDLQTKLIAS
KEDATIGLAIIDSLSSSSAAVIKANTAKQISVDSIELSPSTGNAYLEDLRMSQST
PFLSLSEPGAGGSVTVTAGDFLVPSVPHYGCGFNKMLAVGTGNKVGEEFFWMDINKYPRF
KEGNLVNLTIGWNAVDRSLMCQVQETHASSQLTDRLGLWIDIGNFHVSASEDNIYRHN
SGOYVLSVNNEITPKHYTSMAFSOLFSDKDYAVSNNEYSRMYLGSYLYQYTTSLGNIFRY
ASRPNVNVNGLLSRRFLQNPMLIFHLCAGYATHDMDKTDYANFPMVNSWRNNCAIEC
GSGMPLFVLENGRLFGQALPFMKLQLVYAYQGTQFTTADGRRFSNGSLTSISVPLGIRF
EKLLSDGLVYDFSFYSIPDIYFRKDPCEAAELVSGSDSWLVPAAHVSRHAFVSGSGTRYH
VETIDYELLSCDIESCPHRYADINNCGSKFRF

CP01_0006 7299 7141
No robust homolog present in Genbank/EMBL as of 11/7/98
KQLEPLRSALLERLSEWLVLLGVSPETTRSTPEKDANQLPKDSRNRRTLESL

CPB_0007 7498 10496
No robust homolog present in Genebank/EMBL as of 11/7/98
KSEVNLISLIFSFVLVPLTDTSTSSLSLLDDEGHPQSMRKLRLAIVLIALSIILAG
GVLRLTVAIPGLSSVSSPAGMCAGCVMALGIVLLKKRVPILVASVLTPTGTS
PRGSIISIGADSTISSLPLLDDEGHQPSMRKLRLAIVFSILIASGVLLTVAIP
GLSSVSSPAGMCAGCVMALGIVLLKKRVPILVASVLTPTGTSPRGSIISGA
DSTLSPLPLLDDEGHQPSMRKLRLAIVFSILIASGVLLTVAIPGLSSIPA
EMGACAGCVMALGIVLLKKRVPVIVPAPEEVVIDEESIRLQGEAALRL
PEEAFGVLKYVSHLENMKSLPYDGGLEEKTKHQIRVRSLSMAMPVFLIRIR
EEEEFFLSARKRLIDLATLVERKILTEQLERNLRKAFSPYQDSIFKKIDINFKLA
WMLKLSKISCRFTIIFENHGEVAKSLHKNVAIVLEKYRSLKQVTDIGMSAKL
LHGNIPLSELDNKTIMKEHAEMLESSLSYRKFVLDSSENQVDPDQPKWGLGICR
DALDSIREDQWQKHAQLQKESLYTQARDRLDSDKNQKLEKAEQFSSWGRVK
FIEIERVQIRIAIQKLYPLNLEREEETITQGETVPTVQGTASSDLDLIRLEVSSRD
NQNGESCVMKLRSHGEMSVSEWQGEYQGVKKFEQDQMGSPFTEHTELEVLRQKDYK
VFLYFKVKNKKEVQYAKRLKVLVESDLEGILATGESAEQLLEELPLATGAELEAKV
HGSGLCSLAKASKAPYFEEDPRFQSDSTQLRALTRLQEAKSAEELIRFNSLNDIEA
ERAKLKESQTFERAGLGVLEIAEVSTYDLRSLTWTGCTPESEKVFYSMYLNYNEEK
RRRLTLVEMTORYDFDKMAEQMNEEALLQEELSIOAPE

Cp_n_0008 10780 11695
No robust homolog present in Genebank/EMBL as of 11/7/98
KCYGVLLVPPPPRRSVSCSKSRGLSLTLLVGVLLLTGLTGLTGAIFGCAAGLGFSA
KGYGVLLVGLGLLVRRVGVTVSPVIEIPRCVSTVSPSEALEAKQEPETKMLIDRLPKL
LDQLDTIQEVLFAFGLKPKYEDRGLLTAKEKRLVRVDVVEKMSFELDITVRLNEE
AYVYEHCPDCLNLAIEYIFSSQELDVGACGVGLPSGDAGDRLKRSRVKVMDFMRV
TWKGEASVMLDHSYGVARELFFKAVGVLEESVYKILFKSRDAFYEECAKAIQRDGRFK
WL

[illegible]

Clp_0910 13324 13325
No robust homolog present in Genbank/EMBL as of 11/7/98

CKYFYLRSGYPPPPQHSVGS...RVLATITFLVFCMLLLIGALFTLGIIGLSAATS
FCGLIGLGSALGVOYIGGLL...ITITVTRPEELIEGVSGLAPEEPAQAAQKTLQAL
PKQLDQLODIEQVACRLAKDSKYIESRFLNDAKKEVDFVFDYEDTLEFIELRQIY
AQBCMDANFLINGCRS...TAESSELDFHYSKRLGYLPSGDVRRGGGLKSKAKETIARML
SLHCEITHKVAAPDRNSYAMA EKAFALAKLSESVYRSLSQSYRDKFLSEERAKITPNW
HITWLRDDAKPGCAEKKLGVNPNRGNLKGQSG

[illegible]

CPN_0011 15877 16614
gatB-(Pet112) Glu tRNA Gln Amidotransferase (B Subunit)
FWSIMTAAAPAILHVSPTPEETKFVIPKDSRALGTLTLVWGILLVVGGAIVLGSVYS
GSLALIVCGGLGISITSLGVLFLVATGLTLKKRELTLQIEAKIAETFDLKLKELYNI
QSTKSLKLEIGSRYSDOGLFNVRQTKILDLSLSSSTISFEFDRLQLFDDEKIELLSGE
RLLEFIAANFLKQGRDYLNLGNLADIRAYMGPNPYKVMVIEKAKAVVHEFIVLTNAR
ELEFF

CPN_0012 16596 18212
gatB-(Per112) Glu tRNA Gln Amidotransferase (B Subunit)
GIRVFFVLKWKYGLKMGYQENLRLLERLLSLVNSQYADRLFYSYKTKMVDHPLPIWEE
DKKECAAEAKAFLEQOQKILVDLYGKISFWLNDEINLDPMSGLINLVRTKRVQEOVDS
ERNHWKHLIQKEDYDEYKLEESSKSTEAANKLLSDLVDRLEDAKTFKFKKOEVEVTR
VKDLRARGYQDLPKQDEATKWKVLEASLETFLDISEELVQCEQDQIYWKEDQVVKL
ARDLEEQDIAKREKAEADRLSLNERKSKTMDLRKHWHIENAEDSIPTWTSQIEMK
DMKARKILKEDITSVLPDEIEITCLESLEELPLLTRRLTSKYLKFKICSTISLTKIK
VFENNIYVEYEVOLNGLFKQIGSQRFKQKQDFANLEQVQALQKRLRELTONFEIQ
GFNFKEDFKAANKLDYIRSTAEQKQNFQDPCMELFRHYHEENKPLLEMYNCASDVR
AKKKLSRLDEKDLQKEIKKEEYQKKQQRHADRSHRSTYQKLRITAEALALDKKKI

CPN_0013 18509 21106
pmp-7 Polymorphic Outer Membrane Protein
LDRHAAFFVYLWYKPESSLRKKVWMLKPLRFLILSVLPTLSMSNLGAATEELSLASG
FDGATSTSTTSFSSKTSATGDTNVKFDVSVLENVPTKEGTOSTCFKNDAAAGDNLNFG
FVLTGFTSNIDATASGAAIGSEAAINTVTLSGFSALSPKSPATVINGLAINVGNKLS
LTLNDKVLQDQNFSTDGGAIINCAGSLKTNKGLKSFIGNSSITRGGAINTKTLTSLSSG
EFLTGQNTAFATAGKGAATAADSGTSLTSGDSDGIIFEGNTIGATGVTSALADLSTGA
KITALRAAQGHGTFYFDDPTVTGTSVADALINSPDQDKNEYGTIVFSGEKLTAEAK
DEKKNRTSKLLQNAVAFNGTIVLKGQDVLNANGFSQDANSKLIMDLGTSLVANTSELT
NLNEINDISLNGKKIKLISAAATQATRIDRVLPLVLSDEFQYNGFLNEDHSVGLIED
AGKDVTSADSRSLIDAVSPGYQYGGKWTINWSTDKKATVSWAKQSFNPTAEQAEAPLVPN
LWMSGFIDVRFSNPTELSTGEGAEKPRFVWVAGSNLHRSGRQRNQRHVSQGVAVG
STPMGGDGLTSLGFAQLFARDKDFYMNFTAKTYAGSLRQDRLASVSVSLIEGECGL
EILLPVYSKTLPCFSFYQLSYGHTDHMRKTESLPPPTTLSDTHSSWGQVWAGELGTRV
AVNTSGRGFQVTFYFVKVQAVYARQDSFVELGASIRDFSSVLYNLNLAIPGLIKLGE
AEQYHYVWAMSPDVRSCNPKCTTLLNSQGSWTKTSGSNLARQAQIVQASGFRSLSGAAE
LGFNGFMEWGRSSRSYNDAGSKIKF

CPr_0014 21365 21922
pmp_3-Polymorphic Outer Membrane Protein
IQNQSIVFTMKSSSPKVFSTFAIFPLSMIAETVLVDSSASFQGNKNGNFVSRESQEDAG
TTLFLKGNVLTLENIPTGTATIKSCFNNTKGDLTFTFGNGNSLLFQTVDAQTVAGAAVNSS
VDVKSTTFIGFSSLSFIASPGSSITTGKAVSCSTGSLSLTKMVCSSAKTFQRMIMQVLS
PQKLHF

```
CpN_0015      21835      24174
pmp_3-PMP_3 (frame-shift with 0014)
LEFDKQVSLLFKNFSDTNGGAIATKTLSLTGCTTMSALFSENTSSKGGAIQTSDAITIT
NGQGVFSFSDNTSSDGAAGIEATSVTISNNAKVSFIDNKVTGASSSTGDMSGQATYV
KTSTDTLVTGNGMLLFNSNTSTAGGAIVYKKLELASGGLTFSRNSVSGQATPKGKA
IAIEDSGELSLSDSGQDIVFLGNTVTSTPTGNRSIDLGTSAKHTALNSAAGRAIFYD
PITGTSSTVTDLVKNPETPADSALOGYGNIIETGKLESEADAKNLSKTLQOPVLS
GKTSLSKHGVTLOQTAPQOADSRLRNPVGTGTELPADTSTINNLVINISSIDGAKKAE
TKATSKNLTLGCTITLTTDFPTFYENHSLRNPQVILELKAQSTSTAVTPDMIGEK
FHYGVGTGMPVIMWGTAAGTATFNWTKTYIPIPERIGLSSVSNLWNAFIDISLHYLM
ETANBGLQDRAFCAGLACNFFHFKDSTTRGRHFLSGGVYIGNLTKSDKILSAAFC
LFGRRDRIYFVAKNGQTVYGGTLTYQHNETYISLPCLRPSLSYVPEIPLVFSGNLSY
HTDNDLTKKTYTPTVKSGWNSDFALFEGCARICLDESALEQFMPFKMLOFYAHQE
CFKEQGETEAREPSSRLVNLNPLFIRGFDKESDCQATYNNLTGTVTDVRSNPCTYTL
RIGDSQWTFCTNLNAGRLNIIACGNHFCFNSNFAFSQFELRGSSVNDVLCAGKTT
```

Cpnp_0016 24383 26188
 rsdfALKRCHRRSSFLSLILSSGLFLPLMSVSADAADLTGSRDSVNGDSTTEFTPK
 AATSDASGTTITLDGVDSVLRAGQKTLTTSFQNTAGNTLTGNGFSLHFNDISSTVA
 GVVSNTAAGTATGTFKSGFSTSLMLAAPTITGKAGILTDLGVFSLIGHLNDENASENG
 GAIINTKLTSLTGSTRFVAFGLNGSSQQGGAIVASGDSVIGENAGILSPGNNASTTSGAI
 SAENGLVINSNNQITFDDCAKTLKGAIDCNKNAANPDLTLTSGNESLHGLNNTAGNSG
 TGYTPKVLVSLSGRCGVLFNPNKAAANTKGGAIATLDSGEISLADLNIIFEGNTST
 GATTCATVRNALIDNASAKFLNLPATNGNIFYDYPTISATDKLKLNRKADGAGNTYE
 GYIVPGKGLSEELKKPNDLKTLTFQALVLAAGALVLKDLGVVATNTITQVGEKVVMD
 GGTTFEAGARVPLNGLNATIDLDGLDGLKATKATKATKADVALGRIMLVDAGNQNYEHL
 NLVQGVFFELFELSAQNTMTTTLITDTITLITNTNITGVQYKNNWNLKSLRINAKKKCYLN
 LD

[illegible]

CpN_0061 75501 76208
p6n-PT1: IIA Protein + HTH DNA-Binding
RSHCHICIKDVKMDLKLDEVASLDDVCHTTLVQLWKEG...
HNOALMIOER:EDKEALDGLKSLYKAHRCGLVCLDVVHSEALQYASKYIAQKFO
LDSEVLFEML:HRHNLMTGTCIGBIALPHAKDFLINAYDVIIVVPMFLAEPIEYCALDGKP
VGLFFLFAQODKHLNLVNVKIHVGLMSLNARSFFKNYPKQDQLLAYVKEWESQTH

CpN_0062 76251 77690
CT288 hypothetical protein
KPNP...
LVVKKPKGSGERKQAKKEPRARKGYLVPSSTRTLSARAJMKMNSRRKESGQCNENISANST
PRSVKLRNKRKRAEQKAAKQGFSAFNSLTKSLLPKPSKQKTSIHEREKATSRFVNSQSL
SSARKRYCTPSSAAPSFLFETIVRAVPVERTKELQDNEIHIPVVOVTNPKQNTKTQ
LASQASIQOEGTEQSLRELAQAGSLPVLVRSNPEVSQROKKEELKELVAERQCKRKS
VRQALEARSLTKKVARGGSTVTLRYDPEKAAEIKSRNCKVSPAEBOKYSSCKRDARA
NGKQDKTTPSEDASQEQGTAGLVKRTPKSQVNASNAQNFYRNKNTNIDSYLTANQVSC
SSEETDWPSCSSCVSKRRTHNSISVCTMVTVIAMIVGALIIANATESQTTSDPTPTPTP

CpN_0063 78109 78267
No robust homolog present in Genebank/EMBL as of 11/7/98
PMYANCKHNCCLLYDFSRHSRPPGLPLTFTFPYSFTLGIFLGRCLSTNSIVLL

CpN_0064 78340 78576
No robust homolog present in Genebank/EMBL as of 11/7/98
LVMFTIQCSAQYRSRPAERAOPTPQPFLLARDRADFWERHPRFSACCRVLLLVAVVVLAL
LFLVFMILLPLAAGSYLLAF

CpN_0065 78882 80651
CT288 hypothetical protein
YDYKYNMFFKKNYMTDFPTFKGPKLNPIKVPNPFERNPKVARVLQITAVVLGIALL
SGVILVIGTPLGAPISMILOGLCLASGALFVGGTIAITLOARNSYKAVNOKKLEPML
ERPELKALDYSLDLKEVDLHSHVHLKLDLNLSTKTOREVLNQIKIDDEPSGLBCAA
MISENYDACLKMLAYREELLKEQTOYQYQTRFNQNLTHRNKVLLSILSRITDNIKAGGVF
SLKFTLSRSMRSHITHTTIVILASVVMVAALIPGILALPILLVAISAGVITG
LSYLVQILSNTRKRNQDQYKDFKQVVDIELNQVTVLQRFLEMLKGVLEKEEVSLG
QDWTVQITNAPIEKRLIEEIRVYKEIDAQTKMKKTDLEFLENEVRSGRLVASPESD
SETPIPTQKGEFAKLRRQTSQNTISTYIGPDNENIDPEFLPMPKKEEIDHSLPEVTKL
EPGSRLELLVEGVNPTLRELNMRIALLQQLSSVRKWRHPRGEHYGNVYSDELDRIG
MLEGAFYNHLEAQEETIQSLDGLVDIGNRILGIVEGDSRTEEEPQE

CpN_0066 80916 82655
No robust homolog present in Genebank/EMBL as of 11/7/98
GYNMNPQSRPPSPISIELELQELAGSSNTETISNTPPSCAATAEEVSLFIEGGR
NSEDDEGLPGSCVEYDVVCTINQDPEVRDEVRVMYINGSGRTQHEGILDAMNIDLRG
EYVFTIHNSGVLGSCFLGIRNRIIPRDNVISOAIOARWNEFFIAENANRDIVLFSGN
GGVLYQVALDINSYSHHILCVGIGSSYYIQGNRVHNVRTGWTLLDRGATAVNTT
LPSDASAEGLFLPSVRCPSPYQWALGQCECLMDNNQVQGFQDSSSEIALVNLNQH
STWTRLEWIDRDSQAVLELNPQSHCDIALTALYATTRISLLQECMLSVYVAPY
FMAVAVTGYISIMTLFAYLILNTRGCRHFRVRLAALGLQSLGFLTVLLDHTNTR
VNRPPPLISVIFCTASFATGSFYVDVLTMRFFTSLSRLQLQVQRRLLTGRGLLRRVFN
HDSLRFSQNALITFHGGLFNLIGFFNQVLQVPRVIRPNTAVYDLNQTSGEALDS
GDLTAIGQITINFLCLMILLVINTFFVRSVRRNLHRRPHR

CpN_0067 82920 84053
No robust homolog present in Genebank/EMBL as of 11/7/98
KSGSVSYRGPMAVEGRVNSQALNQDQCEVLANKQSKGLRLCRILSVVAVITAGV
LIALTLASILTSVPYALGVFLITVLCGIFALCEKIKKVPPTPIHKEEIIAWEER
KHEDEKEKEDPEHFGRTATDIPMSALDQFNHSCHHIESPALTETYSRHOVYLPKDW
CPVTLDPVDEEVEVILRSVGSYLLMEACVPKVSMILDELNKLKSPSERECIFLTKKTL
QKASFLPTOKDLATFLAYTRVNDGHLLAPFRAGAKWILIHVYLRQHNQNDPTFGHS
CYARLAFNQTQRLYHQLFNEVKLSIYANMDKDLPLCHPWAFPIYDILLKTEHGDGFL
QDEDEYFSRAAQDQFNG

CpN_0068 84909 84331
CT360 hypothetical protein
SFHKKFFIYSLIFSCSFAPLKICNEDVSSQSRIEEDPEVLITQALVLIETPIEBGKE
IRNELQAISSDQKSSSEIEESCGTSDEGLSEKTKDESSNEYVDFDSMVQRLBEGISK
CQSGQVAQIIDCFNREFDIRNRELKRELREKLEFKKSIDMKEKVSRELAFOR
EQDIKQTLMLLKK

CpN_0069 85191 87086
No robust homolog present in Genebank/EMBL as of 11/7/98
LNFVLYVLLIFNLGIMTTPPSRSSSPYDNIQLDGNNTNNSRATPPPVEVGGLP
PYFSANFVIERGAPSLPSPQQLLSLPEYSRQPPPGYDETASITRTSEEMFTLVST
LCCPANSERDWEDHEVNCIYIASTSDTQLEAVQGMHITELRGEPRVLYETGHLAYAF
ENTCHSRLEVSHTRAMTYFWRDFFSRHNVGRRLFLVYQNGGAYVQAALDSSMHTDI
VYGLSPVYIRQNVHVQHYRVGRVWPSCLDSLAACAEVSYLYGESSDGIYFVPSLFH
TFDNAIRYGERCLVLCSEGGMPLPETQOQTSPLTSEGGHEVALVLPNQNPEALSIA
LHHEERGRLESNMPGRSSNPFTMSVYLRVRLNTLAQIYVMSPPYSFQSNNDIVCLIFIS
SAAVETVGYIFLTVTDSCTGRRYLRVRLVCTGLRNLALFTLLELLILSYPRVSGVFP
NVRFLGVMCTTRVFFAWNLTLHWPRLRHLGQLVHHSIIGHTILGARITDLTLASMR
YIVVFPVSSCLLTAHANNTLALDLYRLIESGDLRPAFNDDQMADNPWDAYS
GLVINTCYMLILFANLIFMYSVRRYHSRR

CpN_0070 87399 87208
No robust homolog present in Genebank/EMBL as of 11/7/98
YKGLFHLKNQNFSSQSRTEYQRPKVSHPFESILQSGVGSQGTLLISFRDELKR
DLVI

CpN_0071 88066 87599
CT325 hypothetical protein
IKSLRLILEFICPLQHARCLKQKHIIIEELDFEPFGYDHLVYKLMENSSSRDAFDDKKRML
KHNHVVQXQDLYLYEVQDGLIFFTFYTKALSSGIALSLTEVYSGETPSTILTCKPIF
PRLVITVYLPRLNKAIESLYMRMKQIAVOYLLKPPQT

CpN_0072 89151 89067
CT324 hypothetical protein
KGVKPKTVYKEKVLILYCLLFYFFHYHMTPLDGGGIGPSQVYVQELFCDRLGSSR
ENEPDUNAAGDPIVPPILVALDVLVYPNGHSFMTTRKNAVEKIGFLQRMKK
YILLYHAWALHAWHITVALTILWLVVGLGICVFGIPTATCLDKNKHRRHNSLWML
INRITLQDLPNTRQILATMILASIALIYAVPQAVLVIGFSIQNQLSINTVYCARLGD

EATYADIRKAKKPIENI...
LKLNLQMPYCFGMPECC...
IESNH

CpN_0073 89353 89574
infA-Initiation Factor IF-1
SMAKKEDTLVLEQVEELLPGMHFRVILENGMPVTAHLCKGMRMSNIRLLVGDVTVMS
AYDLTKARVYVYHR

CpN_0074 89607 89608
tutA-Elongation Factor Tu
EDFMSKSETFORNKPINIGTIGHVDHGKTLTAAITRALSGLASFRDYSSIDNTPEE
KARGITINASHVEYETPNRHYAHVDCPGHADYVKNMGTGAAGMDGAILVVSADGAMPOT
KEHILLAROVGVYIVVFLNKMISQDAELIDLVEMLSELLEEKYKCCPIIRGSAL
KALEGDANYIEKVRLEMAVDDNIPTPEREIDKPFLLMIEDVFSISGRGTVTGRIERI
VKVSDKVLVGLGETKETITVTGVEMFRELPEGRAGENVGLLLRIGIGNDVERGMVVCQ
NSVKPHIKSAVYVLEKEEGRHKPFVSGVQPFRTTDTVTGVTVLPSTENVMHMGDN
VELDVSLIGTVALEEGMFAIREGGRTIGACTISKINA

CpN_0075 91087 91350
secE-preprotein translocase
SRSFYKQKHNRKALSRKIGTVKKQAKFAGSFLDEIKKIEWSKHDLKKYIKVLLISIFG
FGAIYFVDLVLRKSITCLDGITTFLLFG

CpN_0076 91334 91903
nusG-Transcriptional Antitermination
QPPSCVNCMYKVVYVQVTAQEKVKKALEDFKSSGMDTFOEIIILPIENMVEVKKEH
KVVYKWIWPGYLLVXKMLTDESILYVKTAGIVEFVGGGVPAVLEDEVSILTDIEKK
SGVVQKHQFVSGSRVKINDGVVNFVGMVSEVFDKGRLSVMVIFGRETRVDDLEFQV
EEVARGQESE

CpN_0077 91956 92435
r11-L11 Ribosomal Protein
FFVSYPLFEVSVQCKVRFMSVKKVIKIQLIPGGKANPAPPIGPALGAAGVINGMCK
EFMAATKPGDGLPVVITVYADKTFITKQPPVSSILKTLNLESSEKIPNRNKGVL
TQAQVEALAEQMKMDIVLLESARKMVEGTARSMDIIV

CpN_0078 92453 93160
r11-L1 Ribosomal Protein
SCRITKHKGRIRGLKNDYFSKSYSLREAIDILKQCPVRFDTQVDSIKLGDIPKKS
QOIRGAVPLNGTGKTLRLVFAAGNKVKEAVEAGDFMGSDDLVEIKISQWLEFDVAVA
TPDMREVGKLVGLPRLNMTPTKTGTVTVDVAKAISLKRKGIKFKADRAGVNCVGV
KLSFESSQIKENIEALSSALIKAPPAKQVLSVFTISSTMGPGISIDTRELMS

CpN_0079 93170 93688
r110-L10 Ribosomal Protein
RGMKQKQETLLLOVEDKISAAQGFILLRLFTAAYSREFRNSLSGVSAEFVLEKRI
FKAIEAAGLEVDCSDTGHGVVSCGDPVSAQKQVLDNFQKHQKSLVLAGRMDNASLS
GAEVAVAKPLSKELRQVGLFAPMPSQVGVIMNSVLSGVISCVQKAGKN

CpN_0080 93720 94121
r17-L7/L12 Ribosomal Protein
VRVTKVTSTESLTVLEKLSNLTVLSEQLKLEEKWDVTASAPVVAAGGGEAPVAA
EPTFAVTLDEVPADKKIGVLKVVREVTLGLAKEAKEETGLPKTVKEKTSKSDAETVK
KLQDAGAKASFGL

CpN_0081 94219 98016
rpoB-RNA Polymerase Beta
FREILSHONSRRTRMLKCPERVSVYKKEDIDPLNLEIQIKSVQFLQIGKLAEREENI
GLEEVSHNIFPIKSYNEATVLEYSLNVLGVPKSPYEECIRGITVSVTLKFRRLTDETC
IKEEVYMGITPLMTDKGTFIINGAERVVSVQVHRSPGINFGEQKHSKNILFSFRIPY
RGSWLEAFIDINDLIYHIDRRKRRRILATFIRALGYSSDADIIEEFFITIGESSLRSE
KDFALLVGRILADNIDEASSLVYKAGEKLSATMLKRLMDAGIASVKIADVDENHPHII
KMLAKDPDTSYEAALKDFYRRLRGPATLANARSTIMRLLFPDKRYNLGRVGRYKLNK
IGLIDDEALSQVTLRKEDVIGALKYLRILMGDEKACVDDIHLANRRVRSVGLIQNQ
CRSLGARMKIVRERNLDFSSDTLTPGVKVSAGLASVLKDFGRSLSQFMDQTNPV
AELTKRRLSALGPGGLNRERAGFVRVDVASHYGRICPIETPEGNIGLITSLSSFAKI
NEPGFETPYRIVRQDITVDEIEMTADVEEVCVIAQASASLDEYNMFTPEVCVRYAGE
AFEAATSTVHMDVSPKQVSVITGLIPFLFHLNDRALMGSNMQRQVAPLLKTEAPVVG
TGLECAAKDSGAIVVASEDGVDFVGYKVVAAKHNPTIKRTYHLKFLRSNGTCIN
QOPLCAVGVDTKGDVADGPATDRGELALGKNVLFVPMFVGYNFEDAIISSEKIRE
AYTSIIEEFELTARDTKLKEETIRDPNVSEVLANLGEDGIRIGAENVKQDILVCK
ITPKSETLAPERLLRAIFGEKAADVKDASLTPVPGTEGVMDVVRFSRDLKSKSDE
LVEEAVHLKDLQGYKNQVATLKTEYREKLGALLNLEKAPAAIIRHRTAETVNHGELLFD
QETIERIEQEDVLDLMPNCEMYEVLKGLSDYETALQRLIEVYKTEVHIREGADLDH
GRVQVYVYVASKRKLQVQDKMAGRGNKGVSKIVPEADMPYLSNGETVQMLILGLVP
SRMLKQVLETHLGYAAKTAGIYVKTPEVGEFPEQIRIMDMHIEQGLPEDGKSFYDGKGT
ERFDNKVICYIYMLKLSHLIADKIHARSQIPSVLTVQPLGGKAGQMGQRFGEVEMWAL
EAYGVAHMQEITLVKSDVSORTRIYESLVHGENLLRSQTPESFNVLIKEMQGLGLDVR
PMVDA

CpN_0082 97992 102221
rpoC-RNA Polymerase Beta
CSSYGRRLKNDVLEKIMFGENSROIGVLSKEGLFDKLEIGIASDITIRDKWSCGEIKKP
ETINVRTFKPEKGGLFCEKIFGPTKDWECCEGKIKKIKHGVICDRGCVETLSKVRER
MAHIELAVPIVHIFWFKTTPSRIGNVLGMAAGDLERVYIYEEVVIIDPKTDLTKQLLN
DAQYREVVEKMGKDAFVAKMGEATYDLLKSEDLQSLKDLKERLKTQSOQAKMLAKR
LKIIEGVSNNHFEWMLKNTPVYVPLRPLVPLDGGRFATSDLDLYRRVIRNRNLK
AILRLKTPFVIRNEKRLQEAVALFDNGRKHGHVPMVCAQNRPLKLSSEMLKCNKRNFRQ
NLLKQVVDVYSGRSVIVGPELKFNQCLPKEMALCEFIKRLKDGVSYVIRSAKMM
IQRGAEVHVDVLEELIKHPIVILNAPATLHRLIQAEFVPLIEKKAIRHFLVCAAFNAD
FDIQMAVHVPVLSVEAQLEAKVLMADNIFLPGGKPVAPISKMDLALYLMADPTF
PEHGHKTKIPKDETEVRLANLYFIDOVFELPRDETGRGIIHIEKIKVRIDQIETTP
PGRVLRVIRVPEKLSQNYSMIKRLELILVYKKGKLEATVRLDLDKGLQATKA
ALSMILKDVRIEDIKHILKDAYVAVVKKVZDDIETEDERIKTISIVTFSVEQLSD
ALVVEIKKTRSKNHLPLMIDVAPINKKQPLGALRGLMAKPNKAIETPTNPRE
GLTVLEYSISHOARKGLADTAKTADAYITPLVSGKDVLSVQAEALDAGIETIKRS
QXSEELLPLKDRIGVTAEDVYGFIDKSHALAAQSGDVLNSVQAEALDAGIETIKRS
TUTIEDPRVCAKCYGLNLANRILQWHEAVYIAAQSGDVLNSVQAEALDAGIETIKRS
STHETPTNDSGLVYMDLRVAVIYERHINVLVTVQPLGGKAGQMGQRFGEVEMWAL
ELRVFVLEKLVLDVADGTFVYVYVPELHPIIDCKPKVYKEDVLEVETPEKV

NKNTGLVELIVKQHRGELHPQIAIYDDADLSELVGT...
RLPRGAIKTKDITGCLPRVAVELVARKPEDAADIAK...
GMEELHLPKTHLIVQRGDSVIRKQOOLTDGLVPH...
LQGVNDINOKHIEIIVRQMLQKVRITDPGDTLLFG...
VPVLGKITKALGTESFISGAAGPQDTTRVLTDAA...
FETHKRIQVLEKEQEDLVDFVSETECV

CpN_0093 102296 103312

CT311 hypothetical protein
JELLNEAVVVGIRQNGDLOLQTLFLLDKIQVNFAL...
VORAVFLSQLFEAMGDDKRLLVKIPGTWEGIRAV...
KAKATLISPFVGRYDWMIAAYGDECSIDADPOVA...
TKEQVLAAGCDLLTISPKLLDELKKSQHPVKELDP...
EDAMATEKLAEGRIRFAGDTQILETAITEFIRKIA...
AAGA

CpN_0084 103356 103751

predicted ferredoxin
SEMKNKMDYKSLVFSFPCCKGNCVFSVFNLDVIL...
LCKRIHDANSILGNATVSVSVEDNQMDIPQOLLFS...
TSILHQESDLIS

CpN_0085 104512 103766

CT311 hypothetical protein
FSMKFFILFILVIAQFPAPSAQPTQVTSASHSKO...
AARKKIKGFEKPSLSPVQWVRYSGKNYSTQPSL...
LTPPTINIAQEIITSKSEYIEELIAYHKNEMTLE...
GRVFCQATQTVIDHTAYIFTSTATLDYAEISFT...
LEALQNEVK

CpN_0086 104898 105527

atpE-ATP Synthase Subunit E
NIMANLNADGKLKQICDARLLDTLKPADEAAALL...
EERAHQIKQGEVALSQAGKRALEAKQAVENKIF...
VQALEAQVSGNLTAYIGKHVSFPAVNLGKAVTT...
WYLDLSSALLEIFTRYLQKQFREMIFQGS

CpN_0087 105540 106376

CT309 hypothetical protein
SHEKIFSIKVVMTQYVLSLFTQLPESVPLFSIS...
RFPDFENAFWAGKPIPSFGEVGTQENVRMLSSQ...
RHNHSDLFREFLSYQHTNNSKFLQDYFRFQOQL...
DPAVLEVLQKQSPNYELPEEFSDLQGVLDYGLL...
DANILARCATYMAIRNLSASVEKREIINHIEKAIKW

CpN_0088 106352 108145

CT298 hypothetical protein
SYRKQNMVTVSEQAQGHVIEAYGNLLRVRFDG...
QXKQVQVDFEQGACRGALVTFSGHLLAEGLGL...
KHVNAISDHLNWNTPVASVGDTRRGDLGTVEGR...
GTNAHTVAKARDAQKCAFTMVQWPIKQAFIEG...
KGGTCTPGPGAGKTQLVHLKSKYAAVDIVILC...
SLMHTCTICNTSSMPVAARESSILYGVTAIAY...
LVEEIPGEEAFPAYLSSRIAAFYERGOAITTKD...
LAVVGAFCGLSKARADARRYPSIDPLISWSKY...
GSEIEKRMVEVVEEGVSGMDMEIYKAEIYDFCY...
RIFDAKFVFDSPDDARSFFLEQSKIKTLNGLK...
LSEYHESKEVIRLLEKTMQMA

CpN_0089 108111 109466

CT289 hypothetical protein
LBCWKKQWYKWKMDQTIYTKITDIKGNLITVE...
DEKKTQLVQGGTSGLGTGDTVFLGRMEVTPGS...
EIAETPTNFCRIVPRSMVTRNIPIMDVFNCLV...
ADIVVIGMGLTFVDVSYFFVESKSLGADCKVM...
AVEEKNVLLVLTDMTAFADAKELISITMDQIP...
SEITVITVTPSDDITHFVPDNTGYITGQFYLR...
GDLANALIRLYADRSKRAMGFKLSNWDKLAFSE...
GKWLIAQSPTSEEVGIKQALINKYWPACLSK

CpN_0090 109439 110080

atpD-ATP Synthase Subunit D
VLAKSMVQVVKLTNKSFRLEKQKRLAQTYLPT...
QAYERIYFAELFSIPCTCEKSFQEIQNDNFEN...
TPILWDTMLSASKELVVKVMAEVSERKILIEEL...
IAVFLDSRSITDQGVKMAKKIELRKARGDECY

CpN_0091 110074 112053

atpI-ATP Synthase Subunit I
VRLNIHKYLFIGNKADFFSASRELGVFIEKCKF...
LEALEFKDESYSVEDIVSEVLTNKEIKGLLETV...
RKTGISLRFFYTHKDNEDLEEDSPNVYLSATY...
VNELOVDLANQREIRNRSDRLCDLYAYRAEVL...
FAVAGWVVDRIKELQSLCNRYIYMERVPVDPDE...
AYSDKDPSTWFFAFVLPFPMVINDAGGLLFMS...
AIDLGICIGWTTTFFGMSFSTSYFREYSMTHT...
PSLKAIRDPAFLATEIGSAGSEYSVYVDKFID...
RYSGTOWILFMVSAIYVPIYLTGSLIHYLFHV...
QKRWGVVEEISVQVPSDVSYSRIYALGLAGAM...
SVHILGIMQVTHGLRLNFIEMHYSHFQCGGR...
PLRPLRKIVCSGEAEASGITHLNNISV

CpN_0092 111121 112573

atpK-ATP Synthase Subunit K
PVLGAGHVMIMDMVVLVGLGLAMIGCAICQY...
MECDQVYVGFILMLLMQYIKNCTLPVQVQIA...
KQSTIYKCYAAGIVBPSLFAVVALLLL

CpN_0093 112440 113015

CT301 hypothetical protein
CKACVAGAKFKYLDLRQVMSVMORGLSFLHCL...
ICLAXGKDEFLIETVEYIPYGAALQIEQSCHE...
LYLVVYVAKKDEKLYEVNQSAGYRVVCLGLEY...
ELQGLIYRVVCLGQNGQEVISRRH

HLWMEVISELGP

CpN_0094 113104 115971

valS-Valyl tRNA Synthetase
VYRVFLSRDHKFGRLIMTTEDFPKAYNFQDEPE...
PPRVTVGLVHMGHALVNTLQDVLYRYKRMGFE...
KRRTDYSREDFLKHIAWKEKSEKVLSDRLQCC...
LFENGYIYRGYLVNWDVPLQALADDEVEYEED...
VWVYRSJAVIEPYLSKQWVYVQVQALIEPFLV...
CISROLWGHRIPVVYKHNDDEFLCYGCGEIEP...
LTCLOPNDSPDLKKFYPTALVLTGQDILFFMT...
GKSYKRYNDFGWSYISCKEKLAYDMGALPDGV...
DAVRLTLCSCANRGEQIDLDYRLFEEYKHFAN...
SLGLEDFYILDGNQILHQEEAYATYAFDKVAT...
GNEASQSKTRTLAVLLINVLGVLPVAPFITE...
MLRSRACMEAPYKAFDYKIPQDLRESFTLAR...
DTEITQSCIPILOALGGLSILQLLDEPEKGL...
KERVRLRAVENLERILGDESFCQKANPNLVAK...
QEALEKNNRILELOGILDKLASFA

CpN_0095 115956 118790

pknD-S/T Protein Kinase
ACTIVCLDREDQSLERYDIVIRIGKGMGEVYLA...
RFLREARIAADLHPGVVYVITYSEKDPVYVY...
EKTSVGAFPLFHKICCTIEYVHSRGLHRLDKP...
DRLDIDVSEVLSRMTIPGRIVGTPOYMAPREL...
FPYKRSKAKIVLDQIRIPSPQVAPYREIPPL...
ESHKGSFKWLTTLTPPKSSSWKLNEPILLSK...
RLEYTLKKGKNGEGPILLPTSENALGDDFYQ...
QDLESQKTEFLIALEQHNHSLSLFVDDGTVM...
FESSGSLRVSLAVPDAFLAEKLYDRALVLYR...
TONNEQEFALATEEFKSLHDGVAAPLEYLGA...
IFLKHVVYRLHESFYKRDRLALVFMILVLEI...
LDDPTVLELSSKMEFLSYWSGFIPLHNSLFH...
SSCIDIFKESLEDDQATEEIVEFSFEDLGA...
YIFDLFANRALLSOGAIFQALDLIRSKVPEN...
ENYTEKQLKDEQHELFVLYGCVLALIGGAEAK...
KDALSQYERLLRLQKFLYFHLGNHDERLQCT...
MYHLLTEEFQL

CpN_0096 124347 118937

CT296 hypothetical protein
ETFLSILREFFMKSLPVYVSGIKVRLQWVSH...
AGRKRYISTLPTTFATTITTLNPKVEEIHGLS...
LALLFLTEGQARDPKTEVDLYSKEKVLSTIM...
QQTFTKRCNGTIIPIYSFLTSGIPEDCSVDI...
CSVLSDEEMTFTSTKQOIDDVYTYLTLQQLF...
NLSIKENCCSFAGNCSSLYHTIYQALADALN...
VRLFDQTLGKKNLYKVRGVLNDIGDKVRYT...
SVATWEGKTTFEQMSLNNHVFSSKVSPLS...
RALATLSGGEQERTAIKHLGELFGITITLDE...
ILVEHEERISLADRIIDIGPGAGIFGGVLFN...
ENREAPTSWLLTEATIHNLKNSIRLPLARL...
QENPNLHFWMCIGIRLIIITRDLPGRSORS...
AHFSFNQPGACIQCGGLTMTISDDDTIPCS...
TAYAEAEFISHPKHEIKHALCSRLDYLPLR...
TLVYVLEPTGLTHDIOALIEVLLSLTYLGH...
GKYLASCTPKDILQNTPTAKALAPYIEGSLD...
KHIDLPRNSLIAIAGPAGSKHSLVDFIDYAS...
TEVKGLSPVSVKRCSSNSRYHTIASALGSLN...
TIDSLKSYKDDYVITSPILGSDLEIFLQEK...
EPAITVQHTVSPKNSSSLLSAISVAFSSSE...
ETHQVLLSSDHPGRCLTCGRGEILKISLAE...
KLKDENASQPLKLLTKEFLNFCRGSSEFP...
CKGSGNADYANYRINNTSLDIYQDGLTGT...
GLSYITLQQRQDLSGNYRLHLAKKISINLT...
LVANNMTYATRSCSLIPADHAIFLGPQSG...
CPKAPLSISKANHTGRSDRTLKNLSIHHTQ...
FKKQAEILAKGTTTSDLVVDSDHPISQNS...
SSTMFTNTKCGQSDCQGLGYQWIDRAFALY...
ELLHTFETVALRFPFKIKKQPLKALLDGL...
TPETPTLFLIDELFSSLDPIKKOHLPEKRL...
GSGKQGGKLLFSGSPKDIYASKDLSKKYIC...
NEELDS

CpN_0097 124549 126006

pyk-Pyruvate Kinase
DSMITRTKICTIGPATNSPEMLAKLLDAGM...
RVPLALMDTKGPEIRLGNIPQISVSGQKRL...
GADVLIDGVIHAVVSSAEDSLEFMNSGLLK...
FGVEONMDVVAASFVRYGEDIETMRKCLAD...
IMARGDLGIELSVVEVFNQKMAKVSRETGH...
NAIYDGSVAVMSGETASGAHPVAAYIMRSV...
LSAIGLAGIOIAERADAKALIVYEGGSPM...
VYPMPLQESDRVVRHQAICYIEGQILNDR...
SEFPEP

CpN_0098 127494 128001

No robust homolog present in Genbank/EMBL as of 11/7/98
VKKFKHPIKRTILEAPLYLVSGILALRIITR...
TNLALAFPEKTFDERYKIAKQLOLITLLELL...
SEVFIQIEDLEETFKMKQKQLILFQIAPHE...
KIFALPEVFKIIVPMKIQQGLEALQYKIV...
PALLAYEGFTVIAVNVQAKGFEVIAKAL...
SQUPEWMMHWRKKRKNVTKKRYRZHLI...
CNADILEEQEPEYSLIQLNDQDILALRQY...
SKPFLKSLDHQAPILKNSLIFQYKILKRE...
PENEKREKREKREKREKREKREKREKREK

CpN_0099 127527 127805 127865

No robust homolog present in Genbank/EMBL as of 11/7/98
YVACVYKLRIFAFAKHAFHGMILITPTPTT...
ETIAVAKPADIATVATLDELRLQVIVLAAK...
KIRIPQCHIKKIPKIPKIPKIPKIPKIPKIP

EF01 hypothetical protein
 EHIMKKDRFTNEKLNKLFNPFELMNYIAIKQAKIKIAKGVESNVALETVLIDREG
 QPEETEEIVTASLTVKRRSEHTNPPKDIQAYTWQDYK

CpN_0112 152062 153733
metG-Methionyl-tRNA Synthetase
CKVMPQKVLITGALPYANGPLHFGHLAGVYLPADVYARFAGDDVLYICGSDFGIAI
TLNADRGGU:YQEVDMYHKLHKTDFEKLGFALDFFRTTNPFHAEVLQDFYSQLKASGL
ENRISQQLYSEQRFLADRYVEGTCPRCGFDHARGDECQSCGADYEAIDLIGPKSKIS
QVELVKKETEHGFLDRMKDALLSF IQOCTYLPDHVRKFPVDYIEHVRSGAIGTRDLSMG
PVDFPGKVFYVWFADPICYISGTMEWAASQGNPDWKRFLWEDGVEYVQFIRKDNLPFH
VVFPAEML/SOKLDY/KKVDALVYGEFYLLBGRQFSGSEGNVYVMDKFLSSYSYDOKLRYVL
VATATFENKHTFELARFTHILTDIAFFTRIRIRKAFKAKNHTKPLTHATLEDDQR
VAFENKHTFELARFTHILTDIAFFTRIRIRKAFKAKNHTKPLTHATLEDDQR
LFCACYCQKLALISYPIIPESAVAIWEMIPKSLNENCLDNTMYAROLWKEEILDVINEE
PHKSPRLLETTTVE

CpN_0123 155975 153774
recD-Exodeoxyribonuclease V (Alpha Subunit)
NSMEKICGYLEQILVENKSDGIDITAYIKPNKTPILIKGKLPQPELGSPQIYGVVSH
SPNKTQYFQHSYDPLLYEYRGVHYLTSLKINGIGPKIAEKIEKFOEKTQVLDITP
ERLSEVSGISETRCVSIKQCEKOLIRKTLFLQYENPIHYGVIRFKYQEKSEKIC
EDPFLAREMEGIGKTADEFAMKLGVPNRSERLACQIHSLEELQEEGHTCYPIELL
DVAKLLNQDVFDTPTLEEDITQILNMOKRKLHIDQISGLHVTYRLHLAEKTIIVSD
LKRILFSSRRIRSIDGEKAIWVEENLSIDAEQOREAKACFSEKLLITGCGFGTGST
ITQAILKIFEQVTHKILIAAPTQGAAKAKMTEITQKHSVTIHALLQYDFKTSFRKNHD
IDCGLIIVDESOMDTHLHFLKALPDYTTLVFIDGIDHQLPSVGPGLKDLITSNKMT
VIRLNKIFRQVHDSGIVTNNAHVRNVEGLPILYSETGRDRLFFQKDDQEEALNIIHLVT
IRVPQKYHYIYPODIQVLAPEMKGTGLIYNLAKALKHALNPKKANLHGRFQSYAVGDKVQ
IRNNYKVEFVNGDIGYVSTINFEDKAVVVRMEGHVGSYSELDLVLAYATSVHYQGS
ESPCIIPIHTSHFMYLNNLYTATIRGKLVILVGTGKKAIAIATRNRRVQHRCTGLAE
VLKELDTKKNYADL

CpN_0124 156575 158068
No robust homolog present in Genebank/EMBL as of 11/7/98
IRSKQRTVAITLLVLGILLIAGSIIPLAVATPGLSSAVALGCGMTALGTVLLITGLVL
LIRSEKALAEQVEIKQARTVRNNELDQSOVYFTENVDNLKRWYSRDLGFRVQAQEEV
TNLEQDIEEFLTRDIRNALDNEEFMTTHAKQCLAQVCESLPDQASIDFENLHLSIE
RQHLIDINDPRWSMITKKVKGTVVRFIYVSTMYKQISNFEKSPQQLKMLLNNYKITEE
VLQYQSKQYNAALLSEKTRIHTSSLLHWEKDEKHLNINEKASRLNFKKFTLFL
GLSEEDVIDFTGASGWDGCSLPRKEVPLDGGKQKLRFRKRTFADEQVGDWDRITSLHEMT
QBEDPDLRLMDQVEQEAATSVLKQDQRYWKEIETSEAKFRSLPREDDFEKQSQISYIRDL
DDHLSVWNAQLSAEADALIVLTDVQEHGNREMLKNTQQGLELIEDAVKATLPRVFIQEL
LEKEELPLVAARMSLENS

CpN_0125 158072 158605
No robust homolog present in Genebank/EMBL as of 11/7/98
KISSCAEIMSEVPLKNDGSDFLATQRFONLIMLQEQAEIYNEEYKNAQVNEIKEQ
KDEKICIEDFEARGLGLVLEELASITDFHDKAKAETSMLEICPGIFYATSVHYQGS
RQELQKMAERYRDCQVLEAVQEQKDMISSRVVDDSYFEEKEEQKVNRRKEQD

CpN_0126 158806 161085
No robust homolog present in Genebank/EMBL as of 11/7/98
LLVESYCYMGLFFSFGAISSCGLLVSLGVLGSLVGLVLLLAGLLLFKIQSMLEVPK
ARDELLEDEASERLVRKASRLASLPEKISELESYIRSAANDLNTKTWPHKQDLVET
SRKEERLAAQNYMISELCEISELEEEHLEILQAESELEWIKGSLFTFLDMESFINLA
HLSEVRPYLAVNDPRLLEITEESWEVSHFINTVSAFKAQILFKHNEHSMKKKLESVO
ELLEFTFYKSLKRSYRELGLCESEKMRIRHNDPLFPWQDQKYAHAKNEFGEIARCLFEF
EKTFEFLWDEECASIMYDCWDFLINESIQNKRSRVDYRISTKIKALKDRARTYAKVLDREN
PTTEGKIDLDQAQAFERQSQEFTLEHTETKVRLEALQCCFSDLREATNRQVRFTINE
NANDLSESEFEKIDKERVYQKQEDRLWYETIDRNEQELREEIGESLRLQNRKRYAGVAD
GREKGLLRQWKNLRDVEAHLEADLMDHEFVSKSLCSVRARLEVELEELMDSMPKAD
IEELLSEYERCIPIRENLERAYLYQNKSCIEILSKAKFFPEDEQLLVSEANREVGQA
QYQKQCEQRAQKFAIFEKHIEQKSLIEQVRSFOLAGVGLKSELLSIACNLYIKAV
KESTPVDPVCMQLYSYSEYEDNEAVNRRLNMTERYQNFKRSLSNQFQGVLLRDPYQ
PEGHETRLKRELQETTLSCCKLKVADRLSELESLSRR

CpN_0127 162152 161130
ytjC-Cationic Amino Acid Transporter
ESNFPANQESRTRAVPLGIFHGLVACLYGIVFVIPNFGSGFDLDIVLTPTIFGIF
SLIAGAKNPSVTKTPLYIRKSLTWLLINPVYFGITLGRYVGSATVYIASLAPT
AWYTHSNKQKELPSYLLSAISVITGVITLHLSALNPTAASVPSITGLQIAVILSTS
LVWITYVIRNQSLLEKHPNLTPTDWSYLGISALIIICLPMIILDLGCIHTHNLISHTP
GLVITLFLLLCSAMGIFSSAKALIAWKNASNLSPALLGAILFEPIFGVLTLYSQSL
PSLQEGIGIFLMLGGSLCLVLFGRVQKSLNSQSSSNE

CpN_0128 162262 163053
bpl1-Biotin Protein Ligase
EDGRMLRNQVLVYCEGVSPPYLRHTIRFLKYSTQEGAFDILVDGNFLIKNPFWEET
TRLLVFPQADRPYHRVLHGLGTARIFQYVSEGNFLGICAGAFGSKMIFYPEGAFL
QGARDLGFPGTAKGPAYRGNFYSVPSGVRVSPQLFSDPGLYAMFNGCCFFEGSEGYP
GVNIESGRVDDLPGKPAISVSRIVSKGLAVLSGPHIEYLPHYRMVKNVQKTRFLQRER
TTLDYRQNLVQRLRQPAFSAKDC

CpN_0129 163747 163064
similarity to CT036
DEQYILSHIMDPRIFVTSEPLQKTYQKLOEKHVNILSIASQVSLTDLQNTQYENNLIE
TTTNETIYFPVHNPDILRSEMDNISQVLYIFKKFPIHYHNLFTALERNQIILLIDSL
NTGSSNP IARQEMLAFCLVFEQDNDYETIEPPQVFNFRVYKNSQTAPOIQSGLLH
GYEEMSYASNNIRNVLTHSIVLCSPIVLQILTEFDTKTHADDFDCLI

CpN_0130 164251 163751
No robust homolog present in Genebank/EMBL as of 11/7/98
GDMVKKQIIEHNKKAQILPESKFAATKLLAILDLFLGIAACILIALSGLLNTLLI
TALDLGIIIVLFTGILLITQCKSKSQVQDQKPKITPKETPGLDDELNPLKNNIQSS
TILLDDPTINLKNELFPDFEWWKIFLKPDPFLYKALANWIKLE

CpN_0131 164441 163580
No robust homolog present in Genebank/EMBL as of 11/7/98
PRLLEPRLRLALIFLFFITGAVVPSIFLELFEMENAKRFPVNYITWILKTSVAQ
PVPKPGKIGIQLVLTAVMLTGLVWAFIFPQYVLTAVTIALMLAEGLVIFLLIRSV
KQEMVDRWAKERNAIHIENIPFDVVRVQIILKQYIKVRLWAKHIDEDPSQAA
VILLCHWTFEVRVWALLSPPQKQRYKIDVLPPLIRIRVRLVPLIAPTLDDLNQ
GVNHMINKEFLFINKKAREKIDUKHIEIMGSELEGTQVPLDQKMPQVQAMPFVRY
LQMDATTELEKPHILGCPFPVVRILASFEHPKGLADQPLEAKNVEWTFISACEK

ALLKNPQGISIKDLKQFLV
CpN_0112 165584 166561
No robust homolog present in Genebank/EMBL as of 11/7/98
SMIEFAFVPHTSVTADEDRMACRMNKLSTLAITSLCLVLISSVCIMIGILCISGTGTY
AFVWQIIFSVLALVACVFFLYFFYFSSEEFKCSQSEFRFLPAPVVSALRSYIEISQDA
INDVIGKTMQLTSSLLDPEAFLEHDFPFYFNSLVNHSKMEADRLSREAFLLIGETIKW
DCETKILPLWLDKPNITPDDFWKLLKHDFLQDFKRRITATWIRKAYPEIRLPKKHCLDKSI
QYPCPMLLQDRIYVQVIAHNTYQSGFEPANNILGSEVPMVTLGPKVPYDITWEMF
NEMIMVILGPPHPPHLLANAL

CpN_0133 167349 166564
CHLPS hypothetical protein
NSSAYMFKLLNKLFIQCCIVGYFWMKESIVEQWLSNRLHTQVTVGRVSIRTSIGIKIRH
ICIHNPASERFPYAAIEYADVRSSISMLLTQLEISELIHGANTTIFPYDSHGTTK
NWSLVWKNFHPQKTPSNLWIDRAVLIIRRCFLNTRLYGLRANKHDIPLHSVPSLEFHS
HTSSAKELPKLSEALPSLLYLALESYLHNLPGDIKPLSQQAHHKFYSYPOQDRLLN
DINTPGTPTTEIIGIRGLFFK

CpN_0134 167131 167467
groEL-HSP-60
FADYVRLRTTMAAKNIKYNNEARKKHGKVTLAEAVKVTGLGPKGRHVWIDKSFSGPOV
TKDQVTVAKIEIELEKDHNGAQMVEKSTADKAGDGTATVLAELIYSEGLRNVTA
GANPMDLKRIGDKAVKVVDELKXISKPQVHHKIAQVATISANNDEIGNLIAEAKMEV
KGNDSITVEEAKGFEITLDVVEGMNFRGYLSYFSTNPTQECVLEDAIILYDKKISG
IDKFLPVLQVAESGAPLLIAIEIECEALATLVNRLRAGFRVCAVKAPGFGDRKAML
EDIAITLGGQLVSEGLMKLENTTAMLGKAKKVIITVEDTIVEGLNKPDIQARCDNI
KKQJEDSDYDKKQLQERLAKLSQGVAVIRVGAATEIEMKEKKDRVDDAQHATIAVEE
GILPGGTALVROITPLEAFPLMANDEAIGTRIILKALTAPLKQIASNAGKEGAIICQ
QVLARSANGYDALRDAYTDMIDAGILDPTKVTSALESAAISAGLLLTALADIPEE
KSSAPAMPSAMDY

CpN_0135 169448 169143
groES-10Da Chaperonin
MSQATTTIRIKPLGDRILVKREEEETARGGIIIPDIAKKQDRAEVLVLTGKRTDDGT
LLPFEVQVGDIIILMDKYAQEITIDEEVYVLEISIMAVLK

CpN_0136 171419 169569
pepF-Oligopeptidase
KGVPSLMTTELKTEALPTRTQVDPKHCDTTLMYANREWKKDFDLCSGKDRSPWPEF
SPHYQIDNPESLELLSKVAALLSSSVLAPYRFLIFRLSPHTGANEKILASSFA
FQOIESWIQPALIALSEKVAALLSSSVLAPYRFLIFRLSPHTGANEKILASSFA
MLNVSNAKFPSSLSDAETPPGAKDSNGEHLPHALASLYMQSPQELRTAYLAFQRY
IDYRNTFANLNGVQAHLEAKARNYPSCEASLFQHNIPPTVYINLNETYKHTSLIN
RYNPLKKEALNLEKHFYDVVAPISOTTSKNSYEEGVLDKCSLLPLGTHYVEILRNL
LSNRWDRYENKHKRSQAYSGGQDSAPYILLNNTYLYDVSVAIEAGHSMHSYFSREA
QYHDAQVFLAEIASTFNEMLLMEALSQDSQKEDKVIITKTLDITFATLFRQTFPA
AFEYEHSAAEQGTPLTEEFLSATYGNLQKFEYGVVTSDDLSSALEWARIPIHYFNYYV
QYATGIIAALSFAEKILTQEPGALEYLFLKLSGRSDPRLNLIKSSGLDMTTSAPLDKAF
AFITKKIDLLSSLLSED

CpN_0137 172263 171502
ybgI-ACR family
VCSMVADLLSHLETLSSSKIFQDYPNGLVQVGDQPTPVKKIAVAVTADLETIKQAVAAE
ANHLIVHGIIFWKGMPIPTGMHKKRIQLLEHNIQIAYHLPLDAHTLGNMNRVALDL
MNDVLKPGSSSLPYLVGQSGSPIDISDFIDLLSQYQAPLKGSGALGGPSRVSSAALISG
GAYRELSSAATSQVDFCTGNFDEPAWSTALESNINFLAFGHTATEKVGPKSLAEHLKSE
FPISITFTIDANPF

CpN_0138 174094 172700
"hemL-Glutamate-1-semialdehyde-2,1-aminomutase"
TNSRLFLAKDQLQNMWKLTKRNSMLNCSNQKHTTTEACQVPGGVNSPVRACRSVG
VTPPIVSSAQGDIFLDTGREFIDFCGQWALIHGSHSPKIVKAIKTALKGTSYGLTSE
EELIFLALTLLSLLKKEKIRFVSSGTEATMTAVRLARNTNRSIIIFIGYHGHADTL
LGGISTTEETIDNLTSLIHTPSPHLLISLPYNSNLIHLHMEALGPQVAGIIFEPICAN
MGVLPKAEFLDDIIELCRFGSLSDIMEVTVGRVAFQGAQDIFNLSPDITVYKILGG
GLPAAALVGRHSILDLHMPGTIFQAGTMSGNFLAMATGAHAIQOLCSGEGFYDHLQLEA
LFSPYIEEIRSQGFPSVSLVHQGTMSLFFTFSTFNDEAKNSDEKVFQTFYSEVFDNG
VYLSPSLEANFISSAHTENLYAQNIIDSLIKIFDSSAQRF

CpN_0139 174686 174093
yggE
SPTKVKLRDINKIPYARLEKGSLLVASPDINQGVFARSVILLCEHSLNGSFLGILNKLIG
FEISDITFEKVSNNHNRFCMGPLQANQWMLLHSCSEIPEOTLEICPSVYLGDDLPFL
QETASSGPEINLCFGYSQWQAGLEKEFLSNDLAPGNKDVYFSEPEDLWALVLKD
LGGYASLSTVPPNLLN

CpN_0140 175140 174673
yqeE
PRSNQOQIFCMSEKELLEETPLVLLNFYKLVSFNACMILGTEEEKFAIYGHVSMGQA
FQAGDETGHSPORPFAHDLNLFVSGDFIQVLRVINDVKNVYRFLFLEQKDRFLV
VDVDAFSDSIPALTHKIPILCVKSVFDAVVPYEE

CpN_0141 175817 175110
rpiA-Ribose-5-P Isomerase A
HSSSAVEYDLHLHEKKLAHEAATQVTGMIILGSGSTAKEFIFALAHRIQTESLAVHA
IASSONSVALAKOLAIPLNPEKFSLLDTVDGAEVDPQLRMKGOOGAIFREKILLRA
AKRSIILVDESKVPLVKGFRVPLEISRFORSALIEIRHLGVEGEWRLQDTGOLFITDS
SNYIYDIFSPNSYNPENKDLKLIQTHYIEVGFITEKVEVWSNSQGLISKYYSV

CpN_0142 176121 175816
No robust homolog present in Genebank/EMBL as of 11/7/98
SHYSGYKQKTEKHEKILQLLETKNGLIHFCOHFEIRVSHDNAIQKIRSYPIKPIAEN
RINTLFPDLKIDYKDSKRRFELVGLPILHLYWTFYF

CpN_0143 177347 176214
**x/y/1 Hypothetical Protein
PRTIMTILKRLPKLHIFVGGFLREHFKTTEGLKESISLDQMLQIEDIAIQDLIKK
QKAKLLEFIDEPFRATWYDFWIFVYHHPATEVFPFGERAMIDDTYLDKLSG
HHFVHPHFVKALEDFTAKETLPAQAGFLPMIPNIEVTRKFPYTNQLEITEDIAV
GVRKVPLDLYDAKRYLQNDCTGHLJUPKVCWYQIDKRIQDILIQYLLINNIAD

QKYM0I LLDAPVSLLYGAF [REDACTED] FLNFTENIANSTKAAEEEEKRYVEEKGRGFETY
WEEAKQRLEATAAELDDLRL [REDACTED] ECEIPLVUKKISIFSDLNLRKVSVEKAAEEEEIQ
GIQEYAEHQI EDELLEKQKFEDLKKLEALZERLQIGRRIDSSVDKQKELLGLLGREE
AA

CPD 0144 177942 180560

c1p2-c14 Prokaryote ATPase
 KLVGNVFMKPFDDAVSEALEKAFELAKSKHITY/TEHHLLALLLNTESLFLVYLVKIDKH
 NPGLINATVAKDLGREPTV/VEGEVDPKPSPIGLTLLRDAKQEAQKLGDEYISGDHLLAF
 LQVDEHEDPWFATFVFAVFAVFAVFAVFAVFAVFAVFAVFAVFAVFAVFAVFAVFAVFAV
 SGLV/VEGEVDPKPSPIGLTLLRDAKQEAQKLGDEYISGDHLLAF
 KQYLVDMGALAGAKYVGEFEERKLSVLKVGSGDGEIIFIDEVHTLVGAGATGDAMD
 AANLLKPLALARGTHLCIGATTLENYEQKIEKDAALRRQFPVTEPSLDAVATLGRLR
 EKEYIFHCVRITEGALNAVYLSYRIPDRFLPKLADLIDEAASLRIMQWISGLPIDE
 KERELAALIVKQEAIKREQSPSEADAMQSKIDALREELASLRMGWEEKLISGLKE
 KKNLSSEMKFSEEEARVADYNRYALRYSLIPELEEIKQDEASLNQRDLNQLEVDLR
 LAIQVAVNNTGIPVQMKLGEAEKLLIIEESLEVRVQGPFAVSAYDSIARAARVGLD
 PQRPLPFLGPTGVGKTEALAKALADLLFNKEEAMVYRLLQVFDGGLIDGKKRKNVGNAL
 VYVEEGGSLSEALRRPYSVWLFDETEKADVEKILNLSVSPVLKRYLSPEFMNRIDELIPFVPLTKE
 FIMTISGSPLEADYVSKSGSEKTLKEALISVSPVLKRYLSPEFMNRIDELIPFVPLTKE
 DIVKIVQIMRILQRLKRLANLISWDSVDFLSEQGYDSAFGARPLKRLIQKVYILL
 SKALLKGDIKPDTSIELTMAKVELFVKFVETPS

CPN 0145 180717 182369

CT14 hypothetical protein
 NCAASFYIWLKNSHNRILRSMPKFSIVRYMVGGLVSFLLPIPDLECANNTKTYDKKAS
 VYISRLDKLQEDQKQFVNLDPYKLSCLAQVYLHDDSTKSRILRELFQIQKDEVPFATM
 ILTGKVDYSGSPFEETSLIQKLSYPGLSLASLRHGYEISPTNDTLARALVYFESGDLGN
 RADYYSNCLDIALRIHAERQRYLDQSPCVPTSEFHKATIEATNITLYFEAEVARYPSKK
 EMFSDPFLSSVDTDFGVCGVLSQSLRLDLPLEAVTPPGHILYRYQGVGEVNI
 TAGGRHLVSYACDCLDLQEDLVRTPEEMIGLFTMQQGSFALQKKKYKEAEAYAKQAE
 YLGDDEELQELLGQVILGGKKKEGKLSIKPRASQKGSYADVLGRNIPETLALLFSY
 PGSNYEYSIEEELKVKAMKSMSPCGQRLLASVFLHGTGVAIVDALEKCVEDIPNDL
 SHLRLKCLILCDRHEYTKALVYI I AERLMEDQGLKKNRSFALVYEVKKIISKVAPQK
 ANTLIMSESR

CPn 0146 182595 183095

No robust homolog present in Genebank/EMBL as of 11/7/98

IIVGISMSSEVVFQTVHGLGFGGLSSKSVLPFLKGLSDAPRVVCSILVLTGLGALVCG
 IAITCWAQPGVILMGICAIVLGAISLSLFWLWGLFSCNCCSKRVLPGEGLLRDKLLD
 GGTSFRACPSGMGLPGDGSPRASTSCLEEELQAEIQAVTQAIDQMSDD

CPR 0147 183213 183671

No robust homolog present in Genebank/EMBL as of 11/7/98
 HGGSPMAVQSIKEAVTSAATSVGCVCNSREAIAPAFMTEERATSIARSVIAAIIAVVAISLL
 GLGLVVLACGCCPLMGAGAITMLLGLLAWAILITLRLNIPKAEIPEGSPGNNGEPERN
 SATPELPGVGAGAGRGGSPLTQLDLNSGAGS

CE# 0148 183822 185702

pkri-S/T-Protein Kinase
GKRIYSSMSSEKIDGAFKLDGYRILYKQGSLSWEDDLAEHRFIKKRYILRLLLPDLS
SQEEMAFHDVVKSLKLNHPGISIENVSSEGRCLFVTEQDIPILSTOYLKSIKPR
LITEEDIVQSLAGSLVHSGLEAGLNMDSVYHILNVPKVLIPDLGSLFAFIR
ILDGIFSDENRSEKIKERVLLTHSGKQGGDTEYFAGATITYLLFGPGQIFPMPSIK
SFBIYDYNFLRSSCLSGMEERAEKFLPIRKKTLGEELNVNVCIESSLRGVDLPDL
SALNSQAVLKVETVYSHQKESAEHLFEVLVCAESIDEMDATIESSSSGVEEGYS
LQNSLPLVYVRSRYAEAEKPEKPOLITEMVLIGGFSRSGVSGDDELPHVKHIL
HSEELDVHPHTKQIRYRLCEKSEBDQYNNELIRPDSIEIQRSSRGLVEPGYAKHVP
GVTWYAGSGAEYIKQLRPLTAEWEIAASGQVAAALRYCGSEIIEKSRANFTADTTTMS
YFNPPLGYLDMAIGNYEWQCDYQGVDFYFIEISAQEPSPGQAGVYRVLRGGCKSLKDD
LRCAHRHNNPGAVNSYTGFCACNIN

CPN 0149 185706 187700

drdg - DNA Ligase
ERKPKSTGSRQHYLALCRELEDHVDYVYVLRHPRISIDYEYDMKLRKLLIETIERSHPKVL
WSPSTRLGDRPGTFSVSHKPEMLSIANSYSKEELSEFFSRVKEKSLPTSPRYTVLVEKVL
GLIAYIATREDYQVRLQALSRNGKQGTIDTSNIRTQSLRLPEDAPEPTFVEGVCFVSY
STPOTINEKQDVLKOTIFANPRNAGAGDITKLKSLPQEVAKRKLKESINLIAPGDNDSHVE
NLQRCLQKGVFPVSGPKRLCTSTPEEIVSLKTIETERASLPMEIGAVIKVDLSASQVRVIG
ATGCHYRWALAYKYAPEAAETLLEDILVQVGRGTVPVAKLTVPVLSGLSVSRASLYNE
DEIHKRDIRIGDTCVAKGVEIPKVVVRVCRHKEPKGEVSWNMPEFCVCHSVVREEDR
VSVRCNPNCEVACAKIRKIFFVFGVGRNIDHKLGVITKLFEGLVHTCADLPOLTDEED
MPTQIGERSARGNKLKESIQAKHVDLRLFVALGILGIGVATVAGHFTFDRIDVAT
FEELSLLEGSRGKVAHAIEYFSDSTHLNEIKQMDQGLGVISPHYKSGSCFGRAVIFST
TLEOMSRDLAETAIRNCGGKGVSGSVSKQTDYVVMGNPFGSKLEKARKLGVSILDQEAFTN
LHLF.

CPn 0150 187759 192444

TL147 hypothetical protein
 ILYKFFYSVNCYPYISFFVLGVNMMSSNNSTKQDGPSPWNVPMVONMNASQVGDDEA
 NSLTPAEQTSRQSVSDRRKHLEVLVDLSEEMENNDLHLYSRKYTKIILATLVVAITVC
 YIPSMVGGIPMMWPCLLIFAGLSSALVLSHRQSKCKEILHRYRAYOYIQQOLSSQYDLR
 KSTLYKSLITVTHYKPKKGFVGMKIVLENLRDLPHNKNDGDOGAADSLRDFAGYGVKHYH
 VGVGVNSVSBORVQVGLNLSMVKNDILNDVSGSRIPDQRSALVSGKDIGGTEPGGILL
 DISRDLACIYCGMNVGVEAKKALDLSKYLWNLSSTFANWNPQLPAATQSYLLSLEORHLD
 YAAKIFQDLGALLTAHQTOGALEDQDSSLYCYDOLIESGVGKEKIASTHOKHLDLQV
 :CYQEHLLKWSNLYHVFSITIKTEPTEKQLQNEVVSRIQRLRGKLEKSKSTLINCRTNATA
 EYTHSEKKLADYLDQICDREFPLTMHKIAATQKAIOGKVGVEISOHQPEKMLMCRSS
 EPLGKMLRREDMDALQKQNEHAEGLKSTMAEQGLFKDVLQWEGKYQFKNKSKYL
 VYDFTK:YSNLLNRLEVLHVEASTDDVLHVRMDSMLDKTKTIEIDGNLFVTEPESLL
 AKPYQILMNEPLFVQECNRQPEACISGEGVSGMLLILGLNLRKEKNNLESSRKNLVA
 IYAKQAR:DAINKID:YGLAPILQNRGNLNDLQNMVLFNGSRINHALDTEVITDVSNNM
 :FAMITITFDNIYTNLNLVDLETQSKPAPAMENPLDLEAFPEEVDOVAEDVSGTHRLH
 VLTPH:ADNKK:LOLQKSKINWKKAKALVGLVAVLVCVLAIFGQGLGLLISCVGV
 ILLTPOV:ILIFDRISIKGEPFQVOLTQASLTPTATYLLPFFNNKNNLRLALQDNLNLE
 :PPTWAKNVLV:DKLEPITKRLKJDLTEKFRKDD:YHILNKIRKRFGLQEAQPVVPR
 IYGLIR:AEVFAFLILRELEHLLQKKEEILTRGDAVL:EPMLGLLEKSKYELHKAIAAAMT
 KKYIKI:ILURIAKNNITVYRTONFFRT:IEQKQFQV:TDQVGVKXELHIELAAT:IVY
 NTYIK:YQKHAQQKQKENVGLI:AKQOELFVFLVYLLFATQALICRYGMAQFRIILNLE
 IYAKIK:HAETILA:REHMLTKLGLCYLTPPEVSP:PEPTQ:MYNLLKVRQVDFIEORL
 QUGVIT:YIYVAQVAAALAYYKRIEILIFVTCYGLVYV:YK:YVTTMLDGLHAEVCL
 GEGVIT:YIYIN:G:ILIHVIV:ILG:RDCDS:YK:YIDVVKVLELNNNNPNPDCE

CD- 0151 134178 127625

[illegible]

CPM 0152 195274 194318

[illegible]

CPn_0153 / 195430 197892

1eu5-Leucyl tRNA Synthetase
NMRYDPLNLEKKWQVKEHRSFQANDEEDKVYYVLDLDFPYPSGALGHVGHILGYTATD
IVARYKRAGRGSVSLHPHWDSPGLPAEQYAIRTGTHPKVTKQNIANFKKQLSAMGFSV
EGREFAETSDPDDYHYHTQKFLFLYLDQGLAYADAMVNYPELGTVLNEEVENGFSEGG
YVPERKLRQWILYITAYADKLLBGLDALDWPENVKQLQKMGKISGALVTHFLHTQES
LEAFTTRLDTLQSLFVSFLTAEPPHLDLSVEEQREDYQVQESLKRSDRISISVVKTK
TVGTFNYAKHPITGNLLPWTSDYVVLGYGTGVVMGVPAHDERDRFAEMFLPIHEVI
DIMGVCHISNYDQGLCLNGLSQGEAKDYVINYLRMSGRAKTMQYWHVHYDEKTRSPFWR
IITIHFDGTHPELDELPLLPNNIDYVRGPGQGLAKAQAQWILYDEKTRSPFWR
TYTNPWAGSYYVYLRCDANHSLKSPKEKESYVMPVDLYIGAEAHVTLWLSGRFCH
VFDYGLAVTSEPFKKLNLINQGLVASSRYIPKGVGYISVDRENGENVTSCGIEVVRQ
EKMSKSLNLYDQVPLEYEGADALRMYAMSLPGLDNKTNWSENGVCGRRFLNRYLDVL
TSEVDYDRDGLVLAHLKVLFRITHEIKMSLNTIPSSFMEDNLSKPLVYSKRALS
AVRVLPEIAPHISEELWVILGNPQGLDQAAPQIDESYLVAQTVTFVQVNGKLGRGLRE
AFAPKFFVYSLRSVSVAKYLENAOIRKEIYVYNKLVNFVL

CPm 0184 197874 199202

cpe_0140 197674 197682
 GSE-AKD Transferrase
 TSEFQMLRGLGVEIKFYKCYDVLVLCFAFVIALPKLLVYKLVGVYKYSKSLAVRFLGKKPHV
 PGEGVLVHGASGVGEIVLLPVLEKPEEFPGWRCLVTSCTELGCVGVASQVFIIDGSKR
 SILDLFSIITIKSVVAKLRQSLVYVSGGDCWNLIEAKRIGIKVTSIDSSKRF
 KRLKRLGVYSPVDGLFLQDEPVQKRFSLGIEPHKQLQVGNIKTYVAAQTALHLERET
 WRLRLPTDLSKLVGLSMHRSDVAGLWLPVQKILIEKGVSLVPRHVEKTKQVDEESLAR
 LHLVPGVLSRGANFVYVPSVDEIGLLKQLVAGDLAVFGTDPFKIGHNLLRPLQCE
 VILFGPHITSQSELAQRILLSGAGLCLDEIETIDTVSFLNNQVEAREAVYQKGVFVK
 DETASFTDRLWALKSLYPLKYN

CPN 0155 199697 199488

No robust homolog present in Genebank/EMBL as of 11/7/98
 NSLSFGVPFLEKLKISLIPIEEMRHELFMKTHNSSNGFSNQEGIRTYFKSDLLGYEDL
 YELRENINPN

CPN 0156 200147 199770

No robust homolog present in Genebank/EMBL as of 11/7/98

CPD 0157 . 200753 200298

No robust homolog present in Genebank/EMBL as of 11/7/98

CPN 0158 201463 200894

No robust homolog present in Genebank/EMBL as of 11/7/98

PPKITLSINIDILLEDLOTDSIPWPKLYLSEDFYAYYPESKAIIDTVAKLEKNPNGEF
 CLESKKILARYLLEQLFKLETGLNFPSTSIDGGRESFLIEFSHETKKPTVWAFYFYFYYH
 SNGPKLEKDFQACGEVHNRLNLNLGLK/RPQAQAQNDGRNGGPGYGPIGFLVWEENYGSV
 LKDGPKFIKDN

CPH_0159 201811 201467

No robust homolog present in Genebank/EMBL as of 11/7/98
CCFGGSETATRIFSMTPSGFSLATEEKVQVSTAEKVIKILALIFFPIILIALAIRYFLHRK
EDRKCEVLPDTPKELELILAAANPOLVEKAAREVHPGFFALPTKYQSMYIQTSKG

CPD 0160 203794 202127

pkfA-Fructose-6-P Phosphotransferase

TVELLSLNKSYFEIQRILRQITLTLETIRSKHIQETSSPPSPPELQKHIPNLRCRIPE
 VSYTTEOTSSSKPLIGVLLSGGQAQPHNVIGLFDALRVFNPKTRLCFQIKGPKLQTR
 QIKYKDLDSIVYDYNNMGQFDMLSSPEKIEITBEQKKNILNTVQLKQKDLGLLITGGNNN
 TDTMLASVYFLAHNCKTSVIGVPTKIQEDLNKNCVITSGTSIFTCRTYSSEMIGNLAKDAL
 SAKKIYTHIFIRLMGQAQVETLTCEGQLTLPNIALISLQELATRIKLSLQKSLQAGLQVRRY
 SKGKNTYTHIPEGLIEHTFDITKIDELNLLANGDSQIEIKLKLSPETKLTHFLPKP
 DANGLLLDARDGHNVRVSKLATTELVAVNMVKEIKIEIPHEMFHIVYHFFYEARGAQP
 SNFTNYGALGIDISALFVLEQITGYHTLITNNLQAISYTEWQKQDTPLYKMHILENRCCTE
 TPIVITDSVDPKSPAVQHILQQQDQKQVIEDLYHFFGQPLQYFKEELIDQRPILTLLIENQIT
 HSPDALISYTSKGRSLI

CPN 0161 204658 203798

HRSSTGRKQPELTLAVLEKHEQTFMTEHTLNNFTFLHTFFMLIYNPTPIVILLHG
 LADKTKSKRHVRLAQELTRLGALPLDFTGKDCGEHLMDFEHLNKKQKIKETIET
 IAGLTLDOERLALFEGSLATLSTLTFENKIKALAWATLITLMLAAEQANPAEVI

TMQKGAITYAGMTLNPDFYQFLKIDIVKELMPSAR... YMOGEQDLLVSNHRTL
TFEAFANDKPIITILTYPDVDAHFAEASSALSDLT... TSGE

CpN_0162 205870 204803
No robust homolog present in Genebank/EMBL as of 11/7/98
FVYLYNIQSPFRIMKLYSISDDVDTPWIFQMLSKVDSYFLQGNRIKVVIVMOEPNLI
IKGVENRIGTIVKILKLSLIFPLILIALALHYFLHAKYANHLVSKILERAQVYPI
NVRSGDTASHYKLTTLVPVSKONLQAMGNSPLEVEAALRTTKPSFFCVPAKRYQIIISSH
...
PLDEDRGGGFEILEQLQELGVRFPCIPQSGPDNPNFQGFQIRIYWDSDYQPNKEV

CpN_0163 205831 206394
No robust homolog present in Genebank/EMBL as of 11/7/98
FEKAIVYCIKCKQIKCISIIHTPTATPLCTEIEIFPGVDSAIQNDLERLLTVKKRPD
IIREYLRAGGSLVTTYPKQGRLSRSPQLRVLDDLVQSPNHLAELDCAIPQDLIGA
TYIITFADFSTYILSLRSYQANSPDDTWGIFWFSIDDPQAVISFLKHGDFALPSTLAQ
DYLCTNK

CpN_0164 206444 206998
No robust homolog present in Genebank/EMBL as of 11/7/98
LCFKCIYIKIIFSLKQMLTRSTIESSDLSRSFSQKLSVQTLKNCESRLMKITSLVI
AFLTLIVGGALIALAGGGVLSFPLGLILGSLVLFSSYILVSCCKPFTLKEMTMCVSKS
KINIFKEQRNKDIEKALENPDLFGENKRVNGRSARNQLEMILHETDGIILKRYMKGAK
MYFYL

CpN_0165 206983 207582
No robust homolog present in Genebank/EMBL as of 11/7/98
NVLLFMWVWPKTIDHVPSEIDIRKVVSCYKLIKEQPEFRSLISELGVIRCGRLRLK
RSKYQEQAQTVSDADPLFCLTRSYQDGYLTPLAGRPRDLINHYIHLRRRNPKHFFSP
KHPCYARALAFNESVCYVRELFDIERLTKMYVEGDYSKEQEKNLQAILSVKTLDEGKDF
LIEHKDTDLIGRGFTDVCT

CpN_0166 207594 207962
No robust homolog present in Genebank/EMBL as of 11/7/98
NCLQKYNKSDSMTSESINRSIHLEASTPFFIKLNLCSERLVKITSLSVLLALVAGVT
LVVLVAVAILPLLVLILEIITLVLLFCLVLEPLYLEKPSKIKELPKVDLSVYED
STL

CpN_0167 208309 207977
No robust homolog present in Genebank/EMBL as of 11/7/98
NLWSHFPRGFPLPCFTILLAKPLNSENYGLERLAATVDSYFDLQGSQIVFLSKQDQ
ITVEELSAKDRKFKPGSMNCTLYTEDPILPAHNSFNCSDIQMRTPIPIH

CpN_0168 208716 208417
No robust homolog present in Genebank/EMBL as of 11/7/98
NGLRRRRENEPHFNGPCYARALAFNESVRIYKLFNTAEKQMYGAGDYEQNEDN
LKSILSVFQILDEKQFDDFLATHKDTTIFIRGGADIFCS

CpN_0169 209537 208710
No robust homolog present in Genebank/EMBL as of 11/7/98
SRHFEPTIGENNMKNVSGSCSPQVMEANTQPLRNLCSERLVKITSFVIALALVGGIPL
TALAGAGILSFLPWLVLGVLVVLICALFLFYKFCPIKELGVVNTDSQIHKFQKRN
KDEKATENPELFGENRAEDNRSARQSVKELTRDCGNVLKKIYERNLDVLLPANSYK
TMDVDVPSSEDSIRTVISCYKILKACKEPFRSLISELLRAMOSGLGLSRCSRYDEAKT
VSHKADPLFCPTHSYRYYRGLTPLAGPPYIINRAI

CpN_0170 211098 210025
No robust homolog present in Genebank/EMBL as of 11/7/98
NVRKNHIIIRGEKYNTCTVIAFVLSMSTYDLFKNLEKEDSVHKICNEIFALVRLNTIAAT
EAEKKNLPKADIVHVLPGTITPQLAWILGVNGFLKWSYNSWNRHLLSPKPHKQYSNI
FRNFODICHEKDPDLSVLQYNTLNDYNSFDRVMATVQGRFPFGGIONEEDLLIFNNY
LQKEDDITVYVEQONQIAHLVLYPSLPEKHARMKFYQILYRASQTSFCHGITLRLFLNC
FNKTFAPQINTQPEAQEAQVQLQVSTFPLGVIGQSAGESAPGACPKRLASGYRNAY
DSGKCEAHAGEGIEIERTIFSSAKVNEPGLIEITRVTFSSLRKRPSSLPVIRVTCQLG

CpN_0171 212444 211149
*guaA-GMP Synthase
IKLKQASRRHLNTIFILDFGSOYTYVLAKQVRKLFVYCEVLPMNVSQCLKERAPLGIL
SGGPHSVYENKAPHLDPETIKLGPILACIGMQLMARDFGGTSPGVGEFGTYPIHPLV
CELFLKIVDCESLDTEIRMSHRDHVTTIPEGFNVIASSTQCS/SGIENTKRLYGLQFHP
EVSOSTPTGNKILETFVQIECSAPTLWNPPLYIQDQVSKIQDTVIEVDEVAQSLDQWL
AQGTIYSDVIESSRSGHASEVIEKSHNVGGLPKNLKLVPLRYLPKDEVRILGEALGL
SSYLLDRHPPFGPGGLTIRVIGELPEYLAIRRAADLIFIELRKAKLYDKISQAFALPL
IKSVSVKGCDSRYGTYIALRAVESTDFMTGRWAYLPCDVLSSCSRIINEIPEVSRYVYD
ISDKPPATIEWE

CpN_0172 213237 212440
*impD-Inosine 5'-monophosphatase dehydrogenase (C00H-terminal
region only)
APIGAAIGIGPLGISRAHHLVEAGANVLVIDTAHNSKGVQTVLEIKSQFPQISLVVGN
LVTAEEAVSLAEIGVDAVKVIGPISCTTRIVSGVYQITAITNVAKALNSAVTVIA
DGRIRYSGDVVAKAAGACVMLGSLLAGTDEAGDVISIDEKLPKRYRGMGSLGAMKG
GADRYFCTGCKLVPGGVEGLVAYKGSVHVDVQILOGIRSGMGVGAETLKDLTKAS
FADRTESGAEASHHNIYKVQPTLNY

CpN_0173 214041 213745
No robust homolog present in Genebank/EMBL as of 11/7/98
TIFOLYIKDSYKHQCFMDSVFPPDRFVSTSPDIEDIAKTLVSNCCYSCRLCIF
LGLLSIIICFNVYTSGETASLVFGLISLIVLVLIIIECRNRECCRRIS

CpN_0174 214215 214724
No robust homolog present in Genebank/EMBL as of 11/7/98
PIPWFEKIVILSMITPISNSPVALNELSLIPPTLVGDTTQSLATIPAGRRS
TLRIILLIPIIILGLATITCTFVIFPLANGLLTSPSIIQCCCLIVGLFLIMGLYFM
LGLLDVAVGLLQVLSQAEEREEYIQEIALRCAPRAECTPESPSTWL

CpN_0175 214746 215275
No robust homolog present in Genebank/EMBL as of 11/7/98
LILACFQPLLRKPCMEQINCVIQTDTTVLYALNSFDRRLSDTHRLQKQSPLEAENALCE
FIEFLDTEFPLEEVAIPILQYIPKFLYSLIDRDCVHYEVLDVFLKTVAACTIENS

FLTDGMSPELLSEVKEALM

CpN_0176 215271 216518
CT153 hypothetical protein
NDDPMDSEDCSEASKDSAFSAS/SYEFVKSGSTREKNTVTHSTASRTLYLRQDCSYDP
RALVKVDEDFRYWVEKRLDAKNP/SINAFVKEVGTHTYASVYGGIGFOVLKMSYQVEEL
EKEKISISVAAASSLLSKTQNTATEKGYSSYQSESSACTVFLGGTVLPDLQODKDFDKW
SEISNPEIPLAISVSSITDILPELFSEDAQVLSQKKSALQVILNYLESHKPKKEEP
...
LEKLANTQDLFIRSGDEILKHNTHSRTKLTATSMJLQKLTCTQTSUJVFITV

CpN_0177 217513 216608
No robust homolog present in Genebank/EMBL as of 11/7/98
DKREQTKSKFIFLISESMKQMSLIFSSVCLGLGLGLSSCNQKPSWYHNTSTSEEF
VHGKNSVQLPHYPYAFRTTQIFSEHNPPYVAKTDEESRKIWEIHKNLKIKGSIPI
STYGLSMHPKSAALTLKTYRPHPIWINGYERSFINDTGKYLNKGRSRRSTHSDGPKNRAVL
NLKSSGRRCAIAGLENTEDFVIARRREGVSLVPEVCSYPOGNPFVAYAWTADESA
CSKEVLVPGYSLVWESVSSSDSLNAFGDSFAEDYLRSTFLANGTSILCVHSEYKVP
QP

CpN_0178 218052 217789
No robust homolog present in Genebank/EMBL as of 11/7/98
VKEYLDLFVQRNVERDPQTKRHCTVSKQFGESIDAKTTTQQLFIACKTEPGHKLCLG
ESILKQLALGIIITGYENREVEVWYLD

CpN_0179 218550 218056
No robust homolog present in Genebank/EMBL as of 11/7/98
PKIWTHTFETRIEATSVKFNRLRKSPKHSKGRSSRSKACANFNFTLQAGRSIIIPG
KKAILLNVNDAKTPNYSCIFESIGFFNDLEAQNQAAALVRKILKVPHHFLKGLIAK
LPBLSKDKRPFMSLIFTKLSTYALDLSAPMHLEKPNLSYEKLD

CpN_0180 218963 218355
No robust homolog present in Genebank/EMBL as of 11/7/98
LSLHKILDCYKPVFIQNTVASETPSQILHAQREVDRAYFNQADCHPARANQILEAKKI
CLLDVYTHNYSVTFVCDVNPRLFTFVSSKNQNMAGLSNLDNLVLEAMVRRTHGLIAK
LAACKIRNIEVPRVGLDLRSGLISLKLKQPOQSLTDFVNHSTNQEEARVHQKHL
LISLILLCKQAVLESFQEKRRS

CpN_0181 219175 218777
No robust homolog present in Genebank/EMBL as of 11/7/98
VHLEFKIDGVYFFKFMKLFYNNYSLSHHEKPSSEKAVQALDSYFYWGDTTDLVAR
DDISREIYCVRLYIRFWIVSISQSLSRIPWRLKRILLRYCTLRGKIVMFIKRIAILL
GLIRFSRLKSVY

CpN_0182 220704 219334
accB-Biotin Carboxylase
RCIMKVLIANRGEIIVRIIRACHDLGLSTVAVYSLADQALHVLLEADEAICIGEPQAAK
SYLKISNLAACEITGADAVHPGYGLSENANFASICESGCTFIGPSSSIAMMGDKIA
AKSLAKKIKCPVIGSGEIIIEDESEGLKIAEKIGFPIVIAVAGGGGRGIRIVKEKDEFY
RAFSAAAEAEAGFNNPNVYIEKFINPRHLEIQVIGDTHGVYHLGERDCTIQRRLQK
IIEETSPILNAEIRVVKGVAVDLARSAGYFVSQVTEFLDKDKKFFYEMDMTRIQVHT
ITEVTOGIDLVKEQIHVMGNKLPWKQKNIIEFGSHIICQRINAEDPTNFSRGLRDVY
LPPAGSIRVDGACYSYALPPYVDSIAKVIKAKKKNREAIAMKRALKEFHIGGVQST
IPFQFMDLPKFLSNYDINDNLQAQNSFFKEF

CpN_0183 221207 220695
accB-Biotin Carboxyl Carrier Protein
RRIGMDLQIEKLIAMGRNGKRAIKRGLLELERTREGNRQEPVYDSRLFSGFS
QERPIPTDKPKDTIKETTTENSESTSTSSGDFISSPVLGTGYGSPADSPSPVKPGDIV
SEDTIVICVEMKVMNEVAGMSGRVLEVLITNGDPVQFGSKLFRIAKDAS

CpN_0184 221814 221221
efp-Elongation Factor P
QWIKFCCEEKIMVLSQSLVGMFISTKGLYKVTSVSKVAGPKGESFIKVALQAASD
VVIERNFQAEVKEAQFETRTLEYLYLEDESILFLDLGNYEKLFIPOEIMKDNFLFLKA
GTVSAMVYDYNVVSVELPHFLMWSKTDFPGDLSLSGGVKKALLETGIEVMVPPFVE
IGDVIKIDRTCEYIQRV

CpN_0185 222457 221765
rpe/araD-Ribulose-P Epimerase
AEVKQESVLCVPSIMGADLTLQVEAKKLEQAGSDFIHDIMDGHFVNLTFGPGIIAA
INRSTDLFLVHAMINYPFEIESFVRSGADRIVHFEASEDIKELLSYIKKGVQAGLA
FSPDTSIEFLPSFLPCDVVLMSSVYPGTQGSPLNTIEKIAFAHAIKTLGLKDSCLI
EVDGIDQQAPLCRDAGADILVTASYLFLEADSLAMEDKILLRGENYGV

CpN_0186 222878 224068
*similarity to Cps Inca
PIKDKILMSSPVNTPSAPNIPAPTPTGPITTKPRSSFIEKVIIVAKYILFAIATSG
ALGTILGLSGALTPIGIGIALLVIFVSMVLLGLILKDSISGGEERRLEEVSRFTSENR
LTVITTLTEVLDKKAQDQTLLEIENRNEONKLTAEDELEQVSKLSEQLEALERI
NQLIQANAGDAQEISSELKLLSGWDSKVVEQINTSIQALKVLLQGVQEAQTHVKAMQ
EQIQALQAEIILGMHNSALQSVENLLVQDQALTRVVGELLESENKLSQACSALEQIE
KLQHETSQQRIDAMLAQEQNLAEQVLAEMKQEAQKASEFIAACVRDRTFGRRTPTP
PTTPVVGDESEDEGGTTPVSPSSVDRATDQDQ

CpN_0187 224218 225045
predicted methylase
VFLTYTRTLPMHKSFLSRKKNSHKEETQND/ASSYNIKIVQDKHYHYHRETILPOLL
SLTLGKSSVLDICCGQFLPALPKECRYLIDISPLIALAKMROVNSHOFKAVDLS
KRLFEVPTLFSHAVAISLQNMFFPATAINTATLLEPQOFFIVLNIHRTIPRASSW
HYDEIKKATSRHIDRYLSFNKIPIMAHYQKQDPTLQFHPFLTWFKELSHGFLVSGCL
EEMTQKTTQKRAKENLAKKEPFLIMLCKIKIK

CpN_0188 225090 226400
Cp12 hypothetical protein
KFLKCEIMFRKLPFPKSKTKQKORLNKNNLQALQISLKVILHNEAKKCAVLSYGLL
TVVILVFLRLDNLPLTNLWPEWLIIPKFLYKKTVAIVAAZYHATEINIGLVVGF
VPPVWAKILMLLSEDLNKLFPETMPLGLPLVAGSITIMFIVGSEWYITQ
...
VWVYQKAFPLQVSIENYSP/CAVVALPFLILLIYTMVLPKATPFIQNRCT

83

ALKDPEGIPVIDTLDLVVQNTAIDALNSGVPLSLIGAVLARFQNSWKEIREQA
ARNYPTPLIFEMHPDGPVPHALYASKISYAQGFMLQSEASKEYIMGLDLGEIA
LWVRGGCIIQSAFLSVIHKGFAANPENTSLIFQEYFRGALRHAEMGWRRITVTAIGAGLP
IPCLAAAITFYDGTPTASSMSLAQGLRDYFGAHTYERNDRPRGEFYHTDMVHTKTERV
K

CPn_0350 393169 393684
 P2000, hypothetical protein
 P2000, hypothetical protein
 EQLLKMLKTLFILESETPTINPKPHAPRGSGKKRRDFINFTKTDIERVLELARQVGDKDLL
 ARFSPPKKPLTSLKRELIIRIRNGIVSVELWNAVYEAVKAVSSPNLEVTSPFV

[illegible]

CpN_0351 393861 395432
 act-ADP/ATP Translocase
 KTKVFRQVNMHTTEKFPFKLRSLFWPIHTELKKVLNPLMFCCITFNVTVLADTKPT
 IYVAGPQSGAAEIPFKIPWLVLQAIIPMLIYAKLSNLSKQALYAVGTFPIFFALFOT
 VYIPRLDPHTEPFADRLQAIPGLGLJLALRNMTFFAAFVVLAEIWSVNLISLMWFG
 ANEITKTHEAKRFALPGTIGANISLLASGRATVMSKLARSVSGVDWPGISLRLMNA
 IYSGVLMSVWINKVILTPDRPYNEPMQKGGKAKPKMMKDSFLVILARSYPILLIA
 LVLVIAYGICNLIEVTKSQLOKPYNMDDSEPMFGNSFWTGVSVLMLFGQGNIRK
 FGWLITGALVTIPVMVLLTGIVFVFLFIRNQAQSLVAFMGTFPLMLAVWGAIQNLSKST
 KYALFDSTDEKAYIPLDQEQKGAALIDVVAARQKSGGKALIQOGLLVICGSIAGMTPY
 LVLVLTPIAIWLVSATKLNKLFLVKKALKEQVEAQDSAPASS


Cp_n_0362 407843 407055
flia/rpsD-Sigma-28/WhiG Family
LDKKFKVKTQOTQNTJEWNFYWTQIEIYRDSLIEFYLPVUKSVVHRLISGMPSHVKTLE
DLYASGVGVLAVRAVERYNPERSRFEGYVAFKAI1IDDLRKGWDVPSRVHQKALSG
AMDSLRQSLGKEPTDLECELYNTSQQLSGWFGVIRPVLINLNEWPSQDGBAGMAL
EERIPDERAETGYVDVKQEPFSLCLANAIQELEEKERKVMALYYEELVLKEIGKVLGV
ESRVSOIHSKALKLRALSAFR

Cpn_0352 395478 396380
No robust homolog present in Genebank/EMBL as of 11/7/98
WVGIFVINSFHTSYVAFVQKVIITVRHSQCTMKCSPALTVLPHVFLHGLDCECHRSCLKI
WVGLVGLGLVGLVSLVSVFLVPAISVYAGTGLMAASPTVLITLWALLAKSKVLPI
PNEQLQIYNRYVPEKVYFVKTSLITKELVFINCWKSGDLPNNLHKAEAFGIDILK
SLDITLDFPEEILLNCPWLVSFIDTDSVAGEIGLNKTKQVYGLGLFAFHKGTYT
IFHSYTRPRLTLISESQYVFLYSKASIKGSDSPVKKCTCEEIFKGLPHMIFKDVQGIS
QFLPFFSHGTHWEQAGMQLIPDNWMLQDKFAGHGCSMATFPEGLPHNIPNDVPS
SNYEYTFVPMWTKELVYLLEKVPSEMPASALVQKICVNTTHHQNLKRWQFVRNTSSQ
WTSLLPYAFHATGYKLEKIESSLPRSSL

CPn_0363 407900 407943
flaH-Flagellar Secretion Protein
EFAVFSVGKGIKQGMIFVLNLSLIVFLPRLQILLDFGLGICISFALSLTVGVWFTLNST
SAKLFIPFVFLCLLRLLNLASTRWISVGTASSLIVSGSFLGSLWAATFACLLLF
SAGAEVFRVFLGSSERIAAFLSPFFLEALPAQMALKLSDLVSGRASVAKVKQNALIEEGDF
SAGAEVFRVFGKDAISICLLLVNVVSTVCLTYSYGALQMFWTVLGDALVSQVPLL
TSCAAATISKIDKEESLLNLYFEYKQLRQHRVSVLSLIFSCCCIIPSPFKVILLASL
LMLAYKEEPAESGCEIRAFSVYEGAKQEQESQFVYVRAASEEVDGLGRVPLVLS
LRIEERFLRVVGQNVLDMEPEALVPLRNIAHALNAEAVQKYLEEASRFGVAGED
TVKPIJLSLSVLLSRLVVRVLSLKFPLKIEAVALVQSGSDSLIEAKVRKKSQGIWI
GSLNLDQKOTLEVITDFHVEELSYKSNKPNFVIRRVDSLLERSVDFKDFRAIVT
SCTFEFNMKMLDPHFDDLLVLSHDELPELISFVLGVDEVLPV

CPn_0353 396893 397135
No robust homolog present in Genebank/EMBL as of 11/7/98
LRFNRNKKSLFIKRIYRYSQSGKEQKGARPPFKKSITSSLVILLEAIFNENFSSIIQNN
FNKFNKNKNISINRIFVKFTI

CPn 0364 409954 410238
fer4-Ferredoxin IV
KENSMAKLVITSSDDEQQEFELEDNSEIAEPCESMGIPFACTEGVCCTCIVIEVLEGRENLS
FETETEVDFELGEPEDSNERLACOCRIKGGCVKVT

CP0354 397062 398507
No robust homolog present in Genbank/EMBL as of 11/7/98
YKTESIKILIKITFLIGFLNLRNYQTIDEPRKMSNITSFVVIQNNRSCNYFFELKSN
TTHVTSAILLCALGALIFLCVAFVSYLISGALGLGLLIALIGVLIGIKKTPMSSKE
QVQELVLRNIRAHYPKFSVDPSYSEAKPNKDLISIT IDLLNQLHSGVSTNNVMSLELQ
QKQITFGIARLNKVEKTSALRKLESAASRPLPKIKLQVFFWFGFVIFISAGSKV
VELHVKKIGGSLEEDLSYIKPEMLPTWYLPLDPRFTNNILNHLTVLARVLTRDVF
QHLYKAALINGENLNHLSLDNMQQLFAAYQASQYKHLSPQSLDEQFNLLCKIFKH
RYSKMOKSLIKTPVDLWNLCITLDHTRGPQMDFAESLGTLYTQGLIHKEAFSLSS
LTLESLDFQKITRRRSTNIAMFLNLATHNSFRSLPPTIVHPLKRSVFSPQDESSLL
IG 

Zfn_0365 410498 411544
 ... robust homolog present in Genebank/EMBL as of 11/7/98
 FCKTQVNSLIMETISPTSLVDHPLVDTKKSCNSFDPKQISRILLITAFVLTGTLTGLL
 IGLLLNIPYVLTPLGTSIAFVLLNIPYLYKRTAKLTKPRAGCKHKKEIKPFRVSNLQYSS
 SIATNRSKNEWHQPKDLNPPASALLTDNPLYEIAWKAHSLFSLVSLZGPNPHELLI
 SASENLLDILLTEESQNPAPISSTVDTPSPKLLNLAETQVREINTELPAGDSGGERLL
 WSPDFGRGVPFLPOIPTPEAYIVYVYVLTQYVIGTALNTNNQIQLPYSLRHLYSREL
 RPSPRMOOSLIMATVYKMAELHPEVPLTIACTVRSLSALQPOESIEDLS

Cnfr355 399955 398591
 No robust homolog present in Genbank/EMBL as of 11/7/98
 IRDYLHIIYTAFTNRSIKELAMSTIVPHALFNMCCECHSTPLPSSRTIVRIAAISLFC
 IGAALGCLAPFVNSIGLVAFTAFVILSVLILFIEGKKLPPTPTIRIPTRFHTVID
 EAGLSSIAFVREQQVTLAEFRQFSTALLCNISPEEKIKQLPSLRKSLGSGFSLRAGD
 LRKNWPIFEDLLSTCPLYWLQKIFISAGDPOVREKQVVPRECYWGLPGYLSGTAKAT
 IFKEKTHHILQQLTFLDKLLKNKALQEKWDVDEKVAIVERITYITQTARGTLTEAGGLT
 KETISKELLLSLHGYSFDQQLITQLPRADWLKDFVNSTAYNLQCLAGLVSQNL
 LDSSIFDQVNLGLVYIQDLKEVAQFASFADEPKKELGKFLRLHLSVSKRLSEVLRRQL
 RLHLEHGNAARARYVDLKEVTGARHRSKTSIFFKD

CPn_0366 411976 412440
No robust homolog present in Genebank/EMBL as of 11/7/98
MGYLPVSA^TVDL^FFESPAAPL^SSANTONQ^KL^LLKGKQQAESSPRTIT^SVILEV^LLK^LVIGC
CLIVLSLLAIRPALQFTLE^TGHPAAI^AIVLAVSG^TITLLVAVI^ILFCFLA^VVPFAA^LKKTY^K
VKTVDDY^SAWSHSHOOTPTL^GTIFSGIVYAESQA^LLL

CPN=0356 400465 400109
No robust homolog present in Genebank/EMBL as of 11/7/98
KQVQLFQYMNESGQDWLDFDSQEGFQLSRVLGLLHSSWALYEAKEQFYLPEVSLTWE
FI.FI.FI.FI.LSKPTKHGVAKDLNVFEKHFQFRFROYLGSLDLNRFENTFLNYPKYHLDR

CpN_0367 413078 413836
No robust homolog present in Genbank/EMBL as of 11/7/98
SPLNRLYFMTKTTSIPDVHNEQSHLSVDRLIESPVLT7KKEVIAKIIKLTALILALIAA
VGTAVAGVLGNPLMATGAAALAAVLSCLLLRRRSPTEELLGPKVHPKFDIAAQ
VSPVPLDYLQKLLRMLTAVTLNLTLEINISWTLQDPNQQRYVYWEHQGAPITLVATGDIK
PRLKTSGRVMIVNAANSNMQSGGAGTNAALSAATHPTCWNNRTSGGKINTGKGLSVGEC
RSAPWINDWYNK

CpN_0357 401341 400469
No robust homolog present in Genebank/EMBL as of 11/7/98
YSSNHGASMVNIQPVYRNTQVNIYQATQFSVCQPALSLITIVSVAVALAIVALVCSQSL
SIELGTALVLVLSLIFASAMFVIYKMRQEKLLIPKKMIELIQEHYPSIVDFIDQEV
SYTEIHLISILNKNTVFDKAPVILQGLKLFQIEKFDVHPHSPKNFTEILLQCPHLW
LGRVLVPMVSDVTPTCTYGYWCGPLGLYENAPSLFERRSSLLLLKKISFGFALLDGLKK
NWSSGSIWQIRNLFTBYVADQFEVDFAIFNADYQFDSLLHLHSPKLS

CPn_0368 413766 414107
No robust homolog present in GeneBank/EMBL as of 11/7/98
TLAKDYLWVNAAQHPGSIETGRINDTPGEAHLAQLLGPKYEGELKAHPKLSNVIKKA
VLYCFDEALNNOATVVOVPLISSIYSPGGKLELEPVNOTKPNSSAYKLYHIHT

CPn_0358 401757 401578
No robust homolog present in Genbank/EMBL as of 11/7/98
EEVLVGMKLIPTDPSIERETDSKRDKIETIYICSSKVLAGHFFSHLDKHNKIHSIGV

CPn_0369 414345 415562
NIMTDSNPSPVSYTASLYRTPAKHVSPIRLPLNRTRDIEKILKIVTLLTALACALGFSTIA
AGLIPAMIFSAVVVLTALTAAVSLYLKPKKPYLELIPESQSSSSPSPQPEQD
LQIDLPLDPSPSVLSVLSADLTTPPEELTATVPGYCALQENQDLLPSLAADVPSFD
TPTPQPCFIIWLKDLKLFISTGGDIAPVRIKTQGRVMVNAANENISREGGTTNKALS
LATSQCWNASRLFRAHSRSGSLQDPCGRASAKWENSDHSTNDHVPGKAHFLAQLGPEA
ACKNNNDPKQAFKAFHNLFOAEIIGDVQILDPPIICNLGNLFPSSLNLGKTRAEWE
AKIALALITLDFQWGEQNDQEQKILITLDDQLLIIIPRFDLTPR

```
CpN_0359      401994      403817
CpN-GTPase
ITPQYLKEYKNIENIRNFSIIAHIDHGKSTIADRLLSESTVEEERMRQLLDSMDLRE
RQSTIANVKAHPTMTLYVEGVYQLNIDTPGHVFSYEVSRSLSCAGELLVDAAGQVIA
QGLANTV(LALDERLEID)IDALDPDVPVIAQQLIDETGLDITNTIACSAQTGGTIP
ATLKAIDLVLPPKPAPEATKALVFDSDHYDPYGMVYVRIISGELKKGRDITFMAAKG
SSEFVLEIGAFPLPKATIECSLRQGVQFVGTIANLKKVVDVKIGDVTYTKHKPAKTLPEGF
KEINFPVIFAGIYIPDSSDPTLKDALRGKLVNDSALTIEQSSHSVCGFCGFGFLHHNI
LEIFPERIFERFDLIDATPVGIVYKVLKNGKVLNIDNPSGYPDALIEHVEEPPWVHLNI
ITPQEYELNIMNLCKLKGICVKTMELODQRLVLVLAELRGVSDVFNDDKLSVTKGYGS
FYDRLSYHPKGS(L)IDKLEINEEIPIDAFSLGVHVRDPAESNIGVCEKLVYDIPQGLFKI
IPQAVITPKYIARETIRALSKNVTAKEYGGDITRKRKLWEKQKQKKRMRMKEFGKVSIPNTA
FVFLKLD
```

CpN_0370 415755 416912
CpN58 hypothetical protein_3
KRIFPKFLVFYLYKFSFMSTEPNLTVNVLTMILSISSMESPTQLASHKLGKGLDVAFILIIIGI
AVSSTGATITAGLIFLLPILITALAVAFSLIYLFLLRKEKSPISVTHQPTPIIKDTPLDPL
PVLDTVPVTEATLGLFPLSPFRTHQTLQENWDRIPLDQANTPPTIAADNQTGYAWHL
KNSNLTILSTGLFIEKPRYKTVGMIVNAATPMNNMNVKQTLALAKATSVRCWENSCK
SPDLRSKQLPGLGECRSARWENLHMTNAGKAGLPGLQGLGLGPKASDYNPNNDATFT
CRQAYLNLNCEAKRRIWTLPLLLCSHFQCPKDEETSLRLQWIDGKVALIDALQTF
GSEAFENONKWIILTTLAHPLTTP

CTG 0359 405 to 4 403922
 CTG 000 hypothetical protein
 VALATHGILGLAVMKNKVLNMIIDHGSVGVYNTPEKTRDFLKEYPNHIRELVGFESLE
 DFNVNLERIRKIMLMIAAKPVQDSTHALLPFLENGVDVLDGNSYFKDSERRCKELQEK
 GILPFLTAAIGELIRARIPSTMYGNPAAVLVAPIFQSLAAKVGQRPCSSWVGTGAG
 HLYPAVHMKIYQDGLICGAYGILRDFLGLKLSATAVATLLKWNLTLELESYLIRIASEVL

CPn_0371 417141 417503
No robust homolog present in Genbank/EMBL as of 11/7/98
KTMVPSSAPLPTSHRPPSSGNLMEPEKKAIPAKIQDETTPTTKILVAVILVILVIEVLG
IAAFFIPGTPLCLILGAILTTPVAVLLVIRKLAIVHKTETTTAFQQIKRRLSKSI
S

CPn_0372 417651 418061
No robust homolog present in Genbank/EMBL as of 11/7/98
NYVGRNIGNHMSPPVVTTSACAP/EGTPYIEFLERLGGGRGRIKIAFAAATTAALLLN
TFVCGIVAIAMIEVATSVGAYFTYIGLEFLERLLAIAIMLEMYKITHPSQNTPLSN

CpN_0371 418356 420218

ucpE
NSEIFEIMTLITPAINSSRRKTHTVRIGNLYIGSDHSIKTQSMTTTTLTDIDSTVEQIY
ALAEHNCIDIVRVTVQCIKEAQACEIKERLIALGLNIPLVADIHFFPOAAMLVADFPADKV
RINPGNYIDKRNMFKGTIYIYEAQAQLLEEKFAPLVEKCKRLGKAMRIGVNHGSLR
ERIMQYKGTDEGMVASAIEYIAVCEKLNRYDVVFSMKSSNPIMVTAYROLAKDLDRG
WLYPLHLGVTEAGMVGDIKSAVIGITLAEGLDGTIRCSLTGCTPTEIPVCDLSLRHT
VHQAQPVHFAHSDPFIHTSRDFFKQGHQKPTKLVFSRDFDNKEEAIGIATEFGALLL
DGLCEAVLVDLPNLQDVLKIAFGTLQAGVRLVKTIEYISCPMCGRTLFDLEEVTTRIR
KRTQHLPLGLKIAIMCGIVNGPGEADADFGVSGSKTGMIDLYVKHTCVKAHIFMEDAESE
LIRLQEHGVKDPPEETKLTIV

CpN_0374 420209 420961

CT056 hypothetical protein
VDSMTLSFHTPLNYWTFEEFDGLPIRHGVFSKQKDAECTVFAAKNPEIASALQSPKYCD
LHORHGTSVRCVPTSPYQPADGLCTOSPLLSLHRSQCAAIYFIDREHHAIANVHSG
WRGLGNIYAVTVGTMKLLFHTKQDLPVAIGPSIGPDYATYIDYATLFRSFLPFMNP
NHFDLRAIARKQLTNLIGSKDRIFISDLCTYTEHDAFFSSRYLAHHPDNLQGHSKNRN
NVTAVLLLPD

CpN_0375 421112 421615

No robust homolog present in Genbank/EMBL as of 11/7/98
RLSMKLGASTNHKVEPVKPKKAQAEIEANKTQATBTLRSKSLAQIARAVLYILFAA
LMLAAGITFVTFLALGFPLIQAYSIAGITVLGLAIGLVLLLSLLPKDEEADALSRLA
LLPLTIIVIEEQPIPKPEIYPSYTLKALLTSLFLTLRRSSSRQKTH

CpN_0376 421680 422294

No robust homolog present in Genbank/EMBL as of 11/7/98
FKWVAKAPNLTEIRDHCRVPSFLSPETSHWKGDEVSAPLKQDQLGEEQWAMK
TKMNRKAGQWAFINSPTRPOVSTLVLAWTWPWYQKVDQDILERKDPMSSSLSEKDSK
EFLKMLFDLLENGFTSVHIAEAEPTLPHDTGKPHKRDNVYLPGKLLGALNEAAVQAN
VSADTQTLFLTDCECPHFKDKRG

CpN_0377 423441 422347

sucB-Dihydrolipoamide Succinyltransferase
INTTEVIRPNIAESIEVTVASLLVTEGALIQENGLLEIESDKVNQLIYAPVSGRIFWE
VSEGVDPVPGVGKIEPAGGEEGLGDSQSKETIEAEIICFQSGVQSPENKTFIPLR
DMDQSGSGLSAGDRGETRERTSIRKTSRLLSALHESAMLTTFNEVMTPLFLRKE
KQEEFLSRVGYKLGFMFSFVKAVALKAYPRVNAVIGDEEIVRYHYDISIAVGIDRGL
VVEYIRDCDKLNGEIEBQLADLALAREGLLAIAGLEGGGFTITNGVYGLSTPIIN
PPOVGIQGMHKIEKRPVVDNEIIVADMVYVALSYDHRLLDGKEAVGLVVKVGLLENPA
SEEDL

CpN_0378 426195 423445

sucA-Oxoglutarate Dehydrogenase
IYTFEYFNDSEFVGQVYSDDMDIESHYQRFMNHETLDPMSWYFEGYQLGQAASPSE
ASTKISGNETIAMLEQKQSFLCTIYRYGYLQSQISTLAPTDSRFIOEKIADILDEQ
VRSAGLLPQAQVSVRELIEALKKQCGSLTLETITCTPELQEFVNLMEKROVERFAEQL
LHSTYDLCKATFEEPIQIRKFTQKGRFSLGEGTLPMLHVLHYGSLGIGSINVLQMAH
RGRNVLNVLGKPYRVFMEFEDDPAARGLESVDGVKHYGKYLKSHQKDRITTFVMP
NASHLESVDPIVEGVAAALQHGAGKEQSSSLALVHGDAAFSGQGVVYETLFRVPGY
STEGTLHIVVNNYIGTAVPRESRSTPYCTDIKMLGIPVFRVNSDEVACIEAIEYALQ
VREHRSDDVIDLCCYRKYGHNESDDPSVTAPLYDQIKRKSIRELFRVYLLGGQFADI
SEETLASIEKEIQESLAREFQVLKGTDPPEPKKECHCORLNGELILHDCDVSLDRET
LEHSSRLCGFPDNFHPHKIKITLLEKRMKMAEGGVGYDWAAMEALAFASLLIEGYNLRL
SGQDSIRGTFSGRHLVMSDVTGDTYSPLYLHLSAEQGSSEMYNSPLSEYALGFEYGYAQ
QAEKTLVLWEAQFGDFANGAQIIFDQYISSGQKMDLHSDIVLLPHGYEGGQGEHSSIA
IBRYLQALANMNFQVLPSTPVQYFIRLEHAKRDLPLVIFTPLKLLRYPCQVSSIEE
FTEFGFRALIEDADPNYDAITLVLCSGKIIYDYAEMLPDRRRKDFSLRIEISYPLALE
DLVSLIDKYSHLKHFWLQESKNGMAYDYMFALQDILPEKLLYIGRPRSSSTASGSAK
LSRQELVTCMETLFLSLR

CpN_0379 426268 426765

CT053 hypothetical protein
KNKMKLCTCSRIQDGNPKMSKERLKLSELDHDTQWMLGLVPKKEISRHOEEIRILEH
KIYEEKERLQLLKENGIEEYVTPRRSPAKTVYDGPMSMDIEFVEPTETEDIDPOETV
ELELTPDEGREGAVEVDYSHEDDEDFPSORNRWRGGIIDPDANEW

CpN_0380 426671 427876

hemN-Coproporphyrinogen III Oxidase
KSTIPTKMTKLSAIAIAGDAVSLIPMLMNGKAPLALYIHPCTKCKRYCSPTIPYK
SESVSLYCNVAVIQEGLRKLAPIQETHFIEYVFGGTPSLVSPDLKRLKELAPHAREI
TLEANPENLTVSYLRQLQETPINRISVGVQTFDDSLQLLGRTHSSAAITAGCQNHG
FSNLSIDLIGLPTQSLIEFLSDHLQALTLPIHISLYNLTIDPHTSFYKHKRILVPTTIA
QEEILAEMLLAEMLSSQGFQRYELASAKPDYPAKHNLVYWDPRFLGLSVSASQYLV
GERSKNYSHISHLRAVRKNLPTQETSEILPKKERIKEALALRLLEGALAEFPSTLI
SMLTQDVKLQNLFSVHQCLALNRQGLRPHDTIAEIEIMGYSF

CpN_0381 429836 428037

CT326 similarity
SLPNKFRALMTAPTESRSSPPTLLEETEPLSPNPIADIQIPRITISPSLSDTVASSA
EDIGVFIAGGPRSSSSASVSDVVELVLCGGDEDEPPDSEVRLTVNGSQWTHQEAQV
EELIYISVGRGEAVRLLVDSGMSGMPWISPCRTLPTLDHPLCOALLVWQEFSSAPENQ
REFLVIYFGDASPIQOALTQSRHSPIVAVGISTPTVIGQDFRVNRYRSGDFSSLD
RCPAENTMTILPYSGLGCVLPSIRCPSTMAVRFGQCLVANGCEDVEDRGLQSQDAE
RSGLPHICERDLAVIDSTDPSSMSRVELWMLQGPSDSMEINPQRCPDVALSALYALS
IVYGLAQEWILAGVHEGLDLQICYSILMHHTFAVRYPFLPLFTNYPQSRERFTRARIVAQ
ILPLGPIILVLPFXQNVLRKWLMOEILRAIFISACTISGTVFVETRMWRGLRHRVQ
QPVYQVIGGLPVGTVRASRYDRAGFIQGLQTVHGLYLGYSIMVNLQIAIQVPRILV
VHITAVYDLHNKGAENMSGGDLVAGQTLNFIACAFVPLNFWFVKSVLRIHSRRRR

CpN_0382 430752 430036

yzfY-yzfL-PAM-Dependent Methyltransferase
PWTLYLIPHTIATRAVETLPIVIGELVHRLDGLIVESDROGRAFLSLWKIPEVHKPLAI
LKHAKRLKAWDFYLERIVKHENMGLISDAIPLCAIAGCALVRARALGIPQVAFSOP
CITPLALMLSLRQGFPLAYLPQSPKRYKSKKATSKFVJTSVCIETSRNNVYTFE
SLELTLPTVAKLAVADLGSPELVLTROVQSWRTTDLGSKVQKSTKVTPTILFLHIN

CpN_0383 430740

CT047 hypothetical protein
VQDTFTFLTPMOKSLTSDDFDQYAAEKYPAIALIGSALEDDKDALIELLVGESFKELGG
QGLMPTALMSWTETALFOEHETLGIHAEKFPATKEFLSRVARNPQPHLTILIFTTKQ
ECFRELKALPSALSLSLFCGEWADROKRIITRLLQRAERVGISCSGLSLFLRALAST
SLDPLISEFQDKLCSVGKTKSLDHSIKELVVKKEKSLWKFRDLSLKRDPVGHQOHLF
LLEDGEDPLGIITFLRTQCYGLRSIEGSKENKHMFLYQKERLHQALNSLYFAETLI
KNNVQDPVAVETVIRMVNL

CpN_0384 434042 432522

hctB-Histone-like Protein
VITCLIRGIMKIAQKQSGKKTASRAVRKPAKVAARVTKKATVRKTAVKKPAVRKTA
AKKTVAKKTAKRTVRKTVAKKPAVKVAAKRVKKTAKKTAKRVRKTVAKKPAVK
TVARGSPKKAACALACHKNKHTSSCKRVCSSTATRKHGSKSRVTAHGRHQLIKMH
SR

CpN_0385 434042 432522

pepa-Leucyl Aminopeptidase A
FLVIKGEFVFLHQAQSGNRVKADAIVLPFWHFKDAKNAASFEAEFESYLPALENFOG
KTGEIELYSSPKAKEKIFVLLGLGKNEELTSDDVFTQYATLTVRLRKAKCTVNIILPT
ISELRLSAEEFLVGLSGILSNYDPRYKNVDRLNETPLSKVTIGIVPKMADAIKFRKE
AIAEFGEVYLRDLVNRMADEITPKLAEVALNLGKEFSDITKVLGKDAIAKEKMGALLA
VSGKSCVDPHFVIVYQGRPKSKDHTVLICKGVTFDSCGDLKPKSKMLTKMEDMAGAT
VLGILSALAVLELPIVNTGTIPATENAIDGASYKMDVYVGMGSLVEICSTDAEGRIL
ADAITYALKYCKPTRIIDFATLIGAMVSLGEEVAGFFSNNDVLAEDLEASAESEPLW
RLPLVYKDKTLHSDIAMKNGLSNRAGAITAALFLQRFLEESSVAWAHLDIAGTAYHEK
EEDRYPKYASGQVRSILYYLENSLSK

CpN_0386 434543 434046

ssb-SS DNA Binding Protein
KSKGYLMFAGFAGYLGADPEERMTSGKGRVITLRLGVKTRVGMKDETVMCKNIWHNRY
DKMLPLKKGSGVIVAGDISVESYMSKDGSPQSLVIVSDLSKSPFORNEGSRSPLED
NHQGVQYGVSVGFEALDAEAIKDKMAYAGVQGEQYVCEVDVF

CpN_0387 435229 434699

CT043 hypothetical protein
NNNNLLQDLSMRQNAEENLNKFAKELKLPVAFDQNTTCILFVDGEFSLHLYEHSND
RLVYVFLDGLPNTQKRLALYKELLEGSMGQAGGQGVATKEQLILMHVLDNMYK
AETNLLKAGAQLFIEYVVKRVTVCADICAGREPSVDTMPQMGQGGGMPPTGIRA

CpN_0388 435323 437320

glgX-Glycogen Hydrolase (debranching)
STHEKVSYPVPLPLGASKISPNRYFALYASQATEVILALTDENSEVIEVPLYPDTHR
TQAIWHIEIGISDQSYAFVHGPQKHGMQVSKFYLADPYAKNHSQSPGSRKKQGL
YAFCYLKEEPFWDGQDPLHLPKEMIIEYEMHVSFTQSSSRVHAQPTFLGIEKIDHL
EKLGVNAVELLPFEFDETAHPFRNSKFPYLCNMGVYAPLNFSPCRRYAYASDPCAPSR
EFKTLNLTQHEGIEVILDVFNHTLGQTTCSLFWDTDSYVILDAQGHFTNYSGCCGT
LANTRAPPTOWILDLRYVEMHVDGFRFDLASVSRGSPGSLQFAPVLEAISFDPL
ASTKIIAEPMDAGGLYQVGYFTPLSRWSEWNGPYRDMVAFNGDQNLIGTFASRISGS
QDIYPHGSPNTSINNVYCHDGTLCDTVTYNNHNEANGEDNRDGTANYSYNFTBGKT
EDPGILVREEROLRNFLTLMSVQIEMIQISGDEYHATAGNNRWALDSNANYFLMDOL
TAKPTLMHFLDLIAFRKKYKTLFNRGFLSNKEISWDAMGNMTWRPGNFLAFKIKSPK
HAHYVAFHVGADQDLATLPKASSNFLPYQIVAESQGFVQNVATPTVSLQPHTTLIAIS
KAKVT

CpN_0389 438254 437319

CT041 hypothetical protein
TVFNFRKFPYQKDSQRQNGNTCLRRPKTKCELIEFRRTVRKLLKNVLLGLFMSISGF
SEVNVSDTVFKQDTPVEKPIRVLLSNSTTALIEAGPYRIGDNLVLDLTAIQGGCVVH
AYEGIRIGYFGLQCLKIEPVDDTASLFPNGQYGLSLYHKKDNHCIMVNSEGTIED
YKLSYLSIKYLEELDKALSAICILERTALYKELARNPQNFVHVKAEIEGYAGFVGTQ
FYGVEEAIOWTARLVVDSQGLIIDAQGLLQSNVDRALIEGFNARQILEFKYKDVDFVVI
ESWNEELDGEIR

CpN_0390 439171 438134

ruvB-Holliday Junction Helicase
RKSDREGSYMTHQVAVLHQDKFDVSLRPGKLEEFYQGHHLKERLDLFLCAALQGEVGP
HCLFFGPGGLKTSLAHIVAYTVGKGLVASGPOLIKPSDGLGLTSLQEGDVFFIDEIH
RMKVAEELYLSAMEDFKVDITDSGPGARSVRVDLAPTLVGATTSGHMLSEPLRAFA
FSARLSYSDQDLKEILVRSSHLLGIEADSSALLEIAKRSRGTPLANHLRWRDFAFI
REGCINGDVAKALAMLLIDMGLNEIDIKLLTTIIDYQCGPVGKTLVSAVGEDIKT
LEDVYEPFLIKGFIKTPRGRMVTQALYDLKRRHKNLLSLGEGQ

CpN_0391 439701 439510

No robust homolog present in Genbank/EMBL as of 11/7/98
KDQYLOKQKPIKATILSRNLEVLMDNPKGRQTLFLGRTSGRSALYSYRRLILVLNLF
MRGP

CpN_0392 439814 440383

dcd-dCTP Deaminase
MSIKEDKWIEMALNADMIHPFVNGQVNNETGEKILISYGLSSYGYDLRLSREFKVFTN
VYNSVDPKCTPEDIISITDDVCIVFPNSFALARSVEYFRIPRNVLTMCIGKSTYARGC
IIVNTPPEPEWEGHVTIEISNTTLPKAIYANGIAQVLFESSTTCEVSYADRKQKGY
KQGGITVPCV

CpN_0393 440229 440723

CT038 hypothetical protein
KFLTLRCEKQKFTLMKQLPRSYSLSVPPARFLMQTEKESIKSNKASPYLVSKSVRKKKN
WCFRLLEEYMKSWVIFSLIGGFYDRAIQELREELRLQSKVSLQDILSAQEKOR
QLQLHLQWQDAATEALIGRLILPQYKGLICVSPKQSGENKD

CpN_0394 440727 441968

elyC-CBS Domain protein (Hemolysin Homolog)
KETHIPMLMFFIIGTLAGGFIQLGALPGLIILYKRIKSKKQORVATLLHHPH
HLLITLIPCDGLNATONCAIPLFGAASWMTAGLILATILAEILPKAVALPNTQ
IAGSVAPLITAVTKIPKLLHWGLVGHVGVQGLKQIDITIQELKEVLQCKDKDFV
VNOEERGLLYGLSLSDSVKERMGPFDIIFDTQTPHENLYLLEPKHNSRVPICNDN
LQNLITATRLILLHIDKPLQGGDGLLLEKFPKHTIARMAALQMAEDETAMIT
DRYGEIIGITQEDLPETVAGEIVGPAKILYTPESALVILASTLELREFEIDINL
PMNNIATIGWLIEQITPTPKMLKSWHILPQVLDAAINRIRRYIRKLYD

CpN_0195 441955 443175
CT257 hypothetical protein
CNCMTNLSALFWGVNLCILVLCQGYFMHMACVSNFNV...YLTKDHKARYINFLIR
PYRLPCTVLMGVNIALQVSGSSRNCYRALGITPDYAPPTQIFWVIFAELLPLTISRKI
PEKLALWCAPIYLYSHYIFYPLQLICSLTEGLYLLNIRKEKLNSTRDEFOKAETH
HEEQDPTIATNIFSLSATCADQVQPLEQVMTLPSANVQDFCRTIKNTDINFIIVYHK
ARKNVIGIAHPKDFVNKALDEPLNNLHSPWITAKSKLIRILKEFRDNRSSVAVLNAS
GEPIGILSLNAIFKILFNTNIAHLKPKTISVIERTFPGNSRDKLQKLEIDIOFQYVPE
TLAQH...
CpN_0396 444359 443241
yhF0-NiFeS-related protein
YSMIYLDNNAMTPPERGLEFLFOKTFLEIGTYANPSSVHQLGKKSRQLVLEASHMOMQVL
SFGQVRLVTSAGATESNLNLAIASLPKDSHVITSGSEHPAILEPKHSSLSVSYLNPEEGRC
VLTIEQIERAVTPKTSATILGWVNSETGAKADIAIAHFAQERQLQFIVDANVNGKERI
VLPSTVMAAFSGHGFHALSGICALLVSPGVKLHPOLWGGQGGGLRAGTENLWGIASLL
YIFKYLDELHOERISQELTHRNGFEKAIKARIIDVHIHCADQPRANNVSAIAFPPLBGEV
LQIALDIEGVACVGSACSSGATAPFKSLVSMGVDEELTLATLRFSSHLLQEDVERAV
GIIEKVERLKNLS
CpN_0397 445124 444381
PP2C phosphatase family
EHFVDFDYGLSDIGRVRARNEDFWQVNLMSQVVAIDAGVGGRLGGDIASQEAVTSLMEL
IEEQSKLMGYGDQDYKETLKKILLEVNGVVEYHQMEELHQMGTTLISQIFRDKRAWL
FHVGDRIYRIREGELRLRDEHSELQNLKRYGLPKQSDKVYSYRHLTNVLSGRPYVM
PDRLNLPCEKEDLYCLSDGLTNMVPKIDIRDLINQATPEERGNALISLNRGGDNA
TVVLVRIQ
CpN_0398 445518 445700
No robust homolog present in Genebank/EMBL as of 11/7/98
IEELPMQIENSSILFAEVMKWFIFSVISAPVVLPGCTLIPKEKVTVPQSLWSESLSQ
P
CpN_0399 445759 446523
CT253 hypothetical protein
YKLMRVNLKSLNCEISDLKSNFPRARIFCKISNLRVTMVKMLVLLASGLLSPTLSS
CTHLGSSGSHYKLYTSKSKTKGVIAMLPVFRPKGSLEPLPMLNGEFTTEISKRFYAS
EKVFLIKHNASPOTVSOQYAPIANRLPETIEEQFLPAEFIVATELLEQTKGKGVDSVT
ASVVRVDFDIRHKKIALIYQIEECQPLTLVNDYHRYGWSKHFSDPMGLMHSRLFR
EVAVRVEGVYCANYS
CpN_0400 446527 447306
CT254 hypothetical protein
SKEMSKFILLSLGVAALASKNFIPWAPSGKTPKLRQVLFGGALLVSSSLVALSVSSQ
TAEELSTMGTISLAFALFLYLLFLPKDITRAILFSGERPVKTSWRALGSAIRMMIIIPV
TQSGIMMSKFLTLVLPQTEHQVTEQVONSLPTGHYISMLNLGLVTPFGEEVFFR
GILQTLKMKTRIAAQLCSSIIFSIHIEHSLGSWVFPVLFVLSAGFLYEKDRHIL
SPALHGLFNLTSLLFLGK
CpN_0401 447884 447495
CT255 hypothetical protein
MDFHAFSKLIGTVRAMVVEGRCPMSLQQLSVSMVEHILGECQEFHEAVLQCKTVQEVGSE
AGVLTLLVILCFLLEREGVLASEDVANEKELRRAPYIFAEDYKPVSTIEADRLNEL
AKHREKVEST
CpN_0402 449012 447888
mRy-Adenine Glycosylase
NBRFCMTKIAFSEKAKNFPVEALKWFKENKRSPLWRDNPPTYSVWVSEVMLOQTRAEV
VEDYFNQWMERFPTIESLAAKEEDVILKWEGLGYSRARHLEGARMVEEFHGKIPDD
AELSQAQIRGVGPVTHALAFAPKRAAADVGNLVRSLRIFLIETSIDLESTRVWSRI
AQALLPHKSPVIAEALIELGACICKVPOCHRCVPVQACGAWRENKQFVLPVHRHAKV
IHLRLVAIVLYDGLVVEKRRPKEMAGLYEFPYIEVEPEEGLODIEGFTKMELESLS
PLEFGLNLEKQRHAFTHNKHVLCPIIFKATSLPQFGLHLLSDIDHAFSSGHKKIKDAL
LLEGLDVRRESISGV
CpN_0403 449009 449710
yccC-predicted pseudouridine synthetase family
NPNLSNDKRAALQYFMENSLQVLSLSSFLRSQPLNHSKOEILASIRQHRORVNGF
IERFESYKVGQDVRVLSLIPSTKQOPSILWEDDYISIEKPPHLLTTEQMAHMTAFPTVH
RLDKGTSCOLLCKSKQAATLMLKFIHQYIAFVGHKPKKFTQVKSYPVYR
CGAIVFAGAGSQGEPIKSAKYWCWVILLSEHSTTLKNSLPRSSALSSMLTP
CpN_0404 450962 449871
No robust homolog present in Genebank/EMBL as of 11/7/98
ELEALEQYKAVLLIALSELGIDTMSLLSGHRELEGFPPIAEVMAACDRQSMDFCEILKS
QSMDLWADAASCVDGLQDPFWSTAIASGIAKSLQETEFECESKVMVLSWGEQGAQVC
SPFNLERICMSFSLKVPFLKKNKCNEMGQLSASCMLNLSIFFVATMGSTPTIWTKE
NLMAVALVLSHYQCYFVPATGDPORGNILGNPEVNAIARGMGMVLEKRRGEGSSSS
RYLELAARCFENSLLTKSLSDANNVQERDKLLQMTSLMHTAGLNRPPVPTPSGT
AHPOQPDVPVTSQPSLLGARERSFVSSRGRFPVVLPLSVISPRSHGRVERRDLEDEE
EVMF
CpN_0405 451814 450966
CT105 hypothetical protein
NIQTSRVRLLKKFSKEPTIRTRYSLGFTDYLGCCLTNPLGKFPSPONQOVVITAPSSST
POAVSSAVGFLQTCGAASSTATTTTASCASALGSPDOVQALLTNLLNVQPSVGGQST
SAGTSGASSSSAGMOQLQLLIDKTTSCGSSVSSSQLOQLLSLVSOHMTSQGSGGTQ
AQCAASVLLNLLSATQSAANPLCTAASLAQIIVAAVTSQAKKTEFCYNYCGTCCQN
CGCPTCCGPDQCCGCGRFPFCGVWKNCCGTGEGSQEPALPL
CpN_0406 451960 452865
tubE-Enoyl-Acyl-Carrier Protein Reductase
GKPMKLDLTKVAFVAGIGDDQGYGWAIAKLLAEAGATIVGTWVPIYKIFQSWEKQ
FNEGRKILDMGLTLEIAKIPMDAGPDEPDVPEIDANKRYKGITGPTIEVAEQVKDF
GHIDILVHGLANPEIKSILLETGRKYLAALSAITGPVSLLEHFGSIMNRKSTISLT
YLAAIMRAVGYTAMSAKAALESDFKTLAMEACKWGRVNTISACPLASRACKAIGFI
EHMVDYVQWAPITHEAMNAEQVGAVALASPLAIAITGETLYVDIGANVMGIGEMFPK
DE
CpN_0407 452757 452855
HAD superfamily hydrolase/phosphatase
NYGDAMEKLLVTDITIT...DKKYZERLYALHQA...WKLFFLTGRYKYAAPLFSD
FOADPYLLOCNGASVWGT...FKSUSPDLLCLQDCMEGATLFGVSGCAPYGDHY
YRFSGPTIAQDLHEVYDPRFPENAKEREILFETRESLKDQYAFSGFAAAKVPGLRDEVIRI
QKLEERQEALTSVATMTLMRWPFDFRYAILFLDTOKSVSGKALDRVNVILYDQKPFVMA
SGDDANDLLEIRGDFKIVMSSAPEEMVHADFLAPPADKNGILSAWEAGVRYDDMLSL
CpN_0408 454090 454581
CT102 hypothetical protein
IPVLLNPFH...
CpN_0409 454645 455127
CT260 hypothetical protein
MTTWLKNQNLTKFLKSSDEPFLERESGLTYINIOANGNELPLFFVIRSEGEILQLICY
LPYQLHSHKASTARLLHLNDRDIDPFGMDEEOGLIFRYLVLPLCNGEIHDTLLRIYI
DTIKLVCSFSAHIGLISGNNMLDELRRALQEQEKKNE
CpN_0410 455087 455933
dnaQ-DNA Pol III Epsilon Chain
DVRLFKSKNNKNNMSSQMDVLIIFYDTETTTGTQIERDRIIEAAYNSVTDESFLTYNPEI
PIPEASKIHGITTAVLSAPKFEPEAYEGFRKFCGEDSILVAHNDGDFPFLGKECRHH
SLEPTNRTISDLSMAQKYPRLPKHNLQVLRQVGFAGNQAHRALDDVILHKVFTSLI
GDLPPQVLDLQOSYHPKVPKMPFGKYKGQVLDIPKSYFEWLENQGLDKPENKDKIA
AIALHQPT
CpN_0411 455794 456609
CT262 hypothetical protein
RHQSRYSSTITMDILTAAFSPCPNDIFLFRSLFKDPQFRPLLNQVTIADIETLNTLALQ
RRLSLMKMSAALFPLVSDYNNLMDVGNLTGNSGPVLSLDPECSLDTLATPGEMTTAHA
LCKLYPKALIPMPYDKILSAILQGVGGALIHHEERFYDQLQTLRADFGELWRRRTI
FPLPLGCLIAKAYVPMATVDALTAALRKSILCLSDPITAGAKAVEYSKKNQVTVIHRFI
GTYINKBTFLSKTKGKALHMLKANECQYTT
CpN_0412 456515 457246
CT263 hypothetical protein
EPISYKPPNLYKGLKLYICSGRPMNAVTPKKILCIVADYREISPLIEQLDFTQINEH
LYSTYCTDYLHDLTYIVHWGSTAVNLALQSYQAYTDDYLDWINPGFVGCSPFPLQGCY
TIEKIANLITDTPVLSDEPPYIFDALPDSLKSSSLVTSPLVHYHGHFTKLLDMGEYA
IASQAEHIPCSEFLKITSDYTVPGDCPFSLREEVSKLTQTLVELLPELMERATPKKLL
LPCP
CpN_0413 459209 457227
msbA-Transport ATP Binding Protein
VFMKLLKAVLRHKNHVLGCSLLAILGLTFSSOMEIFSLGMIAKTGPDAFLFGRKES
GKLVVSELSSQKIDLENQWQASKDSSETLTVSDATYIAEHGKSTASTSLKSKFVRNYID
VSRFRGLATFLICVAIFKAVTLFFORFLGVAVIRSRDLRDYFKALQPLMTFFHDHD
IGNLSNRVMTDSASIALAVNSLMINYIQAPITFTLTVGLCLSISWKFSLICVAFPIFIL
PIVVIARKIKNLAKRIKQSQDSFSSVLYDFLAGVMTVYVFRTEKFACTKYCEHAKNISAL
EEKSAAYGLLPRLLHTIASLFFAFVWVIGIYKFAIPPEELIEFGLLTYIDYIKKPGD
ENTSIHRCGAAERFYEVLNHPDLHSQKEREIEPLGLSNTITFENVSFGYQEDKHILKLN
SFTLHGEALGIVGPGSGKTLVLKLLPRLYEVSGQKILIDSLPITEYNGKSLRNHIAVY
LQNPFFITVTVNNMLTCGKMEEEAVALKRAYAEFELIKLPGKGVSLVEESGNLSSG
QQRLAIARALLKNASILIDLEATSALDAISENYIKNIIGELKQCTQIITIAHLTLTLEH
VDVLYIENGQKIAEGTKEELLQTCPEFLKMWELSGTKEYNRVFPDHKLVANPTDMAIT
T
CpN_0414 460203 459172
accA-AcCoA Carboxylase/Transferase Alpha
LCIRIVCKIMILFIRGEHILMELLPHKQWVEYKAEIAEFKEKNKNSLLSSSIEQKLEK
RLDKLEKIYSDLTWPVERVOICRHPSRPTVNYIEGMEEFVELCGDRTFRDDPAVVGFG
VKIQGRVFLIGQEGKCDTASRLHRNFGMLCPGFRKALRLGLKAEKGLPVVFLVDTG
AYGFLAEERGQWAIKALNFELSLRATPVTVIIVGEGCSGALGMAVDSVAMLEHSY
SVISPEGCASILWKDPKKNSEASMLKHNGENLKQFIIIDTVIKEPIGGAHDPALVYSN
VREFITQEWRLKDLAIEELLEKRYEKFERSIGLYETTSESQPEA
CpN_0415 461522 460221
CT266 hypothetical protein
SQTFGLPGLTIFVITVWCNAFILKLCVIMGLQSLRLOHCIEVSQNSNFDQVQKFIYAC
QDKTLRQSVLKIIRYHPLKLIHDIARAYVLLMALEEGEDLGLSFLNVQOYPSGAVELFSC
GFPWKLGPYPAEHAEGFGLLLQIAEFYEESSAYSKMSHFQALFDHQSVPFSLWSQSE
NSRLLEKKTLSQSFLQFMQIHPEYSLDPALGFWMQRTSSSAFAVAAQSGQSSLAGY
SSGDGVVIAVGPCSGDISDCYFGCCGIAKEFVCGKSHQTTETISFLTSTGKPHRNTGFS
YLKSDYVHLPIRCKITISDKQYRVHAALAEATSAITFICGKGNQVVDGPRLRSCSLD
SYKPGONDIMILGENDAINVSASPYMEIFALQGEKKEFMAADFLINIKYEKGVMILFEK
KVTSEKGRFFTKMN
CpN_0416 461871 461557
himD/ihfA-Integration Host Factor Alpha
EALSMMATMTKKKLISTISQDHKIHPIHRTVIONFLDKMTDALVKGRLEFRDFCVLQV
VERKPKVGRNPKNAAPVPIHPARRAVFTGKRMKRLIETPNKHS
CpN_0417 463047 462244
amiA-N-Acetylmuramoyl Alanine Amidase
REKMKLTXYLNTKQLRSMISLRFVYISLPMKSLSFALCVLQSHPIAQTNPQRVVR
RSEVIFIDGHHGKQDQATSKELHYEKSLLTSLALTVQGLKRMVGPOLTRSSGDVYD
LGKRVALLNNGQGDVFSIHCHNSSNAAPFTVEVYFNGK/GSPTRNRMSEVLGNILAA
MEKNGILKSRGLKTANFVVIDTSMAPVLVETGFLNSPERAALQDARYRMHVAKGIAEG
VHNFGLGSPFKPKONTAKIRKPIQAN
CpN_0418 464401 462953
mureE-N-Acetyl-muramoylalanine DAP Ligase
MULKEILJGVQAKIYKVRFLVRNLTRDSRCVGGDIFIAHKOOPYDNDFAVDALANG
ATAIAELNLDPLVVOITDNLLEELSAKYYEYPCZKLTITPTGNTKPTTVTCL
KALAEKQKIEELTTEHILGSEVYIDGFTTPALLGYLATVHONRDAVMEVGS
GLACREAVATTNITAVITNITLIDLPHTTETVAAKAPLFLSLVHPSMMVITDSRYA
SGCIEAKAVITTYGIEAAYPATDQLSRSTKYTLT/GGQKIAECSFICKNYNVL
LAATCTVIAEELDELEKILGLCPNRLDPLVMGCPVYDVAITDADALVATGL
HEIALFVRLVVRVVRVHAKKYLMAVVERYGAAVTTIDNICEPEDEITNRELIGL
FVKNVPIELDKRQATYALTAIDQDVLVLAGKHEAYGIFKIQVAFADDPVAVLA
GVV

GIFYAFSPNLEVTZILSME [REDACTED] SYNADLWTKFOE

CPN 0448 504876 503698

[illegible]

CPN_0449 / 507231 505330

pmp-10-MMP-10-(Frame-shift with 0451)
 eayTGRGCGGGSNNIVGTTACNGAAGSILAAGECSLSAEGADITFNGNAIVATTPO
 TTKRNSIDKSTLTLNRAISGHSIFFFDYPTAANTADDTLNLKNADGANSYDSSG
 IVFSGEGLEDEAKJADNLTLTKQPVLTAGNVLKRGVTLTKGFTPTAGSSVINDAG
 TILKAASTEEVLTGLSPVDSLGGKGVVIAASASKNVSLPGILLDNONGNAYENHDL
 GKTQDFSVQLGALTGATDVPVATVATPHYGYQWGTWHTVNDTPIKTKATL
 WTKGTYLPNPRGOLPVLNLSWGSFSDQAQIGVRSALSTFLVAGHGFMAAGVFNLDK
 KKEGKRIKHSGGYAGTGAAGTCSNLSIFAPCOLFGSKDFLSDNONTHTYAGAFYIQ
 HLTSCSGFICLLCKLPGSWSHVLPLEQGLAYSHVNDLTKYTSYPEVKSGSGNNAF
 MMHLAGSHSPYELHCFDTAPYIKLNTLYIQDSSFKEGTSRFPDSNLFNLSLPYGV
 FKFPMFSDYDLTSLVSPDLIRNDPKCTALVTLSGASWEYANNLRQGLVVRGSH
 YAFSPSVLQCGFVEVRGSGRYVNDLGGKKF

CPN 0450 508121 507180

pmn-10:Polymorphic Outer Membrane Protein
 SGMKPKGQSLVSLVLSSTLACFTSCSTVFATAAENIGPSSDFDGSNTGTGTYTPKNTTGTIDY
 TLTGQTLQNLQDGAALTGKCFSDTTESLSPAGKGYSLSLFNTKSSAEGGAALSVTTDKNL
 TSGTSSLSLTFLAAPSSTVTPSGKGAIVKCGTDTFDNNGTILFKPDQYCEENGAISTNKL
 LSLKSTGYSISFENPKSSATGKKGAACATGTVDTINNTATPTLFNNIAEEAAGASTNNGN
 TCTGNTSLVSPNSVNTATAGNGGALSGDADVTISGNQSVTFSGNQAVANGGAIYAKKLT
 LACGGGVSPFLTI

CEB 0451 508158 511058

10P-10-MP-10 (Frame-shift with 0451)
 TPTQVRKIKLDCSDFVFLHYLFCFYIDANSSLLQKNSIKMTKSIPIWVLVSSVLAFSCHLO
 SLANEELLSPDDSFNGNIDSGTFTPKTSATTYSLTGCVDFYFPEGKGTPLSDSCFKQTND
 TFLNGHNSLTFGFDIDAGTHAGAAATANKNLTPSGFSLSSDFSSPTTVPYTGQGLSS
 AGGVNLLENIRKLWAGNFSTADOGAIKGASFLTGTSGDGLFNSSNSSTKGGAITTAGTA
 IANNTGVVRFSLNSTASTSOGAIDDEGTSILSNKKFLYFEGNAKTTGGAICNTKASGSP
 LILSNKKTLIFASNAVETSGOAIHAKKLSLSSGGTFLFRNNVSSATPKGAISIDAGS
 LSLSSLSAETGNIYFVRNTLTGTGDTPKRNAINIGSNGKFTELRAAKNHTIFFYDPTTSE
 TSSDVLKINNGSAGLANPYQGTILFSGEFTADELKVADNKLKSTQPVLSLQSGKLLLO
 KGVLESTLSSFSQEGASLGNMDSGTLSTTAGSIITITNLGIVNDSLGLQPVSLTAKGASN
 IYVTVLSTKSLNLTDEGNIYSHMFSDQLSLKLTIVTDADVDTNIDSSLIPVPAEDPNE
 YGFGQGMNVNMTDTATNTKEATATWTKTGFPVSPERKSLVCNLTGWFVTIRSLQQLV
 IIGATGEMHGKQFVWSMTNHLTKGDNENRGKTRSGGVYIGGSAATPKDDFLPTAFCH
 FARDKDCFTAHNNSRTYGTGLTFPKHSTLQPNYLLGLRAKFSESAIEKFPREIPLALD
 YVYVSSHDNRNMTGSLPESGEGSWNEC IAGGIGLDPFLSVNPHPLKFTFVTPMKVE
 YVYVSQNSFPESSSDHGRYSIGRLNLSLIPVCAKFGQGDIGDSTVLDGSGFVSDYRNRN
 QSTATLVMSPDSWKIRGNNLSRQAFILLRGSNNVYVNSNCELFGHYAMELRGSSRYNVD
 TGTGKRLF

Pn 0453 .513156 516152

mp_13 - Polymorphic Outer Membrane Protein

VLLVLFYFYSLSLCRIIFWFLHYQMKTSIRKFLISTTLAPCFASTAFTVEVIMPSNF
 GSSGKIFPYTTLLDPRTGLCIFSGDLYLINDNAISRTSSCSFNRAAGOLILKGKGF
 FLINRSSADGAAISSVITONPELCLPSFSGFSQIFDNCELSLSDTSASNIIPHASAY
 TTPMLFTNNDSILFOYNSRAGFGAAIRGTSITIENTKKSLLFNGNGSISNGGALTGSAA

SNNSDLTFQNNNTAS PQNSLPAPT PPTPPPAVTPL

[illegible]

rn_0454 516179 519115

[illegible]

CPN_0546
r121-L21 Ribosomal protein L21
LSKQRLTSLIERFIRKKLMPEYAVIQTGSKQYQVR:GCDVIDVELLGEVAGDKEVIFQDVL
FVFDGTKSLGSPITANAQVKAEYLSHVKGEKVWAYKYKRRKNYHRKKHGRQKYLRVKIR
ETLL

CPn_0538 618129 618511
CT814 hypothetical protein
TKEINGAOHWGSGFGKCFVTKTKTLRDIYMFRRNNHKPKKTKCKRFRWLRGVLFGGFIATLL
TGLPTTKAQLALNNLQFRRKLSATLTPPPFLLPGLTFKFAFAPAKLAKHLNHLQGFK
KLLDLDL

[illegible]

Cp_n_0539 618678 621545
pmp_19-polymorphic membrane protein
GNYLLGRHHMKQRLWGFLFLSSFCQVSYLRANDVLP.LPSGIHSGDELEFLTRSSSPTK
TVLSRKDFVLCDFGAINS IHHKGAFAFLNKGDLFFINSTPLAFDQFLKNIHLGARGAGLSF
ESNVTYFGLHSLVLNNESWGGVFLTSGDLSF INNTSVLQNNITSYCGPAGLLLOGRKSK
ALFFDRDNGRTLFLKKNVANNDESHPGYGAVVSSIPGSPITFADNQELFLQENEGELG
AIYNDQATITFENNFTPTTFFSNKAGPGVAIVSYRYCNLYSOMGDTLFTNIAAAKVGGAITH
ADYVILRDCKGSIFEENSATAGGAIANVACDINAGOPVFINNSALGUNGAIYMQAT
CSGLRLHANGDEIFPCNKVRSOFHSTINSFTNSPTNIIGQAPREFSLSANBGHRICF
YDPIISATENYINILINQRLLGAGVAITFGARLSPEHKHKNKTSIINQPVLRSCSV
LSIEGALIVLAVSFYQEGCLLALPGSKGLTKQNGSEKDIIVTNLGFNLNLDSSDPGL
IRTEKASIEISGVPRVYGHTEFSYFENHEYASKPYTSLIISAKLLVTPASRPKEQINL
IAAESYMGYGVQSWEFSSWSPNDTEKKTIIASWTPTGEFSLPKRRGSIPTLTTWST
SGLNTAISVNNYNNLNNSEVILPQLHLCVGGPVGYIIEQNPQSSNNQALLSRSSFTYSDSG
IFPSFTILSAAALQTLFSSSSQNVADKSHAGLITGTVSLNKSQWALLSRSSFTYSDSG
VMKHFVYKGTSGSRWNYGWSGVMSYAPKIRYLKMTLPFDLYTLQVNPFFVETG
YDPRYFSSSEMTSLPIGALIEMLTGGRSRLFLQVSTSYI KDLRRVNPSSSASFLVNH
YTDWIGDVLPGKEALNLTNSTIKYKIVTAYMGISLSTQREGSNLSANAHAGLS

PCGGDGVQCFC/LTYMETCD
CpN_0548 633234 632191
Cys-Sulfite Reductase
KMYLQEKFKAQVPLVLELLSCSDSINDSDPIYRMVDSNDTTSYKVGDALGVLPENS
KEYSEHVLQLLQSYPIPIPLVNVKTSKVKSAQKFIQGVLDLKPALKNSFFPKDKPKITL
YDIAQYERAPPIELAESVPLLPFRYSIASSDPLHKSIELLVKHVSYPGKYKRGFV
CSSFLSELQVNDSPYIVOPTKHTFLSTQTEGKPLVMIGAGTGIAPYKAFLEERLKNKD
PGNNLLFFPERKEKNFYFYREFNWHAMEEGKLKFLASRERDQGVYQDILLTKQDEVYR
KVFEGGFFVFCGKVLGIEVHXALEELIGKDTLSLRKHEHYVDVY

CPN_0540 621631 626862
cpn_20-polymorphic membrane protein
FIHLIYLSLIEFVNISDRFSSMKGLWPATAVFAVLPALTAQPDASVETISTHTGSGSDPT
SDAALTGFTQSGSTSDTGTITYIVGDITFTSTNIPVVPVTPDNDSSNSKSGSSGSGA
TSLIRSNLNLGFTDPTFKDSVLDLYHLFFPSANVLTNALLSSSSSGSSSSSSSSSSGSA
SAVVAAPDGKGAFFYSEANGNTLTITDTSNGPGLTILQNLKMLTGDDAAIYISKGLPVFTGL
KNLITPTGNESSKGGAAYTEGALTQAIIEAVLTFTGMTSAGOGGAIYVKEATFNALSDS
KEFKNTSQAGGGIYESTLTIISNTIKSIEIISNKA5VPAAPPESTPAPSSLINSTIDT
TSTLTQRAASATPAVPAVAAPVTPTSTQETAGNGAIYAKOGISITSTFKDLTFKNSNA
VDATLTVDSTISGEGGAIYFAADSIIQOQCTTFLTSQNTAKSGGGIYAVGCVTLIEDIA
NLIETSTQKTEGEGGAIYTKKALTINNGALTITFTSGNTDNGGAIYFVGGITISLDEVLR
FSKNTGNYSPATIKAA5NTPAPVSS55TQASASPAVPA5AAAPVNAAGGALY5TEGLTV
SGE5TISL5FENNEKGGGAVY5TKTQCS5D5HRLQ5ANP5AADEGG5GLY5GDVDTL5NL
TGKFLFQ5NSEKKG5GL5L5AG5K5L5T5L5ESL5FLN5ANTAKENG5GAV5N5VLT5FTY
TPTNE5PA5SP5V5G5EAL5VT5G5TAK5SGGGIY5TKNA55NL5SV5T5DNT5S5ENG5GL
TQOAK5DTC5PT5Y5TNV5NIT5NT5AT5NG5G5I5AG5K5A5H5R5IDL5NTL5V5NQ5AK5GG5V5L
EDAL5LEK5IV5TS5Q5V5NT5ATE5SGG5IYAK5IQ5LQ5PG5T5IND5K5V5T5L5TNL5G5
GI55SG5AV5LT5NI5SG5T5PG5IT5GN5V5NT5AT5Q5AD5IQ5GG5IY5AT5L5IN5Q5NT5L5I5FN5N
SA5TK5ST5T5TK5I5AG5A5I5F5SA5VT5ENN5SP5I5FLN5AK5SE5T5A5AT5AK5NK5D5SC5GA5A
5N5AK5T5L5TN5PE5IT5FK5GN5A5ET5GA5TG5IC5IDL5TN5SG5PP5RY5I5AD5NG5V5L5Q5DN5S5AL5NR5G5A
I5Y5ET5ID5IK5RG5AT5IG5SS5K5H5GA5IC5C5T5AL5TN5PS5QL5F5EN5K5V5ET5T5AT5K5AS5IN
NL5K5AI5Y5GN5NET5DV5TL5IS5A5ENG5I5F5K5NN5L5C5AT5NK5Y5C5I5AG5NV5K5T5A5E5AS5G5A5S5
I5Y5D5AV5N5Y5TK5ET5NQ5GL5L5K5E5AT5ST5L5F5G5EL5HEN5K5Y5I5PK5V5T5FA5H5NL5L5G5NA5L5
L5NS55FT5QS5P5GT5IT5MQ5PG5SV5L5N5K5S5K5E5AG5IA5IN5V5ID5F5E5Y5TP5K5N5AT5V5AP5T5KL5
V5NR5T5AND5K5DK5ID5TG5T5V5L5D5L5PN5GL5NY5L5G5ED5R5D5LT5IND5S5AG5V5AT5N5V5L5Q5
G5EL5K5AG5KY5L5T5GN5L5D5PN55SG5K5I5L5K5W5T5DK5Y5LR5P5D5H5Y5IN5I5GA5Q5NS5L5TV5
K5GL5L5GN5L5N5AL5E5DP5AF5N5FN5W5A5IG5FL5R5KE5V5SR5ND5S5T5Y5H5R5SG5T5A5VD5K5P5R5E5
FI5L5G5A5SP5Q5V5G5HA5E5SY5L5N5K5H5G5SG5T5Q5A5LY5G5N5I5Y5F5P5T5R5SR5L5F5Q5G5V5T5
Y5G5H5D5T5Y5Y5I5E5E5KN5M5ND5SI5L5AL5D5FL5R5V5L5D5KE5P5Q5H5T5AR5L5T5Y5E5A5E5T5R5I5
Q5E5K5T5L5D5Y5P5R5FS5C5Y5GN5L5A5I5P5G5V5D5G5AL5W5RE5IL5YN5K5A5A5Y5L5P5L5R5NN5P5A5
T5Y5L5L5T5KE5GN5V5N5V5L5P5TR5N5A5R5A5E5V5SQ5I5Y5L5G5Y5V5T5G5Y5T5I5D5AS5N5TL5V5Q5M5G5I5
R5V5E5

CPn_0549 633662 633255
rs10-S10 Ribosomal Protein
PDQVQHQPWNGHSLRFLKKFKRLLRSKQCMQKQKIRIRLKGFDQGLDRSTADIVE
TAKRTGARVVGPIPLPTKREVVTVLRSPhVDKKSREQFEIRTHKRLVDILDPTGKIDAL
KMLALPAGVDIKIKAA

CpN_0550 633568 633580
fusA-Elongation Factor G
LNYNGNFKMSQNFDFLSAIRNIGIMAHIDAGKTTTTTERILFYAGRTHKIGEVHEGGATV
DMAQGEQERTGTTISAAATVFWLGAKNITIDTPGVDFVTIEVERSLRVLGDGAVFADVS
GVPEQSVTRWQADYKGVPIRAIVNKHMRMGADYFAVESMKCKLGANAFVPHVCPIGSES
QYVGVLDLISQKALFYLDLDTLKGAKWEKIESDLKERCALRANLEELATIDESNAEMF
MKVLEDPSLSTIDEIHQMRKGVGINENINPVLCTGAFKNGQVQLLNIVKWLPSPLDRG
NIRINLKLTDQEISLEPRRDGPAALAFALVDTTPYVGRTTIFIRIYSGTKLKGSAIINLST
DKKERISRLLEMHANRETRDFTVDIGACVGLKFSVTGDLCDQNEIVLERIFEPDP
VDMALIEPKSGDKREKLAQALSSLSEEDPTKYVKQSGRGQYAHVCLIEPNEPKGNVEVS
REFKVEANNGQKPVSYKETIYVSGNSETKYVKQSGRGQYAHVCLIEPNEPKGNVEVS
KIVGVGPIPKYEPAYKIEEGLNLTVLAGVGLVDVKVSIVFGSYHEVDSSEMAFKICGS
MAVMDKARAKPVILEPIKMAVITIEDHGLDGLDGLNRKGLQGESRGMAGVNAEVL
PLSEMFQYTTLSRLSTSGRATSTMEPAFAKVPQKIQEEIVRK

CPn_0551 636174 635698
rs7-57 Ribosomal Protein
MYMSRRHSAEKRDIPGDPYIGSVILEKFKINKVMHGGKSKVARKIVYSALERFGKKLNLEN
VLEGFGEALENAKPILEVRSSRVGGATYQVPEVASERRNCLAMQWIKHARSKPGKSMK
VGLATELIDCFNKGATIKKREDTHRMAEANKAFAYHKW

Qn_0552 636698 636219
rsl2-S12 Ribosomal Protein
IQAGVVPSSSENKPLPTKRALLYISMLVVVRLKREYMPTINQLIRKRRKSSLRKKSPA
LQKCPQKRGVLQVKTTPKPKNSALRKVAWVRLSNGQEVIAIYIGGEGHNLQEHSTVLIQ
GGRVKDLPGVRYHIVRGTLDCAAVNKRKQSRSRYGAKRPK

CPN_0553 637753 636812
 Robust homolog present in Genebank/EMBL as of 11/7/98
 SCMMHVRVLRFLIFILGRVFLPAASEFSWETSTKFLGLGPIFIDLITLCTNEDFVAGCY
 LGTISITSNNAIKKEIFLYIKYKPEASIFSKRPELNLQSOHSLDGLTMNNGEY
 EGMMKANGELPKQKPDRLVLRPCNPDPDTLLYSEKAEKGIETNTCLCNQNGYITLDDQL
 LLYGDS IEKFLKPKRNNHHTLVLPDQCVVTFELGRFVSLNLYVGLFSLSDAKILAG
 IPDLQAQTOLLSHTVPLLFITYTNDSIHIEIQGKSSFTYNQDLTEPILGFLFGVINRSM
 EYCFNCAQSSLGET

CPH_0541 627137 628003
 Soluble binding protein (-yeab)-Synecocystis Adhesin Homolog)
 NNRSSYQTAFVMHKVIVFIFLTVLSLKSYGNDVIDKPHVLVSIAPYKFLVEQIAETCFV
 YLITLNHYDPTHEVLPQKIKELRGDLWFRIGAEKTCERNLTQGVDSLQWLSLIG
 KPCCNQHTNTDTHTWLSPKLIKQVQETVITLSLKAPQKATILVSNQNGKLLDQLNE
 EILTITSAKQRHLVLSHGAFQGYFCRDYFNDSYETIKSHSVPEPSKVAARVFEDIEQYKI
 SSVLLEYSGQRSSALLADRFHMHTVNLDPVLAENLVNLTKITATFSSL

CPn_0554 637806 638141
CT440 hypothetical protein
VFSYLILLCILVYRFRMEYEGKSRMASPTPGQLHLQOKVESKAYDYSRSLAMIATALLFFI
VALILSGILSLPOVELPFGSGAYFIIGSFLAFLIALGILLINCVCDLKOYLTSS

CpN_0542 628000 628737
ABC Transporter ATPase
PMTIRILAEGLAFRYGSKGNPIIHDFVSVDGDFIGIIGPNNGGKSTLMLILGLLTPT
FGSLTDFPFSHAGKQTHSMIGWQQHSDQFCFPISVKDVLSGRLSGLSWHGKYKKKDF
EADHALDVLGLSDHHHCHTALHSGQYQVLLARALASYPEIILDEPTTINDPNQNO
ILSLKLKLNRTCTILMVTDLHHTTNYFNKVFYMNKTLTSLADTSTLDQFCCHPYKNOE
FCSDPH

CpN_0555 638298 640241
tsp-Tail-Specific Protease
MTAKKLVRLGATLSLPMATSSSDLRFEGLKKMMDKLLEYHVDAGFEVSTDILSRSL

CPn_0543 628710 629603
(Metal Transport Protein)
KGSGIFMLSSLIIRDSPFLLILLPTFLAALGASVAGGVGTIVVVRIVISIGSISHAILGG
IGTLRWLQYKHLGHSFFMYGAVIGATFALCIKGIHLKQEREDSLAMISWVGMAIGII
FISRLRPTLITLFINLPGNIIWVTPDLSLYGIDTLVLGVYVLCHTFLACFDERYTA
LHNCSGVLWYFLLLVLTITIVMLYVIMTLMILMSMLVLPVIAACRFSYKMTIMFISVL
NLICSGSGIATYCLAVTDFPVGPTISLMLGVTGDSLVCKKRNPTSPSPVSPSPEINTNV

Cpn_0555 638298 640241

tsp-Tail-Specific Protease

MFYMKLVLRVLCVLLSLPNLVFSSDLRLKEGIKKMDKLIHYVDAQEVSTDILSRSL
SYQTSPDHPKSYLSNQEVAFVLSQPTKKLLKKNYKAGFAIYRNIQLIHESILRARQ
RNVWKNPKPELVLSQYIKSQPKPMQMSLDEVCYQRRALLSYLSLHLAGASSRYSG
KEEQALALCLRLQIENHENVYLLINDHGVAQMDREAEVYIRVVKVALLHSDAHTAYFSK
DEALAMRLQIEKMGCGIKVVKLEDIGVSVVREIIPCGPAKSGDGLQDGIIVRVGDKDI
ELHSFGFGLCLDROGHGTVVLDIHGSDGHTIALRREKILLEDRRVSGVEPYCGVGICK
VLHSGFYEGCNVSSQDLRRAIQGLKENNLLGLDILRENTGFGLSQAIKVSGLFMTCG
VVSVSYADGTMCKYVTVSPKKFYDGLPLAILVSKSSASAAEIAVQTLQDGVGVVGVG
TYGKGTIQHGTITGDAQSDQCFKTVYQKSYSPGSKTQLQGVGSDILPSLYADRLRGER
FLEHLPADFCNDNVLDPLDTDITQRFWQKYI/LNPLQKQETLEWMLPOLTKNSEQR/L
SENSENPALQKTSKSEKTDVSGYNDNLSGNDNLSGNDNLSKIDMLQOQRC

[illegible]

CPN_0556 640921 640325
cPrp-15kDa Cysteine-Rich Protein
ENGMSSNLHRPVCGGTGTGAAPESVLNIVVEIIAAGSVTACGLQAITSFGMVNLLIGWAKT
KFTQPIRESKLFQSRACITLLVLGILLVVAGLACMFIFHSQLGNAFWNLIIPAALGLIK
LLVSLGTFDEALCTSEKMLFVQFQWAGVLEQLDDGLNNGNKGIFGHVKTGNTSRATTPVL
NDGRCTPFLVFLVCKLIRV

1127 127 ribosomal protein
 TEAFEPFVMAHKEKQIAAPRGRDFGSKRLKWKAGAGQVETSEILMVGORTWIPQNVG
 RGRDITLFAIMVGIIVMKKTETPTVNVPEQL

CPN_0557 642879 141194
omcB 60kDa cysteine-rich GMP
EIMKRLIRKIVFLAIPMAACGAPGVIIEAAVAESLITKIVASAEHTKIVFVKKV
LVKRNKQIVQEKIKGAKKDFYICFEGYQVFLAQEQSGYGRLVSKYVNDVFKV
VPEYATVTFVTEIEILAKKKDVIIVITQDQFLAEFVDSPTFTTTTIDKILWVIDIL
GADKDKCTVWKVKIKKAKITATTCACPELRVYTKIQGQPAICIKQVITQACILKPA
TTELVAVTSLIARNTVNDVNPVITKACIKQGVVFLGDMRQIDKKVTFVPEPQIK
QTNVATVYVGHKKSGANVTTFVLEIVYVNIICVYVVCVVCVVCVVCVVCVVCV
DVVIVQVLPKATVITVLEAKGVKIVKIVKIKKPKDQFLQVVKVKAQVIVKIVKIV
TDSNQTFTGCAAEPTITMKKILATIMKVLVNDPNDICVNTVTVITVNTNKGAEATV
ILIKKPELQPLTCAKMTTKTITVNTVYVAPLPIKIKKSGVFEVITLKILANQAGCA

99

NYDPSLPGLLLSHNPDG
PYLARGYFVTKEGKQLYV

VLPLNGTFL/LHSLKILSS

NDI SIOEVIESLKKITKT

FFFDLDGLLDVTEPCFYRA

NTYHSSNTTETRLPTYI

NOTESSITTPELEKVLKOKI

SYKEASAILTAIPDGILL

GSNHPVFSPLTLEERGEM

PDFAENLRNALOMIRSRDY

STHVEITTKAFRLSMLK

FDPIRNBELVSTPEEKVR

SECONDARY RELATIVE SLICK

/

GGSGNQLLVDPWUHEE
TLNYQSGFHLRAKCRGVY
DUBUHLAETKTELKCN

681020
XPRYETILSGREYVLANDS

681461

681391
in
GUNTER ELLIENSAUER

684958
ynthetase Beta
IRITLLQTYESEPLSTKE

685926
ein
GDBRODPSUMKETERNNY

0 686457
SGL I TAKYBPLOVTVHEDM

5 686479
ase
SWKEISVALIGTYAPLEX

2 688219
ase
JUSINEVILNAABGDVLE

3 689682
ng Lipoprotein
GGLILLYWSSDILERDIK

69
in Genbank/EMBL

101

rs17-517 Ribosomal
 NKKEKVKSMASEPPGSRKVK...VSAMKMTVVRVERIESHPQYLVKVRSSKKYYAHT
 ELKVSFGDKVKIGETRLSKLKWVRVIEHGVVS

CPn_0639 725979 725743
r129-L29 Ribosomal Protein
ASGGKINMAAKDLLLTQLRGKSDDDLDAVYHENKKALFALRAENLLQNKVVKVHMFSTHK
KNIRALRTV/KOEPYKGVHG

r116-L16 Ribosomal Protein
 IIMLPKPKTKFRKQKQGFAGLSKQATFVDFGEYAMQTLERGWVTSRQIEACRVAINRYL
 KRRGKVVIRIFPDKSTVTKPAETRGKGGKAPDHWVAVVRPGRILFEVANYKIQDAQDAL
 RRAAAKLSIKEDRFKRVREV

CPn_0641 727092 726409
 CS3-53 Ribosomal Protein
 KGRIRMKGKCKPIGFRGTVKRWLSWYGNKQEFGFKLIEDVRIQRLAKKPKSCQAGF
 VWRMSKGI E V T I Q T A R P L V I G K K G A E V D L L K E E L R A L T G K V E W L E I A E I K R P E L N A K L
 V A D N I T A R I E R R V S F P R A K K A M G S V M D A G A V G Q I V S G R L A G E I A R S E W Y K N G R V P L
 L T R A D I D Y A T A C A E T T G I G I K V I N L G E N S S T T P N N P A A P S A A A

CPn_0642 727440 727096
rl22-LF2 Ribosomal Protein
RRHSMFKATYIRVQPRKARLAAGLMRNLVQEAEEQLGFSQLKAGRCLKKVLNSAVAN
AELHENIKRENLSYTEVRVDAGPYVYKRSKSRGGRSPILKRTSHLTIVIGEKER

CPr_0643 727725 727450
rs19-S19 Ribosomal Protein
ETRIMGRSLRKGPFVDHLLKKVVRAMNIEKKTPIKTWSRRSMITPEMIGHTFEVHNGKK
FLTVFVSEDAVGHKLGEFSPTRIFKSHVPVKKG

CPN_0642 728594 727722
r12-L2 Ribosomal Protein
FIREIISMFKKFKPVTPTGROLVPAFDELITRGELRGTKSKRSLSRPNNKLSFFQKSSG
RDLNLICISGRGGGAKQLYRVDFKRNKIDITAKVTVVDEVDNRSAYLISYDEGKR
YLALPKGIQDRDVSWSGSESPFGKCGCCTNITPLGLSVHNIENRPSGGKLRVSAGLAA
QVIAKSPGYVTLKMPSGEFLRMNEGCRITGEVSNADHNLRVDGKAGRRMVMGVRPTVRG
TANPVDVPHMGGEGRNGYIKPTPWGKVLKGLTRDKNKNKSNKVIKDRRK

728933 728598
 123-123 Ribosomal Protein
 DMKDPYDVNIKRHYTEKAKMLEHLSAGTGEGKKKGSFCKDPKFVIVSHDATKPLIAQAL
 ELAYVDNKKVKKSVNTINVKPPARMFRGRRKGTSGFKKAIIVTFYOGHSGV

CPn_0646 729636 728950
 rL14-L4 Ribosomal Protein
 YNREDLAVLLSKFDGSGNKIGEEVADSLFADEGDGLQLIKDYIVAIRANKRQWSACTRRR
 SEVSHSTKKPKFKQGTGNARQGCCLASPQFGGGIVFGPKPKFQNHVRINRKERKAAIRLL
 LAQKIQITNKLTVGDDTVFDVALTAPTKQSAIRFLKDCNVCERSILFIDHLOHVEKNENLR
 LSLRNLTAVGIVGGYINGINYGDLASAHNIYSIKKALOEVLVERLVSETKD

CPN_0647 730490 729657
rpl3-L3 Ribosomal Protein
VLEYFYSCKNLPPLITCFPIFLRENLFLENSISKILSRFVSLFQEEKSKILLMDKFM
RSHISVMGKKGEGHIMIFDKDGLVAVCSIVRVPNVYQITKEISDGYFSLIQAEEMNAP
AHTTIKTVKSKKPLCHLRKAGRVFRFLKEVSEALNGVSLGDAFLGVLEFDEVSSVDV
ISKNGKFGQVGVKGFGRGPGSHGSGFHRHAGSISMRSTPGRCFPGSKRPSHMGAEVNT
VKNLEKIVDEKLVLLVKGAIIPGARGSIVIVKSHSS

CPn_0648 731636 730605
T529 hypothetical protein
FFFKFKKCEKVMKMTAIRSAGSAVSKMLLVPAKEPAAVVSFAQKGIYCIQQFTTFPNPKL
KLVGATKSLDKCKFLSKVSDCVVGLSEAGCTGDALTSGRNAQGLMKTTRREVALNV
NGATVSYTENVSTQRCYQYLTQAFELGSKCKRKTTPGEYSKMLLRDGYLLASRAECTAV
AGATTSYTSFVGLRQVLMKRALTKFFDLKADVTGNPFGTAVAGITINHMAGVAGVGGIAL
KQTKFKRAKESLVNERCALESQGLSGDVLISAEARLKHVATLKRNVLTLLKEALEL
VDGKVLPLPITVSACAAISQGLTASAGIGLYSIWOKTKEST

[illegible]

Prn_0650 733513 732665
pXA-Acyl-Carrier UDP-GlcNAc O-Acyltransferase
RNHMASHTPTAIEPAKGIGKDVIEPVVVIKATVTLCDNVVKSAYIDGNTTIGKGT
IWHSMGINKGCPDLKQGEKTYTVIGCEIERAEITVTSFTFETTYSIGNKLIMPA
VAHMITIGNNVVLSNHAQGLHVQVDGVAELGGMVGVHGFYRIAHAMVWGLSGIRRD
PTVTCGSPYQLAGINKVGLQRQVPFATLALIKAFKKIYRAGDCGFESLEETLEEVY
PEYVFNIEFCQSFSGKRIERSIDKOLEESADKEGVLIES

Pr_0651 733975 733517
ubZ-Myristoyl-Acyl Carrier Dehydratase
NQPQSVIKLRELQLLPHRYPFLLVDKVLSDIEARSI TAQKNVTINEPFFMGHFPNAPI
PGVILILEALQAACVLICGLVLENDNRKIRYALFLGIQKAKFRQAVRRDGLTLOADESLI
KGGKAWAQAQRTSLQVLTEALGSLFALVDKESI

[illegible]

71486.8

ANFCVSLFEIGGLFCMLVA KISKNPGRPMVLFSLGLFALLGMWFSRSHNQWV
DGTLLFVIGFFLYPGOMMIGLGAELSHKKAAGTASGFTGWFAFGATFPLGKVTDV
WGWKGFIIALLACASTALLFLFTWNA7EKNTRSKA

CPn_0654 737051 736503
vdID/yciA-acyl-CoA Thioesterase
KKIIDFLSVDRYYRNQEYPIKILSVESTMLKKK
GLLMSLLDRLALVVAERHTESVCVTFVFDALRF
VKVWAENIYKQERRHITSAYFTFVAVNEDNQPI
ELK

CpN_0655 737856 737101
dnaQ-DNA Pol III Epsilon Chain
KEIMSLKLDVTFTCLDCEMTGLDVKKDRIIEIA
QRVHHISNAMLRDPKPIAEVFPQIKAFFKEGDY
YTIIDTLRLAKVEGDSPNNSLESIAVHFNPYD
GLKQVLNPKIKMKYMLPLGKKHGRCFSEIPLAYL
QFQVQVNAFPMEL

CPn_0656 737842 738048
No robust homolog present in Genbank/EMBL as of 11/7/98
THNFLLLPLSLFDILLTVEGFLCLTLFYFASVQRMPCBQKRVPGNLYYYYIAAHSLSCLSV
CKDTMENKD

CPn_0657 738476 738051
yjeE (ATPase or Kinase)
PMGRYRRVSHSSQETLLGLTELQGVLPVGA
VLLEASPSFSLHVGNEPKRLCHYDLRIDQKNQ
DTINIIYITMOTNMEREIIIEKR

Cpn_0658 739180 738455
CT58 hypothetical protein
KRWGMDISGAVKQLQLGLGKQKPELLATYLFYLEQALSRLRPVVFVRDKIIIFKTPEDAV
RIIEQDKKIIWRETEIYISSEKPDVNNENTRKIRIYCPFTGKVFADNVANPDADYLLDSSC
PQKQGGVRIKRFLEVSDDPDVKEYAVPPKEIIKTFVFSAAITGKLFHSLPLWEE
ESFLRPMTLEEVOQNTKFQLESSFSLSLQDALVEDKTAAFIESLADDTAFHVYISQWVT
E

CPD0659 739482 739838
ttxA-Thioredoxin
LQENRDSNSIDFREGKLMVKIISSENFDSFIASGLVLVDFFAEWCGPCRMILTPILENLAA
ELPHVTIGKINIDENSKPAETYEVSIIPTLILFKDGNVAVRVGLKDKFELTNLINKHA

CP00660 740327 739860
spoB-rRNA Methylase
MRVYLHCPDIPQNTGNIGRTCTVALGAELILVRP
SFEALHDPEDQIFCLSTKGSASYTEFSLPSS
PMQDIRSLNLATSVGIVLYEWROKTVALQKN

Cys0661 741139 740327
 mip-FKBP-type peptidyl-prolyl cis-trans isomerase
 HSRGLKIKDRRRKNNRNWLVATVALASVACDVRSKDDKDKQGLVEYKDNKDNDI
 IDSPNQKSSFTGHGLARQRKSEDMFVIAEVAQGLQVLEKCSAPLTETEYEMAEV
 QKSGVKKRSTKNSLAELKLEKNSKAGVVEVPSKQLYIKEGKAGISGKPSALLV
 YKGSFQINQVFSSEGGNNPELPLGGTIPGFALMGQMSKEGTRVLYIHPDLAYGTAGV
 PNNSLITFEINLIQASADEVAEVAPEQNGNE

CPD0662 7429398 741172
aspG-Aspartyl tRNA Synthetase
SGKVMYKRYTRHCNLSNHGIEGCVLQWVHYRHHGGGVFIDLRDRFGITQVRCRE
QPELHQRLDAVRSEVSLVGRGVKCPRLAGMENPLNATHIEVEASVEFVLSKSNIPFSI
ADDHINVEELRAEVLVDMRRGDIIEKLLRHQVLLACRNFMDAQGFTIVTFVTKST
PEGARLYVPSRIVPGFKALVPSQFLFQHMVGGDLRQYFIATCFRDELRADRPQEF
AICDIEMSFQDPOLLPIIEQLVATFATOGIEIPLAKMTYQEAKDSYGTGDLPLDRF
LKLLKDRDYAKRSSFIFLDLQAHGQTICGFCVPGPGLTNRSKQOLDGYTFVFKYVAGLV
MLKQKQGVASNIAKFMDEVEFHELPAYDKADQDILLIAAPSVANOSLDLRLRLAK
ERELYSDNOYVNIWTFDFLPSLEDGKIVAEHPHPTALEEDIPLETDLVPRSSSYDL
VLNGYIEAGSSGRTINVFQASQDIFPLTKIPSEIEKGFFIKALSGFTGPHHGLAGLD
RLVMVLTAAESIENHAPFKTQKASDLMNAIPSEISMOLKLSKIVAF

CpN_0663 744220 742901
his3-Histidyl tRNA Synthetase
PKSFERRHHVHTLPLKGVDF1PFYDALQRLWHTSLWHSVEKAHTVCMLYGFEHRT
T1KFNKFLVGHGSESDVVKVEVYFLDRKGRSM1LPCEATAAVRSFLHGHASRSDNK
FYYILPMFERYRQQAQYRHLQHFQVGE1GVHPLDAEVLALLWDFYVSRGLQHMQTQL
PLFGSGTEGTRPVKDKVLRAVYKSGMGLSAVGQSRFDNVLRLSDSKPEDQEI1RAQPI
YVSDGDELLKYPNEILDALRVL1PYVINRPLVRGLDYYSDPLFRATTIPEDVSYVALQG
GRYDYLISAFGAGSLPACGQVGLGER1QTLQAQK1EYQPFHKLRT1PMEPADQFCLE
WQHLLRR1G1PEYDWSHKKVKGALKAASTEQV5FVCLIGERE1ISQVLVIKMSLRKEF
FTKEVEQRGLLVE1QNTPL

C1n_0664 744775 744557
 No robust homolog present in Genebank/EMBL as of 11/7/98
 LWEAHAMKKKLIALGIFLVPKIGNTNKEHDATVLKAAAKAKYLNFFVQDVFPVHVEIEP
 LKPDALVHYEYVW

7440965 744098 746365
 ntgl: Hexosaminidase A Transport
 MMHWKFKPQPKIKIKELDEQEVVKKKYKWRIRIFQMFQCYFYFFYTRKQSFAMPTL
 LQVAFQKAKLIGCTGLFYVQKFKVQVMSQSPQVFAIGLMIGLTLNIFFGMS
 LITLPAIWMINMPQKQWVPCARLLTHYKAKSCPTWVQVTHNIGLALITLGTG
 FQVQVWQVAMFYVSLCIGMLVILNRLRTPQSLDPIEKYKRDPHAHHKGKSAE
 FTEKELKSTREILFTVYVTLNQLWFLFAASAFFYVIRVMVNDQGLALITETKYAVK

Cp_n_0666 746379 750107
dnaE-DNA Pol III Alpha
GFLFTVPLCHSQQSYSLDAMSSIKDFVAKHG
GTQIP I GCEGY I A P S R F D K K E K S R A A H H I T
P (R) K D L I Y G E R I L P S I S I S A V A L I
M E E E I N G F I E E W L R E I
E I L L N G S V T R I A K N T H I P K R K R V Y S R E
K R C D F T I P D F S K K H Y I V P S E K I T I S E E D R
I A K K F P H R P D I D I V K R M D E A I I I P K G K D
S V L L F L G I T E I P R F I D L F E R I N F E R L S Y P
A Q I T F T G K M K A M D V G S T L D M A L S K V N H I
A E S A Q I D M A L C B G S I R I V G A A H Y I C G D
K V M L G D L G K T L T S I M S A I E K T K Q S G L A
S Q M Q L A K N L R P D L F E I T A M G A L R P G P M D
T Y G I M Y Q E V M Q I A L A S Y S L G E D V L R R A M
L A T I F D M E K F A Y P I N K S H A A Y L I T Y T T A
L R E Q S I S I P I P P I N S H A A Y L D E G I R F
S I R D F I O R S D L K V K S K E S L I D A G C F D S D I
M F T F L L G A M D R K N E I P I C L P D I T R S K E L L K
V L A G E F I N P H G S V R T V I I D K V T I K S S A Q I
Q E E L E D R I Y A L I D L K R S D L I S C R M M Q I
T M S T G K E T K A K N K N E I G H T Q A L A P V L S L D I
D F T I R N E R V A S S P D D A Y F V C D I E E L Q V L T S I

CPN_06667 751097 750177
No robust/homolog present in Genbank/EMBL as of 11/7/98
NLSFLKCTKIQRYFMKKLLYFAAFVASFSLGCVFLWDRVPCQAKIMLADHSSVEF
RVRKISQFEELQVLRVSPQEAALLPEYRDGKSFVELAIPHTLMVRSKKEE
HISQEGEILLVSLVNGEMVLTHTGTTKSGKFRCELLHAGQDMRVLTTLTGST
SLAQAALKNIRAEVKECKQKWLIFASNGIQGTHFHQFDPIRGCTTLLNNNPV
RHAAYFAQYSIEDRVRLVKMIFGDNFLVRSMSVYVPVYKISLVSADNRSVEYII
GKSFQDL

CPN_0668 751176 752162
 CTS77 hypothetical protein
 WRVWVSPRLIMKFKLLVGLIIIVLSTGCDKACPVSEFFSGKLSLORFEPHSAEAEYFSC
 GQFLKKNLKKFALLCGITITHHFPRDLRNRQAQYLGVCYPTQDHPDLADKAFSAEYQLQ
 PDAEYSEALFOMKYAIAQRFAQGGKKRIKRLQFLGFPKMLNDEADALRYEITLAFPSKKLQ
 GAQALYSKAAALLIVNDLDEATKTKTKLCLLFLHLLSSEAFVRLSEYDLOQAKKEPHNL
 QYLHFALKNEEAAMQGHPPHNLNREVSVANVGAMREHYARGLYATGRFYEYKKKKAAEANYI
 YRTAIFYNIPDTLLVAKKOKRLDRISKITS

CPN_0669 752140 752775
C548 hypothetical protein
IEYLSLTPKPIEINMRFLSLGTLYLFFSLALSSCCGYSLNSPYHLSSLGKSLQERIFIA
PIKEDPHQQLCSALTYELSKRFAISGRSSCAGYTLKVELLNGIDKNIGFTYAPNKLGDK
TRHFIIVSNEGRLSLSAKVQLINDDTVEIIDQCVARESVDFDEPDLGTANAHEFAALQ
FHHSEAFISGARRILSLRAETIAQVYDLD

CPn_0670 752738 753196
rsbW-sigma regulatory factor-histidine kinase
PRRLNRYTMTFFEGEYVPAVLSELHSLMDLTKRAGKQSKCPQEKLLKLEACELLVN
IISYAYQGSNGPTIAISISRGLDEVVIKDHGSPFNPLAVSINIQEDLPLEQRKLGGL
GIFLAKSSVDEFLYAREDPHCNTVHLKMLNGOHS

CPn_0671 753660 753205
CT550 hypothetical protein
RITINQRKYTMSLDFEEFYHQISLNTGTSQFPEGYNLNAIELSYPHCTDANTDFLCSQSD
NDFIIAESKDKLTLFNADFIAWLVPVLQGVAVTRGYIAVSQGQGENYEPMAFEASGOYN
QSSLLLEALQLYLDKIDKPTENALRSFRFNNND

Cpnr_0672 753723 755048
 dacF(pbg5) -D-Ala-D-Ala Carboxypeptidase
 TIKSPHAKTFFATFTYLLCIIYFGSCASLSLACISFEEVGRGATAAAMHSDGKVFYDKRIDA
 IYVPMSTKIATIALFLIKLPHYPTVLDLTIKVKQDAIAISITPAQKQKSPSPHWWLEDCS
 TIQHLREELLGQWDLFWLRLDLSASDANAANVLAMACCGSEVKFMDKFLNFLLKKEEIGCTHTH
 FNNPHGLHFNHNNYHTTHRDLSIMRCALEKPPFRGIVSTYIGATNLHNGIERISPTNKL
 LPLGSTYHYPPALGGQCTGTTKTAGKLNIMAEKNNRLVLTATGSPGSPVDLYQVIALH
 ETVFNELPLRKLKVPSSCDLEATIANLGLKSLPCEGLYVSGASEDRPLVSFVIALD
 AFPFIEQGLDHLGWHFVYDDEGKIISSPFYFACRPFERTIKPKWLYMKRVFTSYRTYMSITM
 LLMYGRFIRKHKRYKNLKHYSKI

CPn_0673 755242 755463
CT552 hypothetical protein
GKSTEGKAYHCFLKQVSIALNREEVDNPHHLMFILMQFQQFSGEQDRFGSFLEATIRDR
VSFLVLOEKIATLK

Cp_n_0674 756699 755577
fmu-rRNA Methyltransferase
RGLIVTMVMPFQHVAYHQLLKQHTSAISEADRVYFKONRSLGSKDROWTNIIFNLI
RHRLLLETLTLDSEQVTEPALVAKVAGSEVLENDLSYAIIPWRYISIDDLAHFLVQDY
GEAFQEEAIKWLTEAPITRIVWTDKISVKELEQKLEYSSPSGPEALHFSKRHPFLQ
EGRGGEFEIOWNSERTISQGLITDKDVLDTDFCAGAGGSKLIFPAQKAKVWINDSRKAI
ORVSYHGLKAGARNSLADQLPGLSGFVTVIVDAPCGTGVFRRHPHEKWFQSKLLNLI
VRYQKSLKQAGAYVPGRLIVTITLILKEENAEHVAIYHMSGLQKVEHVRKTLPLQVQK
DAFFTSICKI.

CfEn_0675 757931 756768
 CF794 hypothetical protein
 VPLRM LDRQFS IGYLRVLEIA IRKZTPH AYDRKKMLLDAAIVNIMPTNYOT:SVGT I
 RQVHELFLWCAIYLS ISIRGLIA ELFLNHEKTKPTWMLTFLFPE:YTH IKAIVLCKLM
 KCVLILFEGSRPVOK IVOAAQNI IERKIPGSGS:WEDTETH TPT:EVVPTVIA:VQRRRLA
 DACLMNI IEALTTLLGKIFAYLMLRLLELNL IGEKAQI LKTLSEK:YVILREL IQLFSL
 SAEDPT IIMS IIDGSEVLAEL ICHDITNF IIRKPTFY IWOETALALPED:KIALGFL
 AEVLRIVYKELHVSK:NIITPEEVYTH IIRANPALWDRKMTMIIMRWLLDYNDIG
 LALAKAAEYVPPKFSWRFQL ICHDITNF

CpN_0676 759220 758051

homologous to CT695

SMGTPISSGNDGDRNTISDPLEESAEEGSDLEDRVSESAQVETIADTGIEPATPSEG
TNDLNSDLVDVREYEAAGSLTLMARIRKAVSQIMHVTKRHPKEQGVRSGLDIPCD
LLKATRLPKEAEPFYALETALASCRSFFHFVLRLLTLLRQHPAEPDLGCTDPTD
PEAAVAFALILRSCKKWAATDAVQGLPLEVIEEAGMNAFSELEATTVEEVSKRSELL
YSDKRIDGLANVRGITKIITSPYLGAGQCVSVVNLKTYDLCRNYTQVLKASIDEFAD
KGFNALVMKDILYVRODRKKEI/DPLFMWSEHASEVNVVLAILEVNLPLEEDYR
DILYAYKELNITPDPFPELGLTETPD

CpN_0677 760410 759256

No robust homolog present in Genebank/EMBL as of 11/7/98

RIAMGINSQNRSPDDVWRGAQSDSSSTQGTGATNSNLGAHVTTSTSPQVASKAKQL
WQTVREFFLCKKSPDSSQASGASGAMQSPSGPTIRTPRAPPPPTTGGANAKRPATHGKR
APQPTAGSSSGSEQPTAMSEVAKLVSELKDAVSHAESQKLVKQVSELQTKMTDWN
NRCPDYLLHCYRVITARALQOYTEQSMLEGTSSSTGVPVQAVTVAKDAVTQTVRGAIKNL
ENPKPGNDPQGVLMQVVISLIGETPLDPSGSIQNFLETRVSDFGGDDSDIDYTSIARL
LGSLDRVRENHFNEMPRIALARELGAHVSHATSVRIANAGKNHTRDVRVMAENESSRL
QGMKVLVSAGAWANTMTVLIGDLFE

CpN_0678 761129 760682

No robust homolog present in Genebank/EMBL as of 11/7/98

KIIMSVPNSGSKNDLWITGAHQDPVKESGVTSAANLGSHTVSTASQROGLLARIKEAV
TGFFSRMSFFRSAGPQSGQSPASDPTVRSPLGGDARATEGAGNMLKKGQPGMKVY
IQPVGGGAQRSSGSLTLPKTRPAPPPTKGTGNAKRPATHGKGPAPQPKGTGNAKRA
ATHGKGPAQPPKILKQPGQSGTSGKKRVSWSDSD

CpN_0679 762936 761725

pgk-Phosphoglycerate Kinase

GYMDKLTQVQDLSPEEKVLVVRVDFNPMQDGKILDDIRIRSAMPTINYLKKHAAVILMS
HLGRPKQGGFOEYSLOPVVDVLEGLYGHVPLAPDCGEVARQAVQAQSLPGRVLLLENL
RFHIGEEHPEKDPFAELSSYGDFVNDAGTSHRKHASVYVQAFPGRAAAGLLMEK
ELEFLGRHLLTSPKRPFTAILGKAKISSKIGVIEALLNQVDYLLAGGGMFTFLQALGKS
LGNSLVEKSAALDARNVLIKASRNVTIVPSLVKAENLQSKESYVISIDOGIPPHLQD
FDIGRPTTEEFIRIINQSTATFVWNGPVGVYVPPFDSGSIANALGNHPSAVTVVGGGD
AAAVVALAGCSTKSVHSTVGGGASLEFLQGLPQTEVLSPSKS

CpN_0680 764254 762971

ygoA-Phosphate Permease

YSMLPLIIFVLGCFYTSNMGANDVANAVGSPVSGSVTLRQAVVIAAIEFFGALLLG
DRVAGTIESSIVSVTNPMIAGSDYMGTAALLATGVMLQLASFFGWPVSTHISVAGVI
GFEVLGKGTIYVNSVGIILISWISLSPMGCCVAYLIFSRIRRHIFYNQDPVLMVRYA
PFEALVIMTLGTVMISGGVILKVSSTPMAYSGVLCGLLSYIITFYVHTKHCYSISDT
PKRGLSLYRLKERGGNYGRKYLVERIFAYLIQIVACFMFAHGSNDVANAIAFVAGVLR
QAYPASVTSYTLIRLMAFGGIGLVIGLAIWGVRIETVCGCKITELTPSRGFSVGMGSALT
IAEASILGLPISITHVVGAVLGIGLARGIRAINLNIKIDVLSWFITLPGALLSILFF
FALHALFH

CpN_0681 765001 764258

CT691 hypothetical protein

NGEIRSHKSTPRTSFRQVIAKKAIMQTLARLFQGSPPFAPLQAHLEMVSCVEYMLPIFTA
LRDGRYEELLEMALVSDKEYQADCIKNDMRNHLPAGLFMPISRAGILEIISIQDSIADT
AEDMAILLTIRLNFYPSMETLFFRLEKNEAFELTMTLLHEFNQLLESFSGRKAADKA
RLIACRVAKSEHSDVLRQELMQIFSSDDFIPEKEFYRLQVIRTAGISDSSEKLAHR
IMMLEEK

CpN_0682 764912 765955

dpbA-ABC ATPase Dipeptide Transport

TSKGLHNSLFRNNLPRKSCRLMASNFIQIEDLSITLAKORQYPIVQSLFTINEG
QTLALIGESGSGKSVSAHALRLPLCPFFSVSGQVNFQGHNLITASRSIQKIIQTEISN
IFQNPQASLNVPVTEIQOFRITHTHALTAEVAKEMLYALESTGFHDPRCLNLYPHQ
LSEGLMQRICIAMALLCSFKILLADEPTALDVSVQYQTLQLLKTLOKKTGMSLLIITN
MGSVAETADDVLYAGRMVFNHPCVPHNSHPYTRDLSARPSLQPOQLGSFNPYFG
QPPHYTAFPSGCRYPHRCISKILNRCSAEAPETVPREGHKVRCNLYDD

CpN_0683 765936 766919

dpbB-ABC ATPase Dipeptide Transport

GVGEMTNFPOPLIQAATSLTKHYKRSFVQOQKTIASRPVDDVSFLYSRAVGLIGESG
SGKSTLALAGLLPLTSGFLTFRGTPIKLHSHKHGRHQLRSQVRLVFQNPQASINPRKTI
VDQLHSLIYHKLVPKEKVLATVREYELVGLSEYFYRYPHQLSGGQOQVRSIARALLG
LPOLICDEIVSALDLSIAQAILMMLAEQLKSLTYLFIHDLAVVRSFCTEVFIMYKG
QIVKGNTRKIFSDPHQPYRMLNLAQLPETPDQROSKFIQYEHKDSSEESTGCVFYRN
RCPOQEACKSEIIPNQDAHHTYRCIH

CpN_0684 768056 767181

spoD/parB-Chromosome Partitioning Protein

EKSGDIVTEISKDTIEIIVADDIRVSPQPRVFSNEELQELIASIKAVGLIHPPVIRE
ICTGDRVLTYELIAGERRWRAMQAGATTIPVILKHVADCTAAEATLIENTORVNLNPI
EMAEAFKRLIHVGLTQDKVAYKVGKRSSTVANYLRLLALSKTIOEJLLQOITLGHAKV
ILTELDPIRLKELNEIIIOEHLVRAEALIAKQLISEGSSIELKTEPLDMAESSKQHEE
LQORLSDLQGYKVQIKTRGSKATVSPHLONTQDLQKLEAWLSHQTLSLSLS

CpN_0685 768026 768217

No robust homolog present in Genebank/EMBL as of 11/7/98

FPQSYLLIFPNRILDLQAFELLDVQGLMTDQRKHITMLKHNISIEIFLSNMVVEVKLFF
KTLK

CpN_0686 768373 768176

No robust homolog present in Genebank/EMBL as of 11/7/98

AKDSMMPGQLFRVYQELFFFSVYVCEQRRPRKLYPSIOLHNPFIKPRFLKGFKKEL
HFYNNHV

CpN_0687 768501 769214

CT442 hypothetical protein

KHIOKPHIAYRFTPNKIFVQKLVNHWKPKYQSSAIAICVLASFLQKIVSNKY
HIOAKPHIILLTAAAEVAVSQPLPSKALSLEQAYHUGESMKPYAGFLACFPYHIN
HILPKAYAYHAYNNOALQPLHPIQKLLKESIAQADQYDVALSKYQQLQATANGSFE
YPTLFLTLIKVIELKELLHQDVQDAFALKSSPLFHQFERMYSDGEMTLCKRGGKKG

CpN_0688 769376 770137

CT441 hypothetical protein

SLMLIVLAFRQVFFGHSRS...
FYTNIFPFLEEQIPAVVGV...
QNELIEMAKSPYIOLASSGFARLNLMNPPLYTTEILLRHHIITETAKPLAFLFPFGK
SDPTSRKLADHYPYGFLGONTNRKKTHTNIRLDIKPMQVCPCLFSSRYLKWNKIE
KSKLYLKQLPKR

CpN_0699 771407 770147

yfhO-NiFe-related Aminotransferase

YHNPEDPFAAKAKHEHPIILIAATLPIFVLPANFTITATDPAIYALAE
HETLEYAAVPEYPPNVAACIEITDPTTTHAILAILVNHENHPIYALVARE
HMANLWSEIACRRGSLVKKIRVHDSGLIDLDLEKLLNEGAQFVSPHVSMTGCVOP
LQQVAVLHRYDAYLAVDGAQAPHLPIVDQLWDDVDFYVSSHKIYPTGIGVLYGKKDL
LDQLPVPYEGGDMVAIYDHQPEYLPAPMKFEAGTPTIAGVLGLGAAALDYDLSAKFIY
DKEIALTTYLKELLEIPGVEILGPSIEEPKALIGMTIDGAHPLDGLLDRGIAVTR
GHQCAQPAHERWVGHVLPVSLGTYNDEDDIQFILVLQDSLDKIRR

CpN_0690 772704 771436

ABC Transporter Membrane Protein

LSVLRGDKVLSIETFSIASGSPVQKAAEACCTOYQSKOPSSKEVLSFSWQELSLFPD
RYNLATGASELILKOHYLNHNSLAFECILNGKYPELSQLPQGVIVCGIDEARSGSLF
MQGDFVNKHPLAFNLAVCSSEDRGVVYIPEEMQTSDFIFVRHISFPTSDHDTVFSFRV
VILGQASAQIQISIDVLEMGSSKTIVNGTELFVGGADLVTVFVPGYSEEDTLWSH
TIATVEKDAICRMFONLLESQCGFGWFDNTSYIVGKKGHAESVLVQSPKRTWNNLMH
DAEETVSRONIKSILYSGHFLFEGTISISSQDLSANQKHDLLLSSEARVSTFPRLEI
ETDEKASHGATVGLDPQOIFYMRSRGMTAEAEQELHGFILKQGLVSDTFLGSSFQLN
QTS

CpN_0691 773467 772685

CT691 hypothetical protein

IGFQSMGLKXHLHASCNDVKILDDFNLIQPGTMHVIMGPNGAGKSTLAKILAGDESVLV
SSGEIALCEQNLMLPEERSRAGLFVGFQMPPEIPGVNMMFLDRYANRRANRQEGDI
SIDENFTLSTVLETYENATDLFLDRNVHSGGSEKRRNLCOMLVEPMLLDEP
DSGLDVALRLICRVLEKYLHPTSSLCITVHNPKLGNLIRPDVHLLLDGRVALSGDV
SLMHEIAKSYQEVTKRVAWR

CpN_0692 774945 773461

ABC Transporter

IQFCATGLKVMGESVKVFLEREDYPYGFVPTIESOGLTRGLSEETIEEIALRNEPQF
IIDFRLQAYRYWKQHEPAWARLHYGPIAYDDIYVSSPKQKPLGRLEDADPEILDTPK
KIGIPLDEQKRLNENVAVDLVDSVSIIGTTFKEALEKAGVIFCSLGEAIEQHNPVVK
YLGVSVSHRDNFALNAAVFSDGSFVYVPGVKVCPMDISTYFRINKEAGQFERTLVV
EDGGYASVLEGCATAPAYSSNQLHAAVVELVAHEHAVIRYSTVQWYAGDKTKGGGITYN
VLDVGVSCAGYRSKISWSQVEVGAATWYKYPSCILKGDSEGEFYVSALTSGMKQADTFY
MLHVGKRTTSTVISKGISSEDSKNTFRSLVSLGKKAHESNNYTOCDSMLIGKASGAYTDP
KIIVNSTSIEHEATTSKLEDQLYLRSRGLSPPEAVSLVINGFCREIEQLPLEFAQ
EASKLLIKLENSVG

CpN_0693 776292 775240

TPR Repeats (O-Linked GlcNAc Transferase homolog)

LKSTNHVLGEISMEEAHKLAKELFCGSLNLFSGVEYQAEKRLKTELDSTAAALYCY
ZGIIALETGRVSEALNCSKGLASEPGDSYRKYCYGVALDRNGOYEAAIEQYSAVALPH
DDVECVSLGVSYYHRLKRLQALCDPDKILALDPMNPQSLYNKAVILSEMDDEASIRLL
EVAVAKNPLYKAWVKGLFLLSRKSKWDKATEAYERKVRVLPDLSGCHYGLCYLTLLK
TRLAKAFQALFLNAEDADAHYVGLAHLDDKQREYAEAFNSALSINLEHARHAYLLG
YLHMQGETDKATKELLFLQKKDSTFAPLQKTVSDPSSMQFERRLDTIS

CpN_0694 779635 776330

pbp2-PBP2-transglycolase/transpeptidase

FSDESEAHNIHSMKPKKFFIYLSIAQKTNRLLSGIVAFIAVIALRLWYLVVEHEQKLE
EAYKPTIRVLPOYERATICDRFGKTLVNLQYDVSVAYGAIIRDLPTRAWRDEHQKQ
LSPKPHYIMCLSELLSOELHLDREAIEDAHAKASVLSGVPVLAANVSERTYKLLKML
DVLNPGHLYEAVVRRHYPOESVADSLGVGPIISLOEYKRVTOELSQLRECVAYEDED
PKLPEGLASIDQVALLSESVNASYSLNALVGKMGVEACWDSKLRGKIGKPKILVDNRGN
FQMGVADPEAPKTLQTLSEALQAYADALLIEYEKTEFRSAKSLKREKLPPLFPW
IKGGAIILDRNNGEILMASSPRYRNNDVNAKVAEDSKAVRSSIYRWLENKEHIAEYI
DRKVLIRERRNPLTGLCYEELPLTFDFCFLTPENSFKILQKRNFSVQOAEVQNL
VTRLLSLFPYEEGTCPCSAIFDAVFPNEEGHILIOEVSLOEQKWMIECLNQHKADIEEL
KEALDQVFNELPANYDKILYTDILRLIVDPERFSPVLPESEVHRLSLSEFTLEQRYVVR
SAFSTILEDAPFIEVHFSKWRKSEFLQYLAHQBEALRLKQRYPTPYVDVLEEKTQYKM
FCQEHLDTFLAYLFSKTPYKGLPEPYDILDLNINELNDNGHRLSMHEHLYFLKERVSH
LSEHLMLFSTREFNELQRLPGKYPISTVNRKQTEQDLAASFYVTVGYCYLRPHAYG
QAATLSEIFKLVSAVSVLSQRIWGHNEEPANPLVIIDKNSPGYRSSKPHGVFPKDTGPI
PTFFRGSILPNDPMGRGFIDLVSALEMSNNPYFLMLVGEGLDPELADAASLFGPGEK
TGLGLPGEYAGRVPHDLAYNRSGLYATACQHTLVVTLQATVMLASLVNGGVVYVPKLL
LGWEHGVHVSLSKKKRTIFMPDAVVEVLTKMRNVWIGQVGTARAIQSQFPPLLSRI
IGETSTAESIMRVGLDREYGTMMKDIWFAAVGFSQDLSLPTIVVIVYLRLEGFGRDAA
PMAYKMLDMEKIQRESFLRG

CpN_0695 780201 781382

homologous to CT695

SLEYSMKLLKSALLSAFAGSVSGSLQALPVGNNDPSLLIDGTIWEAGAGDPCDPCATW
COATISLRAGFYGVYFDRILKVDAPKTPSGMAKPTGSAANVYTAVDORPNPYNKHLHDA
EWFTNACFTALNIWDRDFVCTLGASNGYIRGNSTAFNLVGLFGVGTNVANELPNVSL
SNGVVELYDTSFSMSVGARGALWECOCATLCAEFQYQASKPKVEELNVICNVSOFSVNK
PKGYKGVAFPLPTDAGVATATQKTSATINHEWQASCTSYRLNSLVPIGVQMSRATED
ADNIRIAQPKLFTAVNLMTAWNPSLLCNATALSTDSFDFMQIVSQINKPKGRKACGV
TVGATLVADKMSLTAEARLINERAHVIGQGRF

CpN_0696 781703 782599

CT696 hypothetical protein

NGGYVRMLPLTYNFEIEVQLEQKRLTIKOLMAGAHFYHQTIRWNNPKMPLYIFEE
KNWYIINLAKTLQLHALHILIRKYIQNKITVYVTKKQAKVIRIAIEAGEFFIAE
RWLQZMLTNMTIRNLETLQKPEKIDRNQAYLTKEAALLAKHQLKLLNIDIRYK
KAPILLVVDNYEKIYAVAEKPIHIVLAVDNPCTPTIDHVIHNDUEKISRLTIN
VIFENIEAKHRIETIEVVEKELEVIDEAFESQDDDEENHEEDLAKKPIKCAN

CpN_0697 782507 783447

et1-Elongation Factor T2

ETLMDIDEMETLKLPLQVDFVETPCKEALFACVTHLEAAVYVIRKILACAKKKEHR
ETPPIIAKTDANKTALTEVNETDQANNAVPEFVCHLNDIKRYVIVVIAEALDAA
QDQDPLVDELRAVMTVVERHIDQVAYVETKATEPTVGTICRNTVAITMLDQES

105

106

GVIFIRGUTPLANGFFALNKGEDINPNHPKATQKQA

CpN_0719 834892 833861

CT 168 hypothetical protein

CKVLFKLMGYSLRNNKTKICVYIIIALGILSFRSIQEVYDKIRGSSVSLHVKVFPKIKQ
APGSHLANLELNLVKERVASLEELKLYEVSNHTPLPFLPEITLPHYKLVGKGVYR
YTHMSSGWNVNGKTHGKNSPVLSGNVVGVDVYGEHQSRILRLTDVGMKPSVAMR
QDIOGWWTHGLRELIPQVEQISHAYILEKDYKIEISOLQELDSLIOGEGENQALLRGIL
LQVSAIAPFLQALVLRVSRPSSKTKILGHEATLGLVDFPGLVAPVTKVFAERD
GATTFPRLALREKEMELALFLIPKRNHIEFEDIPVLLWG

CpN_0740 836054 834864

tyrB-Aromatic AA Amino transferase

SYMSFNNHPTTSPDAILGQNVFADKRPKENVLIGVYEHQKRYGGLSCIRKAQTVI
LEEEQNKSYLPISGLQIFLDMRELVFGAVDPSAIVGQSLGGTALHLGARLLSVKGS
GKVVYVPEQWNNHRIIPQSCLEVRYPYYSKEQKQLLEPLIAFLKEVEKNSVILLHGK
CHNPQVDFTEDMWEKELAILMKERELIPFDTAYQGFAGHIELDRKPIEIFISEGNTVLV
AASSKNFALYGERVGVYFAVHTFTTDELVKIHSFLEEKIRGEYSSPQRMGVEIVSTILSN
PYLKEEMQSELNFIRESLQKMRTRFVQALRKVAGHTFDLLSQHGFAYPGFSKQVLF
REQHAYVTTAGGRMLNGITEKNIHDVVSQSFQAYEL

CpN_0741 838383 836185

greA-Transcription Elongation Factor

EYIFRLKTGDIVDYLEKQLVLEEQGSANFLSLWEYCFNDVVRGRELVEILEKVSSSL
ASLFGKIVDTVPLWEKIPGKDKDRVLQLILDQTSNSQMFDAIEYVNNKYSGEENF
NEALRVGLRDRGDFQSLSRFDPLMMHKNFVHQGGVGEVMGVSFLQFKVLEIFE
GMSAKDISFATAKSLTSLGSDHFLSRRFGDPDGFEEAFKENPIEVVEILLRDLGPKTA
KEIKDELVDLVIPEADNRWQSAKTIKKGTRIISDPNKEPYVLSADGCSHMQLLERK
LGLSLSAEKISLIYHFIIDHLSSELKNIERKSLVKALQDLVEEGNKSILQRELLSE
YLGIKDASIDKEYITSLSEDDTSLRLNNMFIVALQKSFSLSVRYKSSFWQOVFMQILLYT
TSPTMRDVFYKTIKNDPSSVEVLKRLDLSAHQPMFPELFWFFKLGNHEDGLFOPED
KEVLRFLFESALNFMVQVASTSRKLLHLYLVGQRYLAVROMIEGASLFLKLELL
STKCPQSSDNLVQLSLAEVQPTLKKHKSNEEENVLWSTSEFSRMKAKLQSLVGKE
MYDNAKEIEDARSLGDLRENSYKFALEKRLQEEIRVLEEINRARIITKDLVFTDKV
GVGCKVTLLGDAGEVEYITLGFWDADDPSCILSLQSKLAQMLGKLVNVLQGGKEYK
ISRIQSIWEHGA

CpN_0742 838442 838888

CT635 hypothetical protein

TKMMVIMNKSQAQKIIDSIQKILITYNIDFDPSPGSSLSDDSDADYEYLITKQEKIQE
LDKRAQEIITQTGMSKEQMEVFANPNDFSPPEWLALEKVRSSCDEYRKETENLINEITL
DGHPTKESKRPKQLSSTKNNKKNWIPL

CpN_0743 838956 840362

"ngA-Ubiquinone Oxidoreductase, Alpha"

IFNKTIVNRGLDLSLQGSQKSGFYNNKIDPEFVSDILRFPQPLSLKLVQEGDAVCSGAP
IAEKKHFPNTYITSHVSGVTAIRRNKRSLLDVIIKKTGPTSTETTYDQLTSLRSDLS
EYFENGLFALIKORPFDIPAIPTQTPRDVFINLANRNPFTSPPEKHALFSSREGEYFV
FVAGVRAIAKLFGLRPHIVFRDLTLPTQELKTHLHTVSGPFPSPGSPSIHINSVAPIT
NEKEVFTLSFQDVLITGLFLKGRILHEQVTLALAGTALKSSLRVYITTKGASFSLLIN
LNDISNDTLLISGDPITGLRCKHEEPFLGRDHSISVLNHPTKRELSFRLIGFNKPTF
TKTYLSGFFKKKRTYNTDNLKEETRPIDTIDYKVMRPIPVVLIKAVITKNFDLA
NELQFLFVCEGDFALPTLIDPSKTEMLITVKEKSLIYAKESGILTPHQD

CpN_0744 841387 840389

hemB-Porphobilinogen Synthase

EMSSLTLSRRPRNRKTAARIDLAETHLSPKDLIAPFFVKYNNIKKEEIPSLPGVFRWS
LDLLLEKIELCTYGLRAVMLFPIIPDDLKDAYGYSYSSNPNILCHSIEHKNAPFHLCL
ISBTDALPYTTHGHDGIFLAGEVLNDESVRIFGNATLHAEMGADIVAPSDMMGRIGYI
RSKLDQSGYSKTSIMSYSVKYASCLYSPPFDALSSHVTSQDKQYQMNPKVLEALLESS
LDEEGADIIMVKGAGLYLDVYIRIQTCLPLAAYQVSGEYAMILSAFQGGWLDKETLF
HESLAIKRGAGDMIISYSAPILELLHQGFEE

CpN_0745 841903 841742

No robust homolog present in Genbank/EMBL as of 11/7/98
VDSFDDWRASSLQGSSTTYNVAYDPKHTLAYGFCNQVSVKKFHLKPPKSKQKFL

CpN_0746 841939 843567

CT632 hypothetical protein

FSCRCPSPFEVFMKGEEFTCKQKQLSHFVNTLSDVFLKKNLPEVVGALSKYSRS
VLGLRALLLKEFLSNEEDGVDCEAYDFETDQKAADFQYQRLDNFGDSDSVGLGGAHLA
MENVSILAAKVEDARIGGSPLKSTRYVYDQKVRGEYLYYRDPILMTSAFLDMFLGTC
DFLFDYTSALIPQVRAIFEKLYPKDSKTPASAYATSLRAKVLDCIRGLLPAITLNLGFF
GNGRFWQNLHKLQGHNLAEELRLGDESLELMKVIPSFSRAEPHHHHHQAAMQYRRAL
KEQLKGLAEQATFSEEMSSSPVQVVGDPDGIYKVAAGFLFPYSNRSLDLDIYCKKMP
HEDLVQILESSVSARENRRKSPRGLECEVFGFDLADFGAYRDLQRHRLTOERQLLST
HHGVNFPVELLDTMEKSYREAMERANETYEIVQEFPEEAQYVPMAYNIRWFVHNAR
ALQWICELRSPQGHQNYRTIATGLVREVVKFNPMYELFFKFDVYSDLDGLRLNQEMRKE
PTT

CpN_0747 843949 844053

CT631 hypothetical protein

RTMGCKGAEVQLSSRSLSOMKILSSSLFYKKFC

CpN_0748 844986 844121

ispA-Geranyl Transferase

CTLVLHALDTYRPSIESALEKALEGFGPIGHPIRSP/EYALQGGGKRLRPLGVCMAQGL
GLNHDVMDALAVEFVHTTSLIADDLPCMDNDDERRGRTVHKAFDEATALLAGYALIPA
AYSHLRLNAKKLKEQGCDFREIDIAINYIGDIDKHIGGSGVLCGGYDDMFFSNRQGEHV
QSIMIKTKTSLFETACISGVLFGGDDQFAPITSPNNFGLIKDDFSDLQKDSQOI
GANTALLFGKAALELLARQNNCLLELLDRLSAGGLKNGSEFETITSSLGSE

CpN_0749 845638 845006

gltM-UDP-glucose 1-phosphorylase

VGYMYLAEISLEHEDFLYFELIKAIHYTWDILDLMLLENHVFSGHCTVEGGVTLKN
LEKIEIAEAYVEYAYIVGCTILGZUTEVRIGYLRGNVINGRVCVGHCTETIKNSYLQ
HFKRAHFAVYDGVLESEVNGVAGVRCANFRICPHIVRTTSDKSKIDTORRKLQAF
LAKRAIAANVIVNKHILPHTRIRIQVFI

CpN_0750 846465 845007

tctD/cpxR-HTH Train onal Regulatory Protein - Receiver Domain

KITDFILRIHSYNLFCFHHIGDKILIFVTEDLSLSSQKDLASQSDYQTLVSPVPTSF
ESVAIFCEYLLPEQIFSPGIFPEEDLIVLDTFQEEAITKVLNQCATGYLLRPTAKVL
DAVIRAFRLQHEVLEHSIPDTMTFGDHTFVLMVLVIESPEGSVYLTPEAGILKKLLINR
GHLCLRLNLLAEIKNGTEKITARNVDVHIASRRKGLPGYSGKIVTIRGVYLFSSDDSDIP
LQNHDHTAHNPNEE

CpN_0751 846465 845007 848734

CT631 hypothetical protein

MFRCLIFGLFLLTCFSSGG/LYVLPFCSHDFSIGPKESRSWIEEEKFTDSVLHHLPSQ
HQHHLILCFQFGLLOKQKFSQAEKIFSKVYDEAQDGFPLFKEEILGSLRLNSFFLEKTD
VMETILCLLNRCPNSPYHLFKALVYKQKLYREVIEQALVQWQEKTRALAPLLNISTE
QLLTDFLDYISAHSLIEQKMFPEGVILNLRNINRLKHECEWNAKTYDRIAILLSRYF
LELVESKADIYFDYEMVLYFLKVIYIEQCPYAEELLPEELVSLIMEHVFILPKDKLY
PLIQLLEWQKHYVHPNSLVOJLVDRFSTHMEGATRECEALVSFSGLEELHQQITTF
EELLSNKKVQIKTEAKQCVALLAILDPSISISEKLLSSDTLQNVISGDDGQHTKLRY
LDLWEAIQSYDIDRQQLVHLVLCADKLWKKGNDEKALNLLQLVLRFTSYDIECESVVF
LFIKQAYKQALSSHAIRLLKKEKFISEANTPISVISEAKANFLADAEYFAHEDYDKC
YIYSHMLTKVAPSPQSYRLACLMLKENRYDEALEFLCLMSPNDSINDYKTKALAFCKQ
HQSKDRAAS

CpN_0752 848595 850082

"recD-Exodeoxyribonuclease V, Alpha"

GWALHTFAPFLEDVHQVISPDLTAFASKHISDDFEESFVFLAVSSALWRYGHPFLSL
EENRIRPSLOGISSETLYRGFHNLPKEARDLFFVVSGRLYLRSLYIRSKLDLSLLC
SATPNYFPSSIDSSILEEQNFIFNKTQCGFSIVSGGPGTGKTLAAQILSLVQKPK
LRIAIVPQKQKATSIHQIILMKYNIIDDMQMOTVHHFVLEQYAYRRYNSIDVLLVDEGSM
VTFDILLYSVOTLQGYEKDKKLYTSSLIIGDNTQLPPIGIVGNPLQDLIGYFHEMTFF
LKTSHRAKTQVVDLTQSVLRGEMTSFSPSLSSAIEVLNRRFVLSRQSEARLCVLTVP
MRHPGWSGLNLMNIMHQRARSDDPLRIPIMVTSRYETWGLFNGDTGLLCLKQKLHPQ
HEIDRSALQSYVYVMSVHKSQGSSEYDEVIIIPKGSSEVFGVSILYATTAIRAKYRVSV
WGPETLHKIKKSNY

CpN_0753 851009 850161

No robust homolog present in Genbank/EMBL as of 11/7/98

IMATHALQOALLHLRSWTPAIRASGNLFQKQSMHLNNVLVAGDIVGAIKNSTAIRHA
LGSSHYHAALQKTEGFLGADGVNTAVAGAMLWGLNGSMIFETDEETGELRRNCNE
ABGCMQKQRRSALTITGVARLASKTLGATFLHEMDVVSIGANANKIGCVKTSCLNL
VATGGLSTESSILYRILSTRPETISDPENRKNQSAEFAARSKAIRNAFIAWLDGVVDLV
CDALGTLSPAILGVHVLIMAILGLISCVINPVKDYAKIG

CpN_0754 851381 851040

rs20-S20 Ribosomal Protein

OFLNLKVLVLSGDIAPKPKNNKQVIRRPASAEKRLTAQKRELINHSFKSKVKTIVKK
FEASLKDDTQATLSNLQSVYSVVDKAVKRGIFKDNKAARIKSKATLKVNNARAS

CpN_0755 851579 852799

CT616 hypothetical protein

YKDLFMILVLRKWLHTCFKYIYFLPVVTLPLVCPYFPLSISQKIYGFVFTTISLW
FYALRRRNLKTAAVQLQTKIRKLTENNGLRQIRRESLKEHQEESAQQLQSQOKLNS
LPHLQGLLVKTKGEGQKLETLHLRTEENRCLKMQVDSLIQECGKTEVEVTLNRELAE
LAYOQALNDEYQATFSEQRNMLDKRQYITGKLENKVDLMYEIRNLLQLESIAENIPQ
ESNAVTKQKLSSELKKIAFAENIEAASLSTASRYLHTDTSVHNSLRCROLFDSLR
EENLGLMFLVYARQSRVAFANALFTWTCYCAEFDLKFQSDIVISGGQWMDLHSSREE
CSGRLLTKSRGHLFFRYCLMALNKGPLYVGLVGLVPLHKEVLSQ

CpN_0756 852889 854676

rpoD-RNA Polymerase Sigma-66

ISYLPILTKSSKARNPLVLQVVRKLFMTQNSQATEVSSEESQKLEELVALAKEQGI
TYEINEILPMSFDTPEQIDQVLIIFTGMDIQVNLQIDVERQKKEKKEGLEGLARTE
CTPDDPVRMYLKEMGTVPLLTREEEVIEISKRIEKAQYIERILFRYSAKEAISIAHL
ISGKERFDKIISEKEVEDKTHFLKLLPKLITLKEEDTYLNLKQDPLSKQEAAL
NDSLEKARIRTAQYLRCHFRHNVTEDFGEVVFAYDSFLHLEQINDLKVRAERNKFAA
AKLAACKARKLYKREVAAGRTLEEFKDKVDRMMQKSOEAKEMVESNLRLCAVET
TNRGLSFDLIQEENMGLMAVEKFYRRGYKFSYATYWRIRQAVTRAADQARTIRIPV
HMETINKVLRGAKLMMETCKEPTPEELAEGLGLTPDRVREIYKIAQHPISLQAEVGG
SESSGDFLEDTAVESPAEATGYSLMKDKMEVLTLTDRERFVLIHRFGDLGDKPKTLE
EVGSAPNVTREIRIQIEAKALRMRHPIRSKQLRAFLDLLEEEKTGTSKVLSKSK

CpN_0757 854709 855134

foiX-Dihydroneopterin Aldolase

PCIKNIALVIAIERYQLIISKFRMLFLGCSVEERHFQKQVLSVTSFVSYNEVPSACLSK
LSDACCYLEVTSLEIEIANTKPYALIEHLANELFDSLVSIFGOKASKIDLEVEKERPPV
NLNPIKTIKSELCPSPVLSA

CpN_0758 855104 856459

foiP/dhpS-Dihydropteroate Synthase

RAMSEPRFVCLSLGSLNLRNFKNLQIARTLLGQAVLGLRSSVILEALLPGSPPEWD
LPYFNSVLVGETTLLSLRELLVTIKQIEKVVGRAEESPPWSPRTIDVDILLYGDESFCCH
TEITIPSLNLSRPLIALIASLCPYRRFCTQGSFYHNTFEGELAAHLSPSPGIMRRSLV
PDTMLGVNVTNDGMSDGGMFLDPEKAVAQAKLETGCAAVIDFGAQTATNPKVQLFSLV
DQEWERLEPVLRLKETWSNRKQYPIISLDTFYPEIILRAMDIYPIQWINDVSGGSQSM
EVARDCLSLVNHSGLSPVDPKNLSFSVPEGLLSWGEKQKLMFSDVGLNANQVIFD
PGTGGQVGAQASLATLYEIAKFKRLGCPILIHGSRKSLSLFGNIDPKDRDWETVGLSIL
LQOQGVGLRVHNVAAHOKALSVAACEACAPI

CpN_0759 856434 856997

foiA-Dihydrofolate Reductase

LLVKPVIIPGNFENPLVEMCKNRPVGRITVACDPRQVITGLECKLPHVYFEDLOFFSETIQ
FPVIMGRKTWETLPPKYFVDRAVVFCHERKRVNVEIWTVLEEFLLILDSISPTFLIGG
GELYCLFLENQIVRDFDISIKKETAIVTFEFLSLELTWTKVIRDTQITTCYENIHS
QNTKNTSL

CpN_0760 856997 857604

CT611 hypothetical protein

RHGPCLLEIPKQKQVTKMTITTKTHIYVYDULYSLLESGDLKNEKIVVITKIKV
LCEAVVLEKVKYDGLIKQALAVYFVYKVIYITKKGWILDEAGIDEENVEYVLY
PQGLLVNTLQDMLRNHYHLEHGHIIIDETITPLKRTMGLGAWNFFPIYNYVKKP
DCEFRALKMTYCNLLDLXSAVAVIARVDEQTLIAIEEAFKIPFEGSPPTLQUMTLA
IAEDDLYGLPLQSMWETTAITC

NLRKREQLLOVMTLLPKK [REDACTED] GKIPAPYPLGKDLAEDLSFHGHTIFRAIENKAVA
APIGIFPLKHLFPGRGIDSG [REDACTED] ENVLOWIRWATEQTPLSGVISDRITAKGIPCAR
RTVAKYRAQLKILPANKPKKLFYIRSGNSHFRRQCF

1975, 1976, 1977, 1978, 1979, 1980, 1981, 1982, 1983, 1984, 1985, 1986, 1987, 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 26

EELLVYFSEKQNYSLQNMTEKRSYVHMLPDRKKALAAVAYIEKQFGAGIMSLGRHS
 ATEHISLTKGTALSDLALIGVHPKGRVIEPFGSSGGTTLATHIVANAQKMGVAAY
 IDAEHALDPYSYASLIGVNIIDDLIMSPQDGEDALAEILLARSAGVDVTSVDAALVPK
 SELEGGIDGVHVGQARMQASLRLKATLVKSTQCAVIEIKREKIVSFGNPEFTGQ
 RALKFYSGIRLDIRRIGSKGSDNIIGNRIKSVQAKNKLAPPRIAEFDILFNEGISSA
 GCLDLAVEYNIIEKKGVSFVYQEKILQGGREFVREELKRNKLFEEIEKRIYDVIAANK
 TSPVHANETPQEVAPTEVA

CPN_0763 860520 859972

ygfA-Formyltetrahydrofolate Cycloligase
NFPMTPDKPIEKALRKLFISIRRDLSSEERKHEASSAVAFVRSFSKESVVLSEVSNFNEI
LMQGEANRLIQKCTLALPKIDQENLYPVLIPSIDDLISVVHPKDPFSKQTPISDDKITHV
LVGLAFDQQQYRLGYGHGFYDRWLQAHPYPSIRTIGIGYCEQKIDRLPQESHDIPLSQI
YLC

CPn_0764 861819 860524

CT648 hypothetical cellular protein
 GYKSMKIDKLCFLCFLCSSLIAMSPYKGTGDYKELTFLTGINI IDRNGLSETICSCKEKLKK
 YTKVQIAELAPQPYQKVMRYKNKNSVNSVCLTAYHTNQGIQKYLECLNNRAYGRYREWHVN
 GNIKIQAEVIGGIADILHFLPSSAESGMLFDQTFYAYNDGELLEAAIYKEGLGESSVYYHTN
 GNINWKECPYHKGPGQKFLPTTSSGKLKQNTQQGKRLLASIRYESDSEEDVLAWEEYH
 EGGKLLAEYLDPTHEIYATIHETNGIQIAIYKGYAVIETAFRAYPGYKVKTRFDNSGN
 IQTVALNLQAGAKGEEFFVITPGPKPGLLNNHWEGLIAGIVKTVTPGGTLESCDSKLVNKK
 KSGLLTITYYPBGQIMATEEYDNDLLIKGEYRPGDRPYSKIDRGCCTAVFFSSAGITTI
 KRPYDQKGPGLN

CPn_0765 862415 861801

CT647 hypothetical protein
TTIYIKLLGRLLMKKWSILILSFLSLLSILPVLAITINHVKISQRWSDLSNQSILTLKVIR
DHEDQVIKHNARISKDRNNLSIESLNASQQLRPLSKERERLKNLNSNLSLAQSKEVWER
KMLEKSNHQLVWNCEQNMHNFDAFVRLEQATEMDNEDIESLSFLSNPENPVAPLVFFTCW
KMTKTPITPLGNEVWLTHAEAISRWI

CPh 0766 863785 862394

1646 hypothetical protein
 ATGKLEPVVHIGLTKAEZNTNTIKAIQLTKTKGWIIVCHCEQIPEGKTSWLPKPYFAAPTF
 SLGSSDILVKSSSSSLKNRKNILKVALTNLEASLALPWESLIVQPLGKPTDRGETPLTL
 LNAKNTLAKVLSFSLGQAFYIPDKLSACRAADIFFLAEOPTLPAHVAIISLPGKEEYVTC
 VVHHAIAKLSFSSNHTSKSCDDTHATLQYIQETTFPTKPLPAHVAIISLQKLEIK
 SLPLGVKQSNLTGYVEDDEWIEYKSTLAAAHGASRRAPLTFPYDATSPVPAQKHMLLR
 SLTPGVYALMATVYVLSGLVYKGLSSAASHNAPCEEGVLRPSLSKAEEKTVKAIGR
 QNSASNPPLLPITPTSETGKLLFALGKSSPSIKFSYFSYTFMTSPYKDNPSLPYSAIVE
 LSGGQGPEDIPQFLKISHPKLVHGESLEDRSFQKPTLLSS

CPH_0767 863878 864177

000000
000078 004177

TF645 hypothetical protein
NIMLSYLLRTAINVYSFLILAYIFASWVPDCQSARWYQLVSKCVDPLNFRRFVPRIG
DPSFPVGLLCLGILPFVILRVLRFIILNIFHSPWLLOYL

CP#0768 864144 865163

OH/nir3-predicted oxidoreductase
 PHSMAAIFIKTNILLRSSVYAPLGFSDVPIRMCMSALYQGLMFCMVKVSEILYAP
 RPSKLLDYNENMRPIGAQLCGSNPSTGSEAAKILEGLGFDLIDLNGCPTDKITKDGSG
 GGLTKPELIGRLIDKLTINSVSIPTVKYIRSGWDMENIVETVYIRDAGASVAFVHGR
 RGLKQVHSGPSKQEIYISRAKAAAGKEPVGNGDIPVSEAAQMLTTCGDQV/VARGTLGA
 WTGKQIQDYLTVSGYEKIPITKRKAALFELHMRVEDDYQSTKFLSETRSLGCHYLISA
 VPIRLSSLLAKATSYQEVQLVNDYEADDSSLETVPVK

Pn_0769 867763 865121 .

OPA-DNA Topoisomerase I-LikeLigase to SWI Domain

IGPHAIRLWMKSLILVESPAKIKTLQKLGSSEVFASSGHTITVDLPKAFEGIDVDHDF
PQYQVLPDKQEVINHKRLKAAKEKVVLPSPDDEGKAIAWHIAVLPDPSPLIRQVSN
ITKNAVTAELKHPRTIDMALVYVNNLRVMDKPTTKTVGVKISPLSRKLGQSGISAGVQS
KALMLVDVREKAIADAFVPEYVNNLRVMDKPTTKTVFWAHLYAVGCKWEKEIPEGKTEN
VLLINSEEKARHAKMLDEKSSYITRVEAKKARVAPPPIITVYQEQASRHFVFSASR
MSIAQTLYEGVDDLSESTGLITMYRDSVRVDPALTYRVEYIQOTFGKEVLPPEKANV
TKTKMTQDAHEAIRPTDNLTPDKLKNKLSDDQFVKNLYLHKRFVSAITPAYITQVLAQ
LITDTTEILDRASGSLKFKGLFAVYEKKODNDEEDHLLPQHAQDALIKELGYSQ
TPTKPLPRFTAEVLKLEKSGICRPSYATIMANKIQSRFTTKENQRLRPTLEKGIISQ
LETNHFPMIDIGTALMEDELELADNKKPKWLLQEFNTPLFPVITAEKAVIPRIL
NETCSKCHKGLVKVWSKNYSFYGCSYECYDRTSELANFNKDYEDATPWSPCPL
GGVGMKVRHGRYGTFLGCEQYPCRGRTISIHKGKEIIQOEPIIAPGICNGKIFKRSR
NKLIFYSCSEYPCGVIGNSDIADVITYKSTGETPIYKTKTPKKSSAKTKAAKTPSK
YKSSVKKSSSEKTKPLPLPSLPDLAKIGNPVSSEATKKIWDYIKEHQGLAQENKKL
VPDNNLAIIGPNIDIMQLSKHLHSLHTLKNVDESSASS

En_0770 868322 869131/

1542 hypothetical protein
 ...TRNRVKLEFVETLSSPPDLDITNKQGLVAGPEEKVAFVLVRSNMLDAGPNETPASF
 ...LREDFDIPFVPEVVELVSNEDGLVWEAKGTITWLNINVEITQLRKHKRRKASPHLQMYSRD
 ...LAHEAVIAVHRMKFHEPVEEVLVYQTSFQWRFRFPGPLRSPGESYLLFFITLGLGI
 ...PAGITLIMLVLIYFMRLRMCAQSYLVRAMKKIYKMLCVPPVLVLLRLRLTQKEIKMFA
 ...IPVLVEIKPAPRKLENNWKQIYQSYFV

n_0771 870511 / Sb9144

721 RHA Polymerase Sigma 54
 722 PNYNKKLGLDGLADMDPQQRKLKYLPLRLNQQLQMLQSPLETSYFFVDEIDNP
 723 LKSLQEEEEEDWTPYRPIPTFSTYLNQTPFQSLVTRLLPQIEAFSTAEERFIAHQI
 724 QSLDHFLLKLNIEFQAQLELELEKTIKHWPTITQLSPQEGAGPSLQSYMMKLLRNS
 725 LAGLIVPDCYPLMTIEFADIMKPSLSSLELRHLLKALQSLTPWCPAAACTQYKVMV
 726 LAGTIVPDCGQHWLWETVQSLIKLKKEFTFYHILPEKQKQLNSQQLSAKWLK

CPn_0772 872400 870469

[illegible]

CPN_0773 872485 873195

ung-Uracil DNA Glycosylase
FMQNAITDQLPVSWEQQLPLCWREQLKEEWSKPYMQQLIFLKQEYKEHTVYPEENCVFS
ALRSTPFDQVRVILGDDPYPGQGQAHGLFSVPEGQRLPSPILINFRELKTLDLGIEHNK
CLQSWANQGLILLNTVLTVRAGEPFSHAGKGWFLTDAIVTKLIQERTHIFDLWGAAA
RKKECELLFNSKHQHAFLSSPHSPPLAAHRGFGCSHFSKINYLNLKLNKPMINKPLP

CPn_0774 / 873183 873425

CT606.1 hypothetical protein
LEAPMNEGIHS/CFOKTPRLTAKSVSMEMLLTTQQLPSAEGMPSVANLEADFLRAEALL
AEMREIRGCL/QSLRTLVPSE

CPr_0775 / 874040 873414

074040 074114
yggV family
ERPMKIVIASSHGYKIRETKFTLKRLGDFDIFSLSDFPDYKLPQEGQDSITANALTKGIH
AANHLICVWIADDTNPLPALNGCPGLSANFAGVGAYDKDHRKLLDLMSSSLESIVDRS
AYFCEVVLVSNGEILFKTYGICEGYISHQEGKSSGFGYDPIFVKYDQKTFALSESDVK
NOVSHRKAQLKPLAHLQSLFEKHLLLTRD

CPN/0776 874180 875487

CP005 hypothetical protein
 YFVLNLYGKLCIMFQFLSFTMKKIFYSFVSLSCIFPVPVCAQVFLGLDRIFSEGEYTR
 IYQKKIALISHSAINSRQGLDQVYSRKHDCTVEILCTLEHGYYGATPTETVGNOPS
 YRLNRLSPYGVGPKVEAEHCDVFVDYQDQIGVRSFVTVLQVIAASERYVKGL
 YDPRNPMGGRIGVGLPPTTSGSLAIPYCYGMTPEGALFKFKTYPANVANNV1PMKG
 WNRSMTFDETLTWPTSPQMPDFSSPPFYAATILGALVASIGVGTPLVKLGAPWM
 DEKVADELNRMKPLPFLPFYFPEFGYKYMDC SGVLVLQDQPKFIYFVETQCTIWG
 WLKALYPKQVEQLTKLSIERIPARRSSICNLFGGDEFLSI SHKERYIVWPLRLRCKESRE
 FTHQLRSSCLLEYAES

CPn_0777 . 875586 877178

72EEL-2 heat-shock protein-60 176
 TSDRIVWVFKSGFDGLSALKRGVHALTKVAFPAFGPRGVVVIKKGKAPVLVLTNGIRI
 KAGILLQDAFESLIGLAKALLKLVQEGDGTATLVLDALFTQGLKQIAGLDLQVFI
 KAGILLVSLVEMVYQQLQRAELQSPKDLVAMVAAVAVVLTQVATVLSQADLKPGES
 ISKTKGSDKISKTGLRGKRVKSVLSPYFTVETPTMDVWEAEALVLSLSLVSLESLRYLE
 ISEQNTHTYVIAEDPDNGYLTLLNLKRLGDPVCAVPAKGSREQLRVVLDLALIT
 LILQGEENSEIPVSLDVRGKVQVIMTKETFTFLVEGGGDAEIQAARKLECLAIARST
 ESESCQEELEERLAIFGSIPLQVQITADTTEFRERQLESALRAIKAMKGVIPGGVV
 FLRAAHAAIEVPANLSGSGFTFETLLQAVSTPLKVLQACGRSSEVVIHTILSHENPRF
 VYNGMTDFEDLDVGICDPLVLTSSLKCAVPSVCLLNTSSFFISSRRTK

CN_0778 877400 878092

tsa/ahpC-Thio-specific Antioxidant (TSA) Peroxidase
LPVAQSDRVPGYEGGQRFESSLVRRNKRVEEVFMTLSLVGKEAPDFVAQAVVNGETCT
LTKDYLGKYVVLFFPKDFTYVCPTLELHAFQDALGEFHTRGAEVICGSSVDDIATHQOWL
TSLKKQIGBITYPLLSDDKVISRSHYLVKPEEELSFRGVFLIDKGGIIRHLVVNDLP
GRSIEELRLDALIFETNGLGVCANWHEGERAMAPNEEGLNPGYITD

Pn_0779 878502 878095

T602 hypothetical protein
FDLLIFOMKFTVALFGAEKGSYDTAYFCRSLVDLHNYLGDVSSPGITLAIKTLTLLSDYNV
YFVRVEEGYCVDSYFGLGHLFNTQTTLKNIIAIGLPGVGNQHIIEASRSLCKQHNSLL
FDHDLVLLTNOFF

Pn 0780 879241 878591

Ph_0760 879241 878591
 apQ/amiB-N-Acetylmutaroyl-L-Ala Amidase
 GNKNIAVQSLRFMHAKLSFFILLSLFLSGIDCSPLHAAGRSPSLQGVLAETIEDISAKLAS
 EVEIVMLSERLDEQSKCKQKWTAAKPTLAQIKRELESQKALAKTLAVLTTSVKDLQT
 LQSLQKEISQDKHRLAQDLRLVRRSLALALVDSSPGAYADFSDPVPVNTIIVREGDLS
 IAKYKLSVTELLKKINKLDSDAITYAGORLKLPOPNK

Pn_0781 879851 879198

al-Peptidoglycan-Associated Lipoprotein

Pu_0782 881077 379772

HLA polymorphic transporter

76_0783	881888	881106
---------	--------	--------

127763 KS1008 381109
12% hypothetical protein
MKYLHYIAITACIKKIIILLYEAGTIGKKKLGKPAEGEKIYVITIQKRIYVITGVVAVD

[illegible]

CPn_0784 882359 881892
exbD-Biopolymer Transport Protein
DRADSTFTTFYVPGQIPQYKIMKYPFTEEIEEPLVNLTPSIDIVFVILMAFIVAVPLIK
LNTALADTPQLEVLNTHDIAVTFVADHSTENHITDGLSTPDLTHKATIK
TEELQGETRPETPLNYDIAKAEHELIVAGN

CPn_0793 89438 89479
 rbsJ-sigma regulatory family protein-PF2C phosphatase (KsbW
 (subfamily 1)
 NAYLIMLPPFDLSPDPAVAGLALNINWIKLILNLTNYATYALKENWAFRA
 NLTQIVPLNDVLCGLSDVLDLDAITETPNVLSSNEMQKVFQGIYNEISLKVFPNGD
 KIVVASSIPEHGLGENYHNKIDIPKNTFALALQSPKQNEVFSVMQANVFDAKTELOQI
 LYTTFSAESLLDKLIDKQSYLTITKILSKYGVILKADPALHLLTYVPMTRKFCQV
 FLNDPCPDISELGLPTLLSLPDIGENFYFSFKIKDTEIWGCENPISDIDAVLSYAKKESS
 FAPLWRARMYTYAFYCCILGSLIETIVARLLSLPIRKLTAMTESKRNKLVITDDSLG
 FEINRLGILFNAMVENLHQHQLKNTFEMKENAQNALHLGEAQORLLPNTLPSYPHIE
 LKAXYIPAITVGGDFDVFVCGSKMFLVYIVADASGQKNGAGVSLKLNMLRTFLSR
 SSSLQALQIETSLRPLFYNTKNGKFLVLTVCVYQSTGNTMYEYSCGHPACYLDPPGETS
 LHFPHGALGLFLEVANTIKSLFHHKPGDSLFLVYSDGITEAHNNNNDMFGEERLQAAIG
 LTGKASDAVHRLMLSVKTEVGNSHOGLDITLLIKVLES

CPn_0785 883039 882296
exbB/rolQ-polysaccharide transporter
DHLYPETLSVNRDYSVMVHSNPIIQAYTEADFFGKSIFCLLLSVCTWTWLLHQLAI
QKNFLKAGKSLKDLFIKNRHPSLDHLHSPSPADPTIKRGTLEGLDKNRQSPDRG
PLSSDSDIGLITLGAIAKGLLHKNFSIPATTLISLAPFLSGITWVLLVAFTHS
SGSSGNAIMEGLATALGTTIIGFLVFAIPSLIAPNYLKAHSSSELIEQTAYLLNSIE
VGGVNNI.

CPn_0794 897123 898004
No robust homolog present in Genbank/EMBL as of 11/7/98
KSKSHRSFLFLKSGGQVLSVYQWNSQLKSLCYSTVAALLFM:PSQSFADSLIDLNL
GLDPSVECLSGDGAFAVGYFTKAGSTPVEYQFGTSDV/KSKTFTLISVETANQSGYAYGIS
YDGTITVGTSLCSLAKGKNGKASADGTLPLTGTITTYSTEARAISKDTQVIGFSDYA
SGSKPAQVWASGAMVLTQLADISGGRSSAYATVSDDTGIVGSMSTITRKTATVKKVWN
NMYRIGTIGDASATGIVSGDGTIVGAANTATVINGNOSHAYMYKDNQMKD

CpN_0786 883137 885293
dsbD_xp8A-Thio:disulfide Interchange Protein
NHGVLINLKFTYLTQTLIAFPFSFALSGSSFSSTIAEETIQOVNHPGAELLSGSGYIRGL
CTFRGLGILITASKSGHLYWKNPGEISGPLIKVQMLPGKGVFEEDHPTPKVFEETGFTF
GYEDSLIVADVRPEGYTTPCGEVLRAQVWLACGDSCLPNGLVLTPLVPEKESPLF
PDTHAETPTKLHAGPVLVLENDHSVQVQAQKGNEIILLISKKINAKWVSEVSEKADLKFAY
AETSYSGGTCTAWRLKVNLSLQKQNEKLHILLADHTGRPEVSLTHSEVLQGTGSAV
AGLSQYITLILIMAFLOGVLLNIMPCVLPLVTLKYGLIKSAGEHSSVIANGVLTLGLVV
CGKPLAGLAVFLLKVLGNITGWGFLQEQPMFVATLIVFFLALSSGLSLFMGTMFANLG
GKQLSSEMSNNKNAAGFAFNGILATLVLTCTGPGFLSGVLGLVMSLSFLQLLLIFTAIG
LGASMPYLVSVFPMKLSLVLPKPGQMVSTFKQLTGFMLLVTLVTWLVLPGETSETTSVVV
LQGLVTLAGLGLWILGRWGTVPSPKQRCMALLFVFLAGGAISVSLGASHYFAEQPTQ
SVNEDSLSGPFLSEKLALQGRGRPVVFNTAKNCLPQMNKPLVYGDAVKMFETHGTV
TIR.FADDPKPKDITFEIARI.GRASPVYVYPGDNASVLPKIKITGVLLDGVVSRFVR

CPn_0795 898008 899195
No robust homolog present in Genbank/EMBL as of 11/7/98
GLTGGANSSTVSDSGSVIVGQAQAKSVHAFQYYNGEMKDLGTLGGTSSTAKTSVSPD
KGIMVGRSGTAGDSWHAFFMCTDSSNNVLFDLNTYKTLRENGRLSNIFNLNMMLQR
ASDIEFTEFGSNLSIALGAGLYVNALPNLSLAAQYFGIAYKIRPYRGLGVLDHNFSSH
VPNNFVSHNRLWMCAGIGWDSQDLGSSVGVKPYGKGOKATITREOLENTSGSGESHF
EGVAFIOIBRGYKSLGSHVVRQPLFGFLVHTIKETYNNAVQPVHYHDPIDYSTGVVYL
GIGSHIALVDLSLHGTMRMGHEQFAHTDRSGSIAISGNFVFEKLDVHTTRAFAEHRVN
VLYPLQSLNLIRVNOPLGVGMGSSDLRLALGF

CpN_0787 885604 886401
 yabD/yCfH-PHP superfamily (urease/pyrimidinase) hydrolase
 TRRPQVLDAADAHVLSDDAFEDINSLVQAQDSGSLVNVNVTTEKLNRSFAYAEKRP
 KIRFCFVGWGTPQQDQVDITIEDYRNDFHAKSLKLAIEGVGLDYCATFEGABIKQVEV
 QYRLASLSECLPLVVHCGRGAFDFFMLDQKLVNPNRSPRGKCHCTPTGLEAEQLISR
 GWFIISGIVTFKNAQKDLNVLFLPLEHLLETDAFFLAPVYRGGKKNPEAHLVLTINA
 VANVKGIMFPOELAAQYKRVLFVHLHG

Cen_0796 899280 901340
No robust homolog present in Genbank/EMBL as of 11/7/98
SELYSSYLQCLNMSIVRNSALPLPLCSRSEFTKKVRSYHMKFMKVLTPWYIKDNLVYTF
LLTAIPGSFAHTLVDPINGEPRHAAQTGVSQDGKVIYIGMKVPDPPFAITVGQVFIGDHLQ
PLEAVRQGVNIGVPIGTIPGTVITGVNIGLGMVSAVKWGGVSELPMPTDLSVSASA
QGRVIGVGNIRNLINGLASVAKWEDDITQLPSLPDMANIKSSISDGSIIIGVTMDV
SRNTAVQVIGDQLSVITGLGGTTSVASAISTVITGVGGSNADQSHTAYAKGVNMSD
IGTLGGFYSLNAHVSDGSVIVGVSTNSEHRYHFAFYQVADGMDLGTGLGPGSYAGVGS
DGKRVTVGRAQVPSGDWMAFLCPFPQAPSAPVHGSGTSTQNPGRMVDINATYSLSKLNK
QQLRLLIKSHAKSVESVSGASPSTSVKGAISKQSPAVQNDVQKGTFLSYRSVQHVGNQ
QQLLTGAFMDGNRLASAPKGFQVLYHVGSDQALVERAALPTEEQGLSGVSGPGQGVQ
RYDFNLGELTVLQPFMGIKVLHISREGESKNKRVPSYDSVYAATSFGMAHYFASLS
PKMSTASTGLVERDLNSHIDFEGKSVASMGNFVLENSTSVYLRFPAASLAMYDVRRQQLV
TSLVMVNOOPLGTGLTSLVSSQSYNSLF

Chr1:70788 886521 887432
 sdcE Succinate Dehydrogenase
 SLQSLRMSRSHKIPSEVSHKKQKYSTTFPRCHISLGLAIAFTFFLCEHLFTNMLSSYFS
 OYKQGVAMVFNHFKIPGLKITEVGLVLPFLCHLAIIGIVLYFGQKSNCSYGDGSRPHLYR
 AIGNSYTLWRTWAMILLFGLIAFHVHLLDRIYLPVYHDIGHTTYAVDIPQSRVYDGLTVRGT
 KGFYFTNLTPEASSIEVSRDHVGGARALLSERNSYLTPTSGAFTLVYVRDALGSLF
 IALLTILVIAAAAFHGFNGLWTECCRGVYVSLRMQGVLRIVCYLAMIVVTFMGVSAMNLT
 YSAVA

Cpr_0797 901552 902694
No robust homolog present in Genbank/EMBL as of 11/7/98
VLILTWIIVLTKLGLNMSKKIKVLGHLLTCLTFRGVLCAALSNIGYASTSQSPYQKSI
EDWKGYTFDLELLSKGVSEHAHVSGNGSRIVGASGAGQGSVTVIWESHLIKHLGLT
GEASSAEGISKQGVVWGSMDTRGTYTHAFDGRMDKDLTGLATYVARGVSGDGSII
VGVSATARGEDYGVQVGVKWEKGIKQLKLLPQGLSEANAISDCTVIVGRGEISRNHI
VAVKNNKNIYVSLGTGGVSAESAASANGKRVIGWSTNNGETHAFMHKMDTHMDGLT
IGGSVATGVSDAGRAIVGVSAVKTGEIHAFYYAEGEMDCLTTLGGEARVFDISSGND
IGGSLTDCAGAEALPHIHK

CPH0789 887436 889316
schr-Succinate Dehydrogenase
QNDKRIKRVIVGGGLAGLSAAMQLANGIIIVELVSLTKVKRHSVCAQGGINAALNKPE
EEDSPYVYHADITKGGDFLOADQPVLMELCAAPRIKIMDNFVCGCPNRGSGSNLDVRRFG
GLTHYRTFVPCGASTGQADQMLTDEQVRRRHAGRAVIRKLENFVGLVTVDSHGRAGCII
LNLNNRLILTRGDVAITATGGPGVIVFMSTNSFTCTGAANGRLFLQGMAYNPFQIHP
TAAFGKDRKILRLISVSRGSGEVRWPGDSSKRIIVFDGSEPCGGETGAPWVFLDNPAY
GNLVSRRDQAGARALIRCEAAGILDGMEAYLDVTLPEKTRHKLGVSLVDIYKFFYEDPN
TVRDFIPFVAVHYSMGGAWVDAAPDDPRDSFRQMTNIPGCFNCESSDPDQVHNRGLA
NLSLSCFLGAVSGDEASRFLIEAGSAQATSSDFRALQOQKEENARLLSAGCNIFVL
HSETKAIMVRNVYKDNRIETQMDLKEFRFRLKNVSLDSSPANKSFHYVRQMGPM
LELALATKGAALLNFRGSHYKPFPERDDEHWLKTTVAVYAPEEPISVLPVDRHVA
PDRDYTKSSGTGLTELNPIDRLPI

Cp_n_0798 902810 903856
 No robust homolog present in Genbank/EMBL as of 11/7/98
 VFEEIFVVRVPMKTKCYDYKESFVGVSVFLVLTQTLFAGHFDIGTSGLYSARGWV
 SGGRRVYVYEGGNAGFVQVQKFLGLVPSRALVFVKSQDGSVITIGSDQDPSRAV
 KYNKGLVDLGTIFSEMGSAFEGVSSDGKTVGLCVLSDDTETNFVAWQWDTGMPVLPNL
 ERHSCASDASDGSVIVGDAMGSEETIAKAVYVMDQGEHLNIPGAKRSASHAVSKDGS
 FIVGFEISENEFVAHYFNHGVKIDGTITLGGDYVSATGVSRDGKTVVGHSTRTDGEYRAF
 FIVGFGMIDLTITGSSAFEGVSSDGKTVGKTEFELGECHAFIYLD

CPH_0790 889279 890103
Succinate Dehydrogenase
NSRFLIISVYPYRKRMENLETFLIKIYRGVPGKQYWSFELPLHNGENVISALMEIE
KRPVNLGKPNVDSWQGLCEEVCGSCILVNGVPRCACTIQTQYDIAQSREIVLAP
LTKFLPRLIDVRSIMFDNLRITQGWAAIDIEGTFGPQVTEQQLLYALSQMCCTGC
CTEACQPDNKSDFIGPAAISOARYENITPGDKRSKKRWALMGKGGIEGGQAHNCVVR
CPKPLIKTESIAVGREISKFSRLSLFSAFLFKKK

Cpr_0799 905001 903940
 No robust homolog present in Genebank/EMBL as of 11/7/98
 KREENNAKIKQILRSMQLQSSLLWVFLKSLYSLSQYCVYITDKPEDHSSFAVQHWKGT
 TLTSLRLNKKASAKIASQSGTATGVGFKDTSYTGAAVYVWTKPELTSTGWKWSKATQ
 ISDDSGI IAGIVENQLPQSGAVFTWKNNNMYLLPSTWAVQKAGYISDDSGYIVGSAKDA
 STFAVVKTKGHEAQLPQGVAVKSNVNNYLLSIVGSDQASGLIYAVKNEGTITHL
 GTGLGYSAISATVANNVCKIVGRTSEITGVGEVHAFCHVPM/MSDGLTGGYSAAKGSVAT
 CKVYVGGTSTANGKILHAFKYVQCGMTDLGCEYSKAECAHVAIDGELIYVGQSE

Cp_n_0791 893104 890111
CT590 hypothetical protein
TCLRSSRKIVVEDISDRNMYSCYSKGIASHNVLHPMSLDLIFVFDLSLIANDQNLLEEFV
CSEDVTLFKRAYRTALQSCALAKNLNIAKRVANYLIDNGEIDITVLKVEAIHLSQSTYPL
LQPHRHNQAEADREHLKMLKALKENPKLKESIKTVLVPYSTQNLRIHTLALNPOTILS
TIAVRQAALATLFTYLRQDVGSCFATAPALITHQYPERFKLDFDLNDLSSGKSRIVNQK
ETIVPILNCGZIGELFPLRIIDLPLDVLVLSGGLKKFASAAANLITGLDGEAQIQQL
LHSHOYMLKSHOYVHETLTANDIKSTLHLYLQLESTVRAIFPKFGLSQKQVAFSTQH
PRELSEIRQVHYHLHVEAKASFIDHTNQYLKAWETLATTADASQPTISNIRLAKH
WKPESDPHEQLSVLTVHVEEVENRITLVQCEETVHYEARQSLEYIEGRMRPLNNGDSQI
LITMDHMRPHSLNKNALYVEEQAQKAFKLPPEFLSFTYKQIPLFRYSYDAQIQEFA
HLYANAPAGFRILFTGTHRTHTNPSTIYSINEFIRLSEFTHSTSEELLGHVAINLEKE
TSRLVNHTIMLTHDVFQEAALLTILEYQLVPPVPSILNDLQSGTQPMWVYSGGVITDLE
LTVHDFEJESPELITTEKHPENYHELAARYADALKDQLTGKISYEEGSHSLSNSSPTHVFS
IAGCSPLPFEAWNDWNSYTWLRDQYKHQDFDLITQLPQSTYAFIENCFKNKALQHV
VHFIDHFDGSDHSLTLEPLYDQGRFSSLSLTKQKDTVALYIIRLLYLVMRVVPYSEQQL
PEFLDNVGYGYIGSRITTYEKFRSYLEETIPKMTLSDAGRLHYIKGLMLSQYSQKITYLE
DTYLRLLTAMRHINILYAPDLLFLDQNWPSIYVGFILFNGTTEIDLWKFNFYAGLQQQPLD
NIQELFAFWTILYANFDIDYMPGGPYGGRPKPEEF

CPrn_0900 906550 905249
enc_EnoLase
RKEIKIMEFAVIAIDIQAREILDSRGYPVLHVKTSTGTGTCGEARVPSGASTOKKEALAEFR
DSDPYRGQGVLAQAVNKVNIILFPLVKKGVSPVYESLIDSLMMDSGSPNKETLGNAIL
QVSLALIAAAATLRRLPYRLKLGCTGACSLPCCPMFNLITZMAHNGLFQEFPMIRPTGA
SIIKEAVNKKQADVHTLKKLHLERGLSGTSGVTFAPILASAEALLELLALLKEAGFT
PGKDLIDGLAAS:FPVYKTKTGTVDGRHYEQIALILSNLD:DRYFIDSDIEDLAEQYDQW
ALLTEVDEIKGVVADPDLFVPTNPELILEGISLGNLALVLTGIDTITPVTVAIKLQMD
AGYTTIDIRHSGSDTPTDIDLADVAFNACQKLTGSLSPGSRVAKYNIHLMELREELQSEA
FTDIEINDE:SEE

1261_0725 894_55 893108
 CTP49 hypothetical protein
 HHHLINLITLIRIMKHITTKRVLLFFFLVLTPLLLIHLVGVGFFESAAKANLVVLHTRTA
 LITLITLIEFFKLTINKHKLFDLANTLAKLSYASPAEYAAQVYNNMALINTDFSLCLDP
 FGLQVRYTHLIDPPEIRYVLDLCHPEMKKKLSAAVCAKFLITLTGKPLHLIYLVLDVADSMS
 TTTGGLGLVLYMPFRLVLDLPOLSLITKGNILKLYGVGLFLCAQDFESFVSLDLPNL
 FQPAQRICLIEIKASGLLGNLTLISINKRKYLVLVNKLPTQVYTYLLVPSVLDL
 LQALKPLHLICEFYVGLLVNLTGKSTINKILNKPDELITLPIQAQWRNINLVRFEPDYP

Q72L_0801 0087070 006727
 9743 Extinctalaeus Ais¹ Subunit II
 LPTLMTLQIIIAIAFAIAKQVIAAPLAAVLRVQVIAKQVIAITRIRKPTTIAIAIVANVHII
 IITLIVMTLITLAAQIAVQIRFFTHIAVEYVLTIDYDYQIPRAYIAKQVIAIKELLINDE
 IDKILKILATRLILERRITLIVSIVQVITYIGCGPNTIMALVILEVQVIRPNTITIAQLV
 MHYIAQVLPIDQIAEAVNIIIDIPAYELIAALPLRPLIFLPTLIDPMTITIKELIYV
 SATLTYQISHYVIAIPAKRAHAIQVIRELIRKMAFFDPRIDEKILFIRHTITILEMIRKEIG
 RIKELNIRKIRPTIAQAIAHITLITLIDPDEFLITIDEGHTLIQIPAMVIRKIRKQEL

NAILQHLILFFVLNIPSAVSVFIVLVLGFTTAPSCDHCKHQTDSNPKS

CpN_0821 932424 931501

yscT-yopY Translocation T
FYALQVRFKST:INCKELMGICLPELFSNLGSAYLDYIFQHPAYVSVFLLARLLP
IFAVAPFLGAKLFPSPKIGISLQWLAIFPKVLADQITNYMDNLLFYVLLVKEMIIIGI
VIGVFLAPFPAQSGSFFITNSQIQGLBGATSLISIEQTSFPHGILYHYFVTIIFWLV
DHRIIVISLLQTLVETPIHSFFPAEMMSLSAPITWTIMKQCQLVMTIQLSAPAAALML
MELPLIIFIRMAFVAVVITLALFAFMILFELTAAWFIKQIDVETLAWFKEVIML
LCHINPZ

CpN_0824 932677 932378

yscS/fliQ-YopS/fliQ Translocation Protein
INTRAVLAFFATSFKSVLFYYSQSLLLILVSAPPIILASIVGIMVAIFQAATQIQEQT
FAFAVKLVVIFGTLMISGGLSNMILRAFACQIFQNFYKWK

CpN_0825 933618 932677

yscR-Yop Translocation R
ERIKVTFIMRSIFRSLCFEFTLSVSCCFADASLYENSCPSRCQTPPPSNNPLVAVQOP
VAASSVPSYMPPLNADDVLPRDHLSDGFSOTYPDITTOQAILIFLALSPFLVMLLTSYL
KIIITVLRLNALGVQOTPPSVGLNGLILSIYVMPFGVAMYKARKEIEANTIPQSL
TAGGAETVYFALANKSEPLRSFLIRNTPAQISQYKISQKTFPSEIRAHLTASDFVII
IPATIMQIKNAFIEGVLVLPFFVIDLVANVLVAMQMMLSPLSISLPLKLLILVMVD
GWTLQLQGLMISFK

CpN_0826 934382 933612

yscL-Yop Translocation L
HDNKRSGVFSSSEVNQPORYYAIVMKFFSLIFKDDVSPNKKVLSPEAFSLDAKELLE
KTKADSEAYVAETEQKCAQIRQEAQDOGFKEGSESWSKQIAFLEETKRLIRVREALVP
LTAASVRKIIGKELELHPETIVSISQALKELTQNKHIIISVNPQDLPLAVEKSRPELQNI
VEYADSLILTAKPDVTPGCCIIETEAGIINAQLDVQLDALEKAFSTILKAKNPVDEPSET
SSSTOSSSLNDQDKKE

CpN_0827 935273 934434

CT560 hypothetical protein
GCLVTANTFGTLDILMKHSEKEDLSRFLPKNLVSPHPEEIPKLSLFTMSWLPTIHPS
WITAMKEFPPEIQGLQALPEPLVQOILPLLPGLISIAHRCAPFAYLLDMLSKIR
PCGITEEIFPASSANAIIYTPGVKIALINCLGLYSIAKELKHLDKVIIVRVKQNALSP
TEKFLPTCYQSHPMKHLEITNLSSTWTTDAELRQFVHKQLEFLGKALTENASFLWYFL
RRLDVGRAYIVEQTLKTYDHPYVDFYKSRLEQCMKVLVK

CpN_0828 936292 935267

yscJ-Yop Translocation J
IKRYAWIMVRRSISFCFLMTLLCTSCNSRSLIVHGLPGREANEIVLLVSKGVAAQK
LPQAAAATAGAATEQMDIAPVSAQITLAILNQAQGLPRMGTSLDLDFAKQGLVPSL
QKRIYQEGLEQMASTIRKMGVVDASVOISFTTENEDNPLTASVYIKRGVLDNPNSS
IMVYKIRKLIASAVGLVPENVSVDRAASDITINGPGLTEEDIVSVWGIILAKSS
LTKPLRIFYVLILILFVISCGLLWIKWTHLIMTMGGTKGFNPTPYTKNALEAKKAG
AADKEKKEDADSQGESKNAETSDDKSDSDKAPEGSNEIEGA

CpN_0829 936729 937298

No robust homolog present in Genbank/EMBL as of 11/7/98
KVICFVPTLAKSYFINIRDSRYFVWLCFMKETYRDFLHENYIKKKSMFMKIKYTAG
FFLANAKWPLVAGYRRVRGKDFLPLVDLILFPWTKDSRSPCSMTFTICRSIVE
CIIYVSTLFGIGRFCAVVCVEGFSGSTFDKIYHTIVAVLGIILGLITFLIRIIFSLML
PWFLFKCY5

CpN_0830 937339 937959

No robust homolog present in Genbank/EMBL as of 11/7/98
DSCSFLLPCEFEVAQTFFQVSVKVVYKYSRILLIALLYNITLVGLIFTHKKYLQK
GRVILKIYQNEEEFFRATERFPISGAGYLRVRNNSVLPFFEDMLVCPSPKDFPLSAF
KVTIKLIYWSVLESIPVGAFFSISGRFAMMCIEDPGSIFSRITYHTIVGLIGLGI
IMFILRIIFTLTLFPWLISCLKSSAA

CpN_0831 938249 938434

No robust homolog present in Genbank/EMBL as of 11/7/98
NKRKNVLRKSESEGAFFATQNYPTIQGYQLVRIREHNSVRAHFDLSLSDASVHP
AA

CpN_0832 939750 938827

lipA-Lipoate Synthetase
VMKCRPTLNTDQPRVRKLPERFPKWLQRLPQGSFAHATATIKRSGMPTVCEALCPN
RAECWSRKATYALGDVCTRCGFCNIGHSKTPPALDPTPERIALSAKELGLKHVVIT
MVARDDLEGGAGQGLVDIIOKLEELPQATTEVLASDFQCNVSAHLTLDSGITYNHV
ETVARSLPLVRHKATYARSMFMLEQANVLPDLKIKSGIMVGLGEMEGEVKQTLQDLASI
GVRIIVTIOQYLRPSRKHQVSVYTPETFDYRRVGEANGLFVYAGFVRVSSFNADILA
SVQDKASA

CpN_0833 941171 939747

lipA-Lipoamide Dehydrogenase
RGVLFEILITVSENMTQEFDCVYIGAGPSGVYAITAAQSKLRTALTEEDQAGCTLNRG
CIPSKALAGANVVSIIKHAEOQFIIHGYDTDPAMAKRKNTVQCIROGLEGLIRSNK
ITVLKGTGSLVSTEVKIGQDITIIKANHLATGSEPRPFGVFPSSRLSSTGILE
EVLPPKLAIGGGVIGCEPASLPHTLGVEIVIEALCHILAVNNKEVSQTVNFKTKQGI
RILTKASISAIEESONQVITVNDVVEEDVVLVAIGQFNTASIGLDNAGVIRDDRGVI
PVDTEMRNTVNPNTYIGDITGKWLAAHVAHQGVIAAKNISGHHEVMYSAIPSVIFTHP
EIAMVGLSLOEAEQQLPAKLTFFPKFAICKAVALGAGDGFAAIVSHEITQOILGAYVIG
PIASSLIGEMTLAIRENLTLCYETVHAHPTLSEVWAEGLATTNHLHPFKPS

CpN_0834 941544 942014

CT560 hypothetical protein
KTIIMPAKETEMORTCQKCEGSMIVDNYCYSAFLDQPTVAXXFSSCHICFPEGASK
REAECLFAVSGEDWAVIDQMTQPTNKVQIPWTLQWDLAALFLGICLLAFALIL
LPSLDRVAVLTWPKNRAVYITGAAYVRYGRKLEL

CpN_0835 945608 942045

molI-GWI/BNF family helicase
HIMVLKALAIIPROAMHILKHKREIVVMDYEDSYTIRIDEEAPEYWLTLKQDID
RIIFACQCTQXGFLIMLAYFAVYDAIIMHILHYPFIEFVAVFHFPLDGIPLQAG
QRMVFTLEPHITLTLHILSEVFDWILRTIASEEFTVITNTKPLKALVPAKFFFL
NBRZARLTIRENHYFTIHSILOWYILVPAKRILOFTIETIPIKLELAHTSLENVSHDI

ITMTVCAEAEKVNFTLS DRENHPTICQVEYVAKTHEMITOPKALALPIYA
IPLLADKFKDQLSLCYDS LRYDIRLLDASFSFSAVLTPTGLDNGSLIYPMVC
YSGTKGLQMVVCMSPKQAFIVKSEQVEDFLNREHLIQEGFQTFINERPECHLTYNVT
EQGVLLFHYDVGDPSSTEIRFOTWTYTYNQFLEKKNDLPIDQCLIVEPQDIPAFIVKN
DAALRRILNPFSSPNLKDILLIEVHRQSRCKDLKPLVGLGESRCWLGFGVILREDIG
FSLITPTLQGLCLPRVIPPENVPQFLTOYQAHERILFPNPQTRPPESYELVQISHRPH
PSPILHQLQELKTNLGSVPITGIALQGLSKHFTLFTQAGFLDLKQNLFOFLQLSTQKC
VIAENTYITANTIDVFKDALAPLQVTDITIANPEDLOFFSOLKAACLPPIQNLFSDDHQ
LARTINAHVAMWFFVHIFLTELITVAVHPTDANTALIVPQASIPARFELVYCF
TQVTEHSHHLLNHLVWTFHPTFVAVHPTDANTALIVPQASIPARFELVYCF
VFEDEHMAKNSQIHKILCRIDAMKSLTUTPIENNLLEFKGLLDIILPNYLPDADF
KKLFTKRCSEEELEIIPSOQLLKLTRPFLRLRTKLVLPKLVESITACSLSPQOE
KLVMATLQREKSHIOKLETPEEPATNHLIFALLNHLKQDHPAVFKDPDQYKAYESG
KWNAFVLLKESLNAGYKVVVSOYIHMIRITLYLEEIGIKYASIQGKSLNRKEETET
TTDPNCQVYFVGLAAGTGINTAGNVVIMYDRWNPAKENQALDRVHRIGQKNTVYIK
LITEDTLERIHYLEKKIPLDKVIAQSQSNILHMLNREDLLTILSYKDEHGTSDSEES
PVDAPVEDDGTGLPPEDS

CpN_0836 946960 945722

brnQ-Amino Acid (Branched) Transport
KMKKNASHKTNKSKLSIWSIGGSIFAMFGAGNVFVPLALGYHYNAHPWSAYFGMMLTA
KVMPLGLVSMFLYGGDYKFFSIRIGPFIITAIILLIGPFGIPRAIVASHATLIS
LSEHKSAPFISPLFSAICCVLIYIFSCKLSRLIQWGSVFFPIMLVTLLWYIIRSFMI
THPMVQEFIPNAAQWLAGFIEGFTMDLLAFAFFCSIVLSIRQLVAEEKHPEETPL
SFQGISKKNKRLALGFLAAILLGMTYLGFLVSAARHAGLLVNVSKGHLGRISAIAG
PNSILAGSVFIACTTEIALVGVADFLARVVSFKKNLYASAVICTLITPTYLISILNE
TISHLILLPLQLSPALIVLACGNIAVKNWFRSPVLYTLTSLTIVLKLNV

CpN_0837 947777 947145

nth-Endonuclease III
LTMKQFLRTNALFPNPKPSLEGWSPFOLLIAILLSGNSTDKAVNSVTPOLFAKAPDA
QSLIDLPBPKGLYLIAPCGLGERKSAIYQSLIVRDFHGEPPDMALLTQLPGVGRKT
ASVFGIAYGKPTFPVDTIHLARQWKISEKSSPSAAEKDLARFPGHENTPKHLQILY
YARQYCPALHKKIDNCPICSLAKEANSTR

CpN_0838 949196 947781

gndF-Thiophene/Furan Oxidation Protein
ISLNIYVNSFHLNKLGLILESSFNFSIPLMKHDTIAAIATPPEGESIAVRLSGQAI
VIADRIIFSGSVASFASHTIHGQVIFTEETLDQALLMRSRPSFTGEDVFCQHGFF
ACSOILDALIALGAPALPGEFSQAFALNGKILDLVQAEIQLNVAENIDAFRIAQTHQF
GNFSKQIEIHTLIEALAFLEVLADPEEEQDVLVQEKIQNALHIVEDISFSDQEG
RLAOGTSLILAGKPNVNGKSSLLNALLQKRAIVTHIPGTTRDILEEOWLQGRIRLLDT
AGORTDLEIEKEGIERALSAMEAEDGILWIDATPDLKPLFTKPSFLWKNKALD
PPPLDTSLPOFAISAKTGEGLTOVQALIQWQKQCAKTSKYFLVSSRHHMILQEVAR
CLKEAQNLVQPEPIALREALHSIGMSKEVETESILGEISFKPCIGK

CpN_0839 949230 950159

psdD-Phosphatidylserine Decarboxylase
FLFIVSRGLVQKQYIDRITKKKVEIPFYEKTMFLYNSKLGKLLSVLSTHPIFSRIY
GWLQRCSTRRQIRPFMRYKISEKELTKPVADTFSFNDFTRLKPEARIVGVGEVFI
TPVDGRYLVYVNVSEDFKIVKSAFLSKPLGLDHLETKLYAHGSIYFARLAPFDYHRFH
FPDCLLPKTRCVNGALFVSHPLAVKNDLIFCENKRTVLTLETFQGNVLYLEVGMNV
GSIVQTESPIITAKGDEKGFAGGGSVILLFLPNAIRFNDLLKNSRMGFETRCIMQ
SLGRSSFEI

CpN_0840 950141 951544

CT700 hypothetical protein
ISERRNLKTKTFFGIKRDKSQKWRIMWLVIWALAASIALVAKGYRVFVFRYAV
QVIREVRLSMELKEWALAEQQLPLIKKRSYRRCLEFYMRIIRKMRQFESEKLLAEAK
KLGLRGPPYFLEIAYKAYRGAFAKCAAFASVPQDLEEDAAKYASALVRLGDLDAAC
SLIEPWSISPLSHOETFTVMGHIYFTSKRYKDAIDFYNRANALGVCPEVITYNAQAYRIT
SSYAKAGRLFRKLLSNPVEKEALFNIGLCEQKLRGPKALLIYQSSDLWSRGDALLMY
AANAAMDQDQVLAEPCEWELALRCSTFAKDYKCGLYGFSCLRLRYGDAERDALLIQN
FPFECTACKALAWCGVGYATLLGSEGLMYAKKAVELDHSCETLELLSACEARCGNFDA
AYEQSLSSRDTSLEQRQRSSQILRLKPLNDHHIVEVDALLAA

CpN_0841 951719 954640

secA-Translocase SecA
IKRHLGLFKRFSGSSQERILKFKQKLVDKNYIDEMTLPSDDELRNKTAELKQRYQNG
ESLDSMLPEAYGVVQVCRRLAGTPEVSGYHQRWDMVPYDVQILGAIAMHKGFITEMQT
GEGTKITVAMPPLYLNLATGKPVHLVTVNDYLAQRCEWGSVLRWLGLTGLVLSGTLE
KRKKIYQCDVYGTASEFGFDYLRDNTIATREEQVGRGYFAIIDEVDSTILDEARTPL
ISGPGKHNVPYFELKEKVASLVYLOKELCSIALEARRGLDSFLVDILPKDMLVLEG
ISEFCRSWLWVSKGMPNVRVLRVRRVPELDRAMIDKWDVYVHAQNKESLERLSLEYII
VDEHNDIFELTDKMGQWVEYAGGSTEEFVMDMGHEVALIENDETLPADKINKKIAIS
EEDTLPRKARGLRQLLAQLLMERDVYIVRDDQITVIDEHTGRPOGRFFSEGLHQAIE
EAKHEVIRKESQTLATVTLQNFRLYEKLKACTATITESREFKEIYNLVVLQVPTFKP
CLRIDIHIDEFYTEREKYHAIVNEIATIHCKGNPILVCTESVESEKLSRLIRQNRIEHT
VLNAKHQAQAEIITAGACKLCAVTVATNMAGRGTDIKLNEAVIVGGLVIGICTRHQSR
IRDQLPCRCARLQDQGAFFLSFEDRLMLFASPKLNTLIRHFRPPEGEMSDDPMNRL
IETAQKVRCEGRNYTRKHTLEYDDVMNKRQAIYAFRHDVLHAESVFDLAKEILCHVSLM
VASLMSDRQFGWTLNLEENITSSFPALNIEELRQKDTDSIAEKIAELIQEFCVR
FDHMFVSLSKAGGEELDASACRDVRSVMVMDIOWRHLVMDMLLSEVGLRTVQYQ
DPLLEFKHESLFLFESLIRDIRITIRHLRLELTVPEPNRVNVIPTVASFNNVNYG
PLELTT/TSDEDDQ

CpN_0842 955015 954710

CT702 hypothetical protein (frame-shift with 0843)
KYTPTPTISRPWGNALKTISEPEYDQNLKQTLSTTNTVDTLLNAPKDFNSKKNKH
ILFCIAIRTLISYAQFLIACNRRKFWIRYNDQVWGEWTEFFI

CpN_0843 955240 954994

CT702 hypothetical protein (frame-shift with 0843)
HNKLIILNRRKVMNYDYITPTDHIUIFEDLLDNGEFAASLDKYQETVYVEENTDQ
DLLIVGSEVFNTHIQEQ

CpN_0844 956751 955770

ydcC-GTPase/GTP-binding protein
KNKIEITMLKALILORINAGKSLPNHILKELAVNKGSTTRIKLVGELIARVPAQV
IDYVFDHNGEDYFQKHINQALIPAPPAADVLILVLDIPGITEEDHAKLLKLLKPL
ILVAVPAGRUEELQIETKYKILKIDITTAIDKHIITLIRILKLVANILPEPEEESE

EHMALLILLPHGQSVNENKFLFGWVDIPLSQOQIEEAIQNPIDCIFTSTLVR
SLMTALLANHHKSKIPYIVIEDPKAKEMSRISYAEPLYQSSALNRMRYGELQ
GKNKQTAEOQGEERVKLWRG/KTAPPOGESLVDYKORLPPYFEKNILPOLQNGKNV
SANGNSLRSLIMDLKLESEEVLSLELPTCKPVVYQWQNHKIEKHPFFG

CpN_0864 981658 982374
yjbC-predicted pseudouridine synthase
YGVNVTVRIRNKLASAGVVASRRCKDEIFSGSVTVNCRVAEGPFVL/DPEDKVQVGGTS
/ALTKAVYVMAHFAADYLL/ADPPFHTTRVL/DGFAHLFYRVTVPGLKRETDJLLATN
IDPFANRILIRGSDITPVELLP/DPYPAKADL/PLMETTFIDKHPFETVYIEPTVK
IVVSGGKHEIRLFADAAGFPILLEKRIIGSLVLGGLYGEYRELTDAELQTYMKLSD

CpN_0865 982412 982942
CT865 hypothetical protein
SPMGVYFVYIAGSIFLGLISGAYCOLYSVSVLFWYLLTVYALEKRHALLASQLVGE
EDAQSQKEIDFLSQCDKLSWRAFLKNSYIEIPTFKMEDLLSERVOGPLESIEIAEHDR
AILCIENFWASKNLFDFEIAAYEAEVYKILKLRQAPLRPLASKLRFRLDVPISIRFSS

CpN_0866 983494 982916
bira-Biotin Synthetase
NMKVYVIEIEEIPSTNTMAKSYMLHWDYALTVISTKCTAGTGKFGKSWSSKGLLNT
PCFFITDHLIDVSRFLRLGTALCKDLGTEAKIKWPNVDLVHGEKLCGLVPETLTV
EGLGLVVLGIGLNGNTTKQALKDVGPATSLQELHGPIDLETTRELLIHLLGLVQENL
PDSLATKSNRNGI

CpN_0867 983405 984667
rodA-Rod Shape Protein
CIRIPQMHGFCCHVRGNGFFVFINNHILEIYSLNNTIMRYHKYFRVYNSWVFLV
LITMLLSVVVISMDPTAMLVTSKGLLTKNSIMQLRHFALGWVFFICAYDFHLKRW
AMVLYFPMICALVGLFVPSVQNVHRWYRIPFIMSVQPSYEGKLVIMLSYILESRIA
DITSKTTPLFACLVVALPFLILEKPDGLTALVLCPTVLTIFYLSNVHSLLVKPTCVAT
IGIIGSLLLFSGIVSHQVKYPAKLVKYEYQYERLSPSNHQRASLISIGLOGIRGRGW
TGEFAGRGWLPYGYTDSVFSALGEEFGLGLLFTLGLFYCLFCGCTVAVATDDFGKL
AAGITVYLAHVILINISMCGLLPITGVPLILISYGGSSVISTMASLGLVQSIYSHRFAK
Y

CpN_0868 986733 984670
zntA/cadA-Metal Transport P-type ATPase
NFRNGLGVRDLHFRREYLLINEIITGRVYFSRLFTFSAEVNTFFESGMSDTSPL
LSKQNRKLSHNLPLKSAIYSLCTYIALLSFWLHAKNLSNLFVVTFFLAGTPALIKSLD
NICQKQVNLIDILMTSAFCSIFIGGALGLLVLFAISEALQMVSGKAKSTLVSLKQL
AETGGLVLEDGNLQKVAINKIEVNTGIRKSGEVVPLDGETLHGSSINMLHTEKVP
KSCHPGSIYPAGAHNMESGFLDRVLTRGSDSTIAHINLVIAQNSKPRLOQLDYSSV
YALIFAIACGIALLVPLFTSIPLLGPQSAFYRALAFLIAASPCALIAIPAYLSAINA
CAHGVLLKGGVILDRVLSNCSVMDKGTGLTGLTGCIGCDYFGSGNETFFPSVLALEQ
SSSHPIAEIVSYLMQVSSLPADRYLTVPGEGVRGNGEAFQVRVETGLKVPSEY
LEDTQKIQYQAKQHGICSLAYVNGSFAFYFRDIPRQAKIEIQLDKLGLYVSMLTGD
HKVSAENTAELIGISEVFDLTPEDKLAIRRELATORQIMMVGDGINAPALAQATVGA
MDEKGSATAIEADIVLLHDSLSLFWIQAKQTKKVVSQNLALALAILLWSWPASLG
IETLMLAVILHEGSTVIVGLNALRLKS

CpN_0869 987479 986658
CT728 hypothetical protein
EGRFFPKTSNTSDCROHQILRKIMTQDPDHFKSRTPEDHKKHVRDKHVKCGEPT
TFKGFVYHANNALSTGVIFIRTLFLLIPTNRALQVKSLSISGVMTFYHGLCKARKA
WAYELSHRSMLEENIEENFEQEKIELRLIFENOGFKDPLQEMVEYVCSDSLTLTD
MIREELYIRKEDPHPLIOGGSRLIGLGLGALFLPLVLVCISYTLAGVFSALMVLVLSFL
KAKILKNDKISWVVLGIFITSASIISSMLKL

CpN_0870 988881 987448
sefB-Seryl tRNA Synthetase-2
TTTHPTQFGGAVILPSPISIAARRIKKSCSEKSIYSHFCTLLNNETSMLDIKIRK
TPBEEETRRLKKDKPKISLEPVLSDKEVRQLKTDSETLOAQRLLSODHKAKTQGVDA
NLIOEVETLAADLEKIEQHLQKNAQLHELLSHLNPADDIPVSEKAGNOVILSVGL
PIESFPKPHLELNQELDLDFQAAKRTTCSGWPAIKYKNGVLLEWALLTYMLQQAAGCF
QLWLPLLVKKEILFGSGQIPKFGQGYRVVEDGEQYLYLIPAEVVLGFRSDILTEKE
LPEYFAACTPCFRREAGAAGAEQRLVRVHQFHKVFEMFAFTPNQDDIAEYKMLSI/DEM
LTELKPYRLSLLSTGDMSTASKTIDAEVWLPQKQAFYEVSSIQCTDFQSRRSSTRYK
DSQKQLQVHTLNGSLATPRLVLALENNQADGSAVPEVLRPYLGLLEILLKDY

CpN_0871 988766 989899
ribD-Riboflavin Deaminase
EYMEDFSEQLFFMRAIEIEGKERTAPPNPWGVVQENRIIEGPHAYAGGPHAE
LAIQNASMPISGSDVYVLEPCSHFGSCPPCANLLIKHKSVRVVALVDPKPVAGQGI
MLRQAGIQQVYVIGESEAOASLQPLYQORTHFWPTILKSAASVDGQVADSGKSWITC
PEAPHDVGLKRAESQAILVGSRTVLSDDPWLTAQPOGMPLYPKQLRVVLSRGSVPPTS
KVPDKTSPTLVTTERTCPENYIKVLSLDVPLVLTSTPSGVDLHKVYLYLAQKILQLV
VEGTTLHTSLLKERFVNSLVLYSGPMILGDQKRPVLVGLNLLSASPLTKSSQILGN
SLKVVWEISQVFEPIRN

CpN_0872 989903 991216
ribA/ribB-GTP Cyclohydrolase & DHBP Synthase
KEPIFRVACLASESVNARESHITREEVGSANFVSLERAIEDLACKKFVIVVDEASREDE
GDLLIAGEKITVEKMTFLOHTTGVCVCAALSQERLLSLDLPWKNDRCKFTPTVSV
AAHGVTTGVSAAADRTKVQQLADSMKLPQILEFARKHIAVPIVTSIIAHRMSDLRVSKIS
MALAGLQPGVLAELVNEYSMKRLQVLEFARKHIAVPIVTSIIAHRMSDLRVSKIS
SAPLPTIYGDFTIHVYESLEGMQHLALVKNVAGKSNVLYRVHSECVTODIGSKRCD
GEQLSSAMSYIAEKGTQVLYVLRQEGRGIGLGHKVPATALQDNGYDVTANLAKMGFPD
SREYIGAGILVLDKLTIKLITHNPQKYFGLQSGPLSITERVPLVRISEDNEQVLRK
QEPMLHGLDLCNNRVQ

CpN_0873 991188 991694
ribE-Ribityllumazine Synthase
ISHAVTIYNNFEYMKTLKHLIAKRLRIATVGSFPHQAMADALVATQETFLKFGGSE
IDILMTIPVIGAFETIKKLLSEKKEFDAIVAGVLIQGETDIIYQVNVQVAAIGALS
LEFLPITLILVAAPSABETAWRGDGIKGRHVTVSMTTAEIEMATLFTQI

CpN_0874 991164 991740
CT733 hypothetical protein
LILNLKILTKRDRERASMLKILKILVLYVPEALLWYCNIGYAGNLSQLOVNEQTKVK
IGCFWILQKLRQVPELLMLTESCAPLLDPTIDMAVSEKLPNKKVFDALDIAIRSMIL

HLLIQSGSQSYMQLQJLLETFKCFQTAHKLFFLNHFKGFNTLRILETAIVL
RHVQCSAKAVTTFKPYPTDQVTFYAKALHVLRFFELQDHYARLSPEQEVLSLRLL
QNYDGLNLTE/PSAQLLGAWRTRRGLAILDLYVGLDTCGDKKCSQEFYINFAPLLSML
QOAHTEEAFFSPYFTYRANRGLFGTJRTDMLV/LATLMLNLSPSEASTLWSFKNLPSD
EAEHLNVSFTYQGEHILPTFRGLPSLVAGLSVATHGCTVSPENRLRQLYSTMLSLVKS
LRSHREMLNKQLLPQGTVLDFSETTLSSGGGLVFAESIAVRILHNGAVSINL

CpN_0875 993363 994022
CT741 hypothetical protein
LAKMHPVYFTIYFQNLKLSSTFVPMILLGGFLTWKLRGLQFHGLKGLFNLMONKLD
RLSRGRLVFAFPDQYUKUTLVQVQANFTYAEKISEQDERDLSPVSSAAEKSSISLALS
QOETKDALYRREVHPLALIEALAEHALIEGMKKVQGRDIWNLFTQLSEVFSQAWSQ
GVISEEDIAAFASLTGLDSTGTVASIVGERWPELVDIVIT

CpN_0876 994123 995517
dagA-D-Alanine/Glycine Permease
SIATGETMLYFIEQNLKLSSTFVPMILLGGFLTWKLRGLQFHGLKGLFNLMONKLD
DSSSKANEVSYEAVAGIACNCTGNTAGMAVALACGGPGALVWVLAALLGAIVQYAG
SYLGSKYRKEPENTGEFICGP/ACLAFCGMKXKILAGFFALFTIMTAFACNCGVQSVIP
LCAEETPGKLLGILLALV/FPVLAGGNRILRFSARVIFPIAGFYCISCGIILFOHSA
ILPAIKLICSSAFGICAGLAGIGGTLSQVISTGINRAVMTDCGSGMVSLIQANTKSN
PVVGLVTLVPPVIMVWQVITMLVLIVISGAYSSGQGLTHMVSFAKNSLGLSVIVL
ANALFGYTTILTWACAEKSLQYMIPIGRANLWKAITYVLIIPGGLVDMRHIALSDTG
FSGMVLNLCIALIALKLVLTNRDVALKERECSVDAPVRLDA

CpN_0877 995521 995982
ybcL family
RRRIIMQLLSPAFYCAPIPKKYTCQAGISPLTFVDVPGAAQSLALIVEDPVPKEIRS
DGLWIWHVYVNLSTITNLAEAGEIFAVOGLNTSGKPVYEGPCPFDKQHYFTLFDALV
VLPEENVTRDQVYAEAFHIEQAEMLGTYES

CpN_0878 996660 995992
SET Domain protein
GCMSTVTEPCSSIHSLANDNRDSQPSYSLDRASELLHFRFLPSLVFSNWKVEQOETLC
HKSEKRLYSPLAKWGLKHLQDLCCPAPPVSVYINAHVQGVFADEIAPPTYIGY
TGILRHRAIWMENDYCFRYPMPLFTLYPTIDSGKQGMVTRFINHSEQNAAEIGVFS
EGLFHVILRTVAPIYAGQECYHYGPLYWKRHKREEFIPEEE

CpN_0879 997463 996645
yycJ-metal dependent hydrolase
YRILKVVSMQGFPLASGSKNSAYLGTDSCKILIDLGVSKQVTRRELSMNDIPEDIA
IFVTHESHDHSIGKSFVYKAYNTPIVCNLETARALCLLDSHPFIFSTGSSFCQDLE
VOTFNVPDVAIDVPVAFIHYREKLGFCITDLGWTSWITHELIDYCDYLLIESNHPV
QSORPDVYKRVLSKLGHISNQCQGLLQKITPKLKLKLAHLSTECNTAELALSTVSE
SASITSIAEPALAQGITSPIYFSRLEVACP

CpN_0880 999864 997444
ftsK-Cell Division Protein FtsK
PMIRERKSRHPRPLPTLPLAAKASLVFFACFSGLSLWSFHRDPOCTONWIGLLGWSFSS
ELLYFGAAFFIPLYFLWLSFLVFRTRPRPLFFYKAAAFSLPFCSAIILSMSPVGLT
PALLDTRLPAKFLICGNPPVSVYGGIFPLYFVEGQSCCLHLIGSVGTALIFGVMFLSVL
YLCCGALLKLLKKTQDQGVKAFCSFFQTCFQKLLKINRNYLPKPSVFPVSKNPFCTK
SOPSPRRVSETIILDGSSISPLQEEIPGSKKESFTLTHPCKRFLTKFVEPOENKAKBK
TIALSSTPTVRESKGRKAAALPKLSLAVENDLPQYHLLSKNREARPELSQAELEKRA
LILKQTLTSPGIDADGNICSGPTLAAFEVLPHSGVQVQKIKSLDNLQAOSSIRI
APIPGKAAVGEIPTPFQAVNFRDLDEYQGTNRKLQIPLLGLKKANGDNLHADLWTP
HILTAGTGSGKSVINTIVMSIMTTPSEIKLVIIDPKVELTGYSQLPHMLSPVITE
SREYVNLVWLKEMESRYEILRYGLGRINQANSRTRNKTIEASYDREITRPMFVGI
IDELSDLLSSSSQDIETPIIRLAQMARAVGHLILATQPSREVTIGLIKANFSPKISF
VSNKVNQIIIDEPGAENLMNGMDLVLLPSVFGTIRAQOAGICDEDINKVIOQLCSVIF
TOYVIPSIFHAFDSDSDNSGKDFLFAQAKTLILQTNASTTFLQRLKIKYARAASLID
QLEAIRIGPSEGAQPRQILIQNPLG

CpN_0881 1005646 1006209
No robust homolog present in GeneBank/EMBL as of 11/7/98
NKKFAVHMVPIIDNSSRNLQEVPESELDQEAESPTQSAESSLSQLSSASSVSRV
EQLSLVLGMENSDFSRLRDPVIFSAIYESSHTPTVPTPLVGVGYNQSGGYDTQRES
LHLSQLGSRREVVEVYNQGNMEASLLNLCPRRPRRDPSPISLALLEWEAFLEHPHGS
TFNFIFFW

CpN_0882 1006169 1007404
No robust homolog present in GeneBank/EMBL as of 11/7/98
NTPQVALLIQYFNGAFYVREALRLTPHAGNIVLVGICPSLYPEHPRSFYVYVSGDIGS
RFDORGFVNSGVETLPSYSSGSGFIWISFTDPTFNAIVNTFMKTAGINEVSREMTQDTE
TSLIEMRDLSEQQEANTDSLEQESLMGIVGHTGVGVSMTVSSNPFIYRIQTLGLPE
TLAEAEENPTFNSTIDSLAEIMNVLVRSDAVSIFWIFPIVDITYNGVLLAVICGFFGI
NGICSTFLMLTNPSRRDRWRNLRIMVLCYRSLGSGMNLFDLSNNVMAARRHTCTVA
LYAMVTLFGWTVATQDALQYGFPSVDAFYRYCLHRHYRCLTQRNEDSLQTTQTRFQVTR
HLEDQQVASILNLSVGLFFGVGLMTFGGLEISPSRCWDANNRTVGVIF

CpN_0883 1008904 1007573
dmpP/nqr6-Phenolhydrolase/NADH ubiquinone oxidoreductase
LYELFKSGIFIVMTWGLGYFICIASLIFCAIGVILLSRKLFIKVPCKLKIND
NEELTKTVESQTLVLSLSSGIPSPSCGKATCKQCKVRVKNADPELTDSTFSKR
QLEEGWLSQCKQVQHMDSLEIEERYLIASSWEGTYSINDRVATFIKELVAVADPNKIP
FKPGGYLQITVPSKYTNSDNKQTMAYEYSDWEHFLDQVINSQLPADSANKAYSIA
GYPAELPTIKFNIRIATPPFINKPNCEIPWGVCSYVFLKPGDKITVSGPYGESFMKD
DRPLVFLICGAGSFCGRSHLDDLNNKHSKRETDWYGARSLKENIYQGEYEHLEORFP
NFHYHVLSEPLFEDIAQWCKDDMTKTHLFRANLQQLRLDNEDYLYV/COPLHN
SILKLLQDYVERSSILDDFGS

CpN_0884 1009368 1009009
CT741 hypothetical protein
GCMMLRIVPTFLFLRSLPLFAEEEAQSKNTFVQVAMLAITLFFYFIMPEQKRR
KAMEKPKNDLAKQKVTAMITGVVIGIIRITVILITAEQVNVIRGATIEILEPNKKS

CpN_0885 1010650 1009433
yycA-cRNA Methyltransferase
AHLITMNCNPHVWAAQCFQRTZDELLKPYEELLHQLFAHVAEDMIAPIITDGP
SLRPNKMEFSFCTYVBEKLAGIEETPKKKLPVPTVTLTHQPTMDLKLTHWMDKIL
PELMAYEPKKNKSLTAVRVEDVJHMVILITSTHREYVNEACIDEMKELLESIL

114

CpN_0926 1058009 1058557
Thioredoxin Disulfide Isomerase
CHHTQCTYTRFFKDGDMKFWLQGCACVQCLLTLPCCAAKASGENLQCTRIIAAANL
QWESYAEALHSKQDHKPICLFCTGSDWCMWCIMKQDQILQSSSEKHFAGVHLMVVDVF
PQKNHQPEEQKQKQELKAQYKVTGCPPELVFIDAEQGLARMGFEPGGAAVYKVKSKAL
KLR

CpN_0927 1059814 1058670
*CHLPS 43 kDa protein homolog_3
RKKDAFTLLNLSNRSDILSGIFSNHPVYVSSTHAKQLSDFSKKHPILTKVITIVKI
FKLLIGLITPLPGIYWLQVCLSLAFPRSSMLYSLVLTCKFKYRLEQIQDYFVGNLDP
SKDELAVSESKRITIQDHLITDITLAFHSTARFRWLLISLGGDFLEIMGLKSLDF
SWKELALGANILYINYPGVKSTGKLNLENLATAHNLCAKYLQDKQGGANEIITYG
SYLGGVQSAALQKNPFTNSSETSWAVKDRAPHSLPAAANSFFGPIGLIAVLARWIIIDY
EKNRSLPCPEILVYSAFRPSEVGGDTALLPEFTLAHAKRTPFARSKFIVEGNLLH
SSPLKHTPIQLAEALLESRLKN

CpN_0928 1061035 1059884
*CHLPS 43 kDa protein homolog_3
RKKDAFTLLNLSNRSDILSGIFSNHPVYVSSTHAKQLSDFSKKHPILTKVITIVKI
FKLLIGLITPLPGIYWLQVCLSLAFPRSSMLYSLVLTCKFKYRLEQIQDYFVGNLDP
SKDELAVSESKRITIQDHLITDITLAFHSTARFRWLLISLGGDFLEIMGLKSLDF
SWKELALGANILYINYPGVKSTGKLNLENLATAHNLCAKYLQDKQGGANEIITYG
SYLGGVQSAALQKNPFTNSSETSWAVKDRAPHSLPAAANSFFGPIGLIAVLARWIIIDY
EKNRSLPCPEILVYSAFRPSEVGGDTALLPEFTLAHAKRTPFARSKFIVEGNLLH
SSPLKHTPIQLAEALLESRLKN

CpN_0929 1062301 1061186
*CHLPS 43 kDa protein homolog_4
EKFMPIHGSNAFVEDILSHSPSPQATYFSSTRAQKLHEFKDRHPVLTRIASVLIKFKV
LIGLITPLPGIYWLQVCLSLAFPRSSMLYSLVLTCKFKYRLEQIQDYFVGNLDP
SKDELAVSESKRITIQDHLITDITLAFHSTARFRWLLISLGGDFLEIMGLKSLDF
SWKELALGANILYINYPGVKSTGKLNLENLATAHNLCAKYLQDKQGGANEIITYG
SYLGGVQSAALQKNPFTNSSETSWAVKDRAPHSLPAAANSFFGPIGLIAVLARWIIIDY
EKNRSLPCPEILVYSAFRPSEVGGDTALLPEFTLAHAKRTPFARSKFIVEGNLLH
SSPLKHTPIQLAEALLESRLKN

CpN_0930 1062851 1063330
No robust homolog present in Genebank/EMBL as of 11/7/98
NKMSELAPCSTGLQWVPHQVHALLDTRVILITIAACLSIAGIVLGLGAAAILPSLFG
VIGMHLILFSSIALIYLYKTRREVQDIALLEPLPEMIKSDQSIIDFVKTRDYASLEKAT
FAYTHYDGSVMFYREIPRMLGSLALRKMDDQALF

CpN_0931 1064078 1065718
LysS-Lysyl tRNA Synthetase
IDRYLQWKSIDIYTNILEERMTARAEYLDHEDFLYRSHKLQELSELQWLYPYEFGVFS
CEDTKTFASQELGNSAAMSRSPTPRVFRAGRLVLFPRAMKAFQGLDHNQTIQWVNR
EFTSYHGLSEDAEITPIKPIEKLQDGLIDIGDYLFTHSGELTVLVEVTLKSSLS
LPDQAGLSDEKVRKRKWLIDISSREVSDFTVKRSYIITKLIRNYMDAGHLEVEFTPIQ
NIYGAEAEPPTTMEALHSEMLRLISLEIALKILVGGAPRIYELGKVRNIGEDRTHN
PEFTMIEAAYMYDEKVMVFNVLVHVLRAVNHNTSLVSYWYKHGQEVDFKAPKPR
MTNKSIEATYAGIDVDVHSDOKLEIKKKITTFPTAFATASRGLIAALFDELVDSDNI
APHHITDHPVETPLCKTLRSGDTAFVERFESCLGKELCNAYSELNDPIRQRELEQOH
TKKEELPDSSECHPIDEEFLALCQGMPPAGFGIGVDRVLMLTNAASIRDVLYFPVNR
FDAEKTN

CpN_0932 1067160 1065721
CysS-Cysteineyl tRNA Synthetase
VKSGVFMFASHIEGLYFYNTASQAKLEFFPNHTPVRLYTCGPTVYDAHIGNRTYVFED
ILKRTLVFFGYSVTHVMNITDVEDKTIAGASKNIPLOEYTOPYTEAFFEDLDTLNIARA
ELRPHATHYIPIQMIQAITKLEQGIAYIQDASVYSLNRPFNKGLSHLDLSSLRCCAR
ISADEYDKNPSPDLWKAYNFERDGVYIWESEFPKGRPCWHLCSIMAMELGDSLDTH
AGVDNIPPHENIEAQSEALSCKPFRYWLHSEHLLIDGKMSKSLGNFLTRDLQLQ
FTGGEVRYMLLQSHYRTQNLTFTEALACRHALRRLKDFVSRLEGVDLPGESPLQLDS
SSQPEAFSRALANDLNSDTGFSALDFHIEINTLIDQGHFSKADSLYILDTLKKYDVL
GVLEPHTSVCIPTVMQLVAEREARKTNWAMADTLRDEILAAGFLVEDSKSGKVKPL

CpN_0933 1067532 1068578
predicted disulfide bond isomerase
PVIILQNIKRCSLKQLKVLATLLSLSPLEAAENRSDSIVHLDYQELQKSKEAEL
PLLIVISGSDWNGPCMKIRKEVLESPEFKRVQCKFVCVEVEYLKRPQVETIRQNLAL
KSKFKINELPCMILLSHREIRYIGSGFNGTSGNLGDSLCHIVESDLSLAFPMPTSL
SLSLQRYRLAEELSHKEFLKHALGELGVRSDDYFFLSEKFRLLVEVGKQSEECORIKK
RLNKLDPKNEKQTHFTVALIEFQELAKRSAGVRQDASOVIAPLESYISQFGQDDKDLN
RVEMMIAQFYLDSDQWHLALQHAFAVEAANPEVRSHISRSLYIRHOS

CpN_0934 1068948 1068526
rnpA-Ribonuclease P Protein Component
YFVHPLTLPKQSRVLKRRQVITRSGFCRGSQATFVPSRHPCTCRMGITVSKKFKG
AHERNSFKVRVREVRHVRHQLPNCQIVVPFKGKQRPVFSKLLQDFINQIEGLHRLCK
TKATTGGECTPKSEKVTAPR

CpN_0935 1069100 1068957
r134-L34 Ribosomal Protein
EDTVKRTYQSKRRKRRNSVGFRTRMATRNGRKLNRPRRHCAHSLVDL

CpN_0936 1069330 1069470
r136-L36 Ribosomal Protein
YLMKVGSDVADPKGDKLVRKRLVINKKDPNPFQACQAPARKK

CpN_0937 1069487 1069798
r314-L34 Ribosomal Protein
YKMAKKEVAKAEKRRRLVEANPKKRDLRKIVKLLVDEEKENARISLNKMKRDTSP
TPLINPLDTRIRKYLKFAICRIFRMAJCMGELPVIKAW

CpN_0938 1070355 1069840
CpN_0938 hypothetical protein - (59) peptide periplasmic
QFINETKTLKMLPSTLLEFVILQCLSAIYADKKYPIHGWFFAGFFNGLVLLLL
IDRHIALKIKHPPDNDLFDLKKSLACNDEIPCTDLOIVLTERKFLYLNKRENV
QIDFERHVLLEKRTYPERIWWKIKMKDVRVKVTPGQALKEASK

CpN_0939 1071195
CpN_0939 hypothetical protein
HINRWITRLSLTLITSTLVYFFSEELIQQGKMKQNLKLDVKEIEFPETVFSRDIETR
VIOVILHCLAKINGVSLGQNLIDALSGRDIERMKGIVYVQDSKNNHLYKRVRENVVYV
VSIPEKTEIQCCIVSEISEVTGLHVAHVHVIKGLTOPKDRIDEEIEEVSVQDLPSPE
DFLEENSEG

CpN_0940 1073019 1071204
CpN_0940 hypothetical protein
DANTEPILAMPIDEPFLILIGSAYIMKPHHNTVWAKKXNPLATYHEKQDOR
ERIPFLMKKTASIEIVVNETFALLLENLKHHPKYNVLLKDKDTFCLALSLSHSW
PKVEARTKAITSSORQLIFGVYSAEACHTLLEIVSQWPLRTRSDREFFALRKRPCIL
DMKRLACPGVGYCTPEEYQGLDKAILFLKGIKEEVVQDLKLVKQASQNSFEQANFY
RTLSLIKQAMAKQVEKHFHNDIALGLVYRKHQRTILTLTVRSGLKLGARHFSFFENAQ
EQDQLSSPILQYVVSOPYIPEILTPLEFPTLSYVLNAESPRLRSPKTYGKELLDD
LAYRNAKAYATLPSSTPYQDFQNLIRMSQYPIRECYDNAHQAHATGVYVFNEN
GDFPKQVFTSIDSEKTONDLALLEVLLRRFHSLLTALPDMIVDGGKTHYNTKKIIQ
TLNLTGIVQVITAKEKSHSRGLNKEKIFCETPEGFSLPPTSNLLQFQILRDEAHRFA
ISKHRRKRGKALFEQKIPGIGEVKRRLLQKFKSWQVLLSSQEELEAIPGLTKKDIAV
LLARQKDFNKSD

CpN_0941 1075504 1073018
MtsE-Kinase
VUTEKPTPMMEQWQCKEKGADSVLLFRMGDFYEAFFYDDAVLLSQHLETLTORQIGM
SGIPVSTVDTYVRLIGKGFVAVAEQFGEPAKEKSKKIGPMARDIQRVPTGLLSST
LLQEKEMIVYINRIGSLFGFACLDLSTGFSFIEECENTKELVDEICRLARSLSCNK
FYNKETAIVMLQOHLKLTSTYADWAFEHKFAQKLTTHFQVADLQDGLKGLVPAINA
AGGLLSYIQDQLLLPTKHIAIPQTRGKQKLLIDTASQVNLLELAPLNDPQCKSLLRIM
DHTSPMGGLLRQILISPFYKPEILVRQDAVEFLRQVTLRKNITLYLQVDRIDELM
TKVITGLAPRDIQTLRDSFSAQAQIYEQLASATLPEFFIDKSLDTKLASLIALSKSL
NGDLPLRSDGNIFVDEFHDLKRLRHQHSQEWIWEQERIRKETGIKKLKICFAQAL
GYTEVSEFAPOLPKDFIRRSQRLHAERFTLLEQOQDDMSNISEKILLETQFFKDL
CSHILQRTLEIALSOSLADLDYIISLADLAHAQGYCRPHVMSDTCYIRGCHPVAKTL
VDTGKIPNDTMRGSDTRMILLTGPNMAKSTYIRQIALLVMAQMSIIPAKSAHIV
IDKIFTRIGADNLSKMSFTFVMAETANLHCHPNTFHVAGVKKAGQVFLYELIKGHS
QKSTGIHVARLAGFPLCVSRAQILRQLEGPESTRPAQDKMQQLTLF

CpN_0942 1075955 1077754
dnaG/prim-DNA Primase
NCSITKRLTAMYTEESLDNLRHSIDIVDLSEHILKRSQATYKACPFHTEKTPSFIVN
PAGAHYHCFGGAGDAIGFMQHLGYSTPEALILVLSKQFQVLDLQPKDFSOYTPGOLK
EELRHINSAEETFFRYCLYLHPARHALQYLYHGRSPDTIDRFLCYGPEQSLFQAME
ERKISQEQHLAGFFGNKWFARRIIPFVHDALGHTIGFSARKFLENSQGGKVAFTPE
PIFKKILFGLNFSRRRIAEKKVILVEGQADLCMTVAAGQATTEFHEVKE
LSKGLVLYVLLFDSDEAGNKAALRVGDLCCQAQMSVYVCKLPQGHDPDSFLMRGSSG
TALLEQSDYLTFLISEKMSYKPKGPREKALVEAIRQIKHWSPIVVEHLKQLASL
MMVPEMDVLSANPOVTAEPONIPKQKVPKIPHPIVMTDILRCLMFCGNTKILYTAQ
VYFPEDFKHPECKRLFAFMISYIEKYRQNVFIDEACQVILSDSILQLLTKRRLNTEAD
TIFVQSLQKMDRWRQEQCKPLSNQIQDKKLEILEDYVQLRKDRTITLLDPESELTP

CpN_0943 1077972 1078238
CpN_0943 1-hypothetical protein
FFMKSKFLPLSVILCCGNLLSSPSRAISVTESIGMSAVKTLVLSEKAHEFLEGIGY
GVGASSILRDMQWQWLEIESLLAQNEVM

CpN_0944 1078503 1078997
No robust homolog present in Genebank/EMBL as of 11/7/98
ILKIMHRYFILLALLFISPSLVRAELQPSNRKQWPTLSQCAEGSOLFCKFAEYVNA
IEEGKPGILVFFSERPTPEADLTGSSFSLSPTIAGFNNVVLPCGLISPLDFHKKMDPV
ILYMGSLFEMFPEVEAVSGPLCYILIDEGQAGCQAVLPLETN

CpN_0945 1079001 1079660
CpN_0945 hypothetical protein
SIFNKLLPSYFGHNFQDLRRHYMRALSLSLMIFPFGESRSPGSDGNSNTQIEVG
SDTQVCLVHSYEQGLQASRIEGKPLVIVLVCNQGDDQCATIGLSETCEVLSVSGSI
FSELANFVLPVSGVNLPIYPPIEDPLAEIVKFKELFIDESFPTGLSIIIVGVTPGPG
DIEVSPVSLTVEEETLPSQETEVESLDESDPAIA

CpN_0946 1082816 1079745
glyO-Glycyl tRNA Synthetase
GECQKKKCTYLESFVSEHPLTQSMITILRFWEQCCVHOHYDLEVGAGTNPATFLR
ALGPEYKAAVVEPSRRPDQGRYGVNRLQNYHQLQVILKVPENFLSYTESLRAIGL
DLRDHDIRFIDHDWENPTIAGWLOWEVLNMGITOLTYFOATIGSKPLDTISGEITYGI
ERIAMYLQKKISYDVLWNTLYTQITQASEKAWSEYFDYANTEMWKFHDEFEEAL
RTLKGLSVAPYDFVIKASHAFNILDARGTISVTERTRYIARIQTRLVADSVENRAS
LNYPLLSLSTSEPKTESVPMISSTEDLLLESEELPATFVPIGQOLESRLARQVL
TDHNVYEGLEVGLSPRRLLLVNVAPEVQKAFKPKMLTSLFSPGCVPOCQOFF
ASQGVDSHYQDLRSHASLAIRTVNGSEYLLFLLHPIRLRTADILQELPLLIQRMKPK
PMVWDNSGVYARPIRWLVLYGEHLPLITLGTIISARNSPGHRQLDPRKISISSQDQV
ETLRAQSVVQKERRMIEQGLRAHSDTISAIPRLPIEATFLSEHPFVSGQFSEQ
FCALPKELLIAEMVHQQYFPHETSSGAISNFFIVVCDNSPNDTIEGNEKALTPLRLD
GEFLFKQDLQTPLTTFIEKLKSVTYFEALGSLYDOKVERLKAHORVFTFSSLAASEDLDI
AIQYCKADLVAVVNEFPELQIMGEYVLYKHANLPTASAVAVGEHLRHTIMQKRLSTIGT
LLSLDLRLDNLACFLGLKPTSSHDPYALRRQSELEVTLVYASRLPIDLASLLDLADH
FPSTIEEKWDKSTHEILEFINGRLKTFMGSLEFRKDEIAAVLIDSATKNPIETLDTA
EALQLKKEHTEKLVITTTNRLKILGSLKLSMTSSPIEVLGDRESNFKQVLDAPFGP
PKETAHAFLVYPLADLSDNDIQDLMTVITANDDGAIRNLRLISLLLTAMDKFSLCHWE
SVAV

CpN_0947 1084433 1084059
pqsA-Glycerol-1-P Phosphatase
GSRVILVPLTSERLTTHLILYLYKQWFFIPVAVVYVLLALLALCEITDAIDNVA
PKFGQ/TDLKLLDMDAIDYHIEIYLTPTDFVNLPLLLVFIANDIVGITRTVCAF
PGRVVAARAKKILATQVFFILLVMTICDILQVLEIFAVTVYIYAVYIAG
GLEYPNNKNNLQAKTKRDEKHEZD

CpN_0948 1084483 1084047
pqsA-Glycerol Synthase
GEMPIVAVVETPIVVAAGAVACERKAKQNDVFLNIPFLIKRDEKQVLE
RSPYFELGKQQAARAGVSEHLLTITITLQGLLELPTTYVYNNVHFAFAAAAAA

YQJQADPADIVILHLDHWHVLLAGLLKLNPLNVHSGIV...CYRGYCSSTOLLAASQID
DHLHJYQFQFROPQTSVLMKQALYCGDYITTVSLTYV...YSDYELHDAIARNVSF
SGI(IN):IDEDVWNPKTDPALAVQYDASLLSEPOVLFTR...KAVLYEKLGISSDYFPLI
CVISRIVEEKGPPEMKEIILHAMEHSYAFILICTSNEVLNENFRNQCCLASSPNIRLI
LDNFQDLARLTAAADMICISPHREACGLTQILAMRYCTVPLVRKTCGLADTVIIPGVNGI
TFDFTNNFNEFRAMLSNAVTTRYQEPDVLNLIIESGMLRASGLDAMAKHYVNLVQSLLS

CpN_0940 1095887 1096483

...
KFLSNLESGALSSSTVFSLSYEGRIIKALVKDIOYQITTYVILHDFEELVEDRPIKNI
PIRCINAVDIGVKGGLSRLQ719AVRVVCKPKDIPVFELELDVRSVGLSOTRKLSDIKIP
AGIETITPLKEVAITVSRQ

CpN_0950 1086470 1087027

...
Pth-Peptidyl tRNA Hydrolase
PSLEDNMAKILVIAIGNPRHGYANTRHNGAFLLADRLVEELQGGPPFKLSKCHALMTLIVES
SSGLPLVTKPTTFVNLGSKAVYGVNVLSHILVADVNRSFGKRLCFCNGSGGSH
NGLKSTIASLGSNEYQLRFGVGRPLEBVGELSNFVLGKFSEENLQGSIFVEASTLFT
EWCSKF

CpN_0951 1087113 1087457

...
rS6-S6 Ribosomal Protein
EFLMGKKENQYEGAYVFSVTLSEARRKALDKVISGITYNGEIHKKHQGRKLAYTI
RGAREGYVYIYFVSVPATITELWKEYHLNEDLLRFMTLRADSVKEVLEFASLPE

CpN_0952 1087469 1087723

...
rS18-S18 Ribosomal Protein
GENMMKPVHNEHRRKRFKNCPCFVSAGWKTIDYKDVETLKKFITERGKVLPRITGVSS
RFQGVLSQAIRKARHLGLLFFVGED

CpN_0953 1087727 1088248

...
rL19-L9 Ribosomal Protein
FKGRMMQKQLLLLEDVGLGRSGDLITARPVYRNLIPKPKAVIAGAGTLRLQALKKEQ
RLIQAAADKADSERIAQALDKVITQIHOVPSWHLNKSIPQSGLOGGSSNAATYALYNEH
FPHAYIAIKNLGKKNIPKLEKEVTATLVEVTSDEYVTVLAQKQTEENQEG

CpN_0954 1088259 1088708

...
yChB-Predicted Kinase
GRKVCYKIDMOYFSPAKNLILFKWGRFDFNHELTLTYQAIDFGDTLSLKNMKSLS
NYNELSSPNLWKSLEIFRRETOIHOVPSWHLNKSIPQSGLOGGSSNAATYALYNEH
FQTHIPITTLQWAREIGSDVFFFLQEQH

CpN_0955 1088612 1089175

...
(frame-shift with 954)
RAPNPVSYNNIATLGSNRKRCSSFFSSOTALGKGRGEHLFSIKLNNHKKYVLYLDHO
GATEKAYQSLLPQDSTGNHMACFYGENDLEKSVFRTDLKNNKHLERWSPFESHV
LMSGSGATLFCVYLEELEQDSKVSQIHSILIKQQTGIPVSRLYREPHWYSLKQSTYKNSP
LEGGPOPI

CpN_0956 1089545 1090909

...
CpN_0956 hypothetical protein
LUMFMSILPPYSYSLKIGAAVLPFCISILFTLTPWLTYLQCSYEHKKLVFPECWKRYARL
SELERILSRVEIVFVFLWAVPLFWFVLTTEGYRISMAFYNSRNYGFAVIMVILLESRP
IVFAEVLVSSIAKLGKTSKPSKMMWMTLMTAPLLSCLLKETGAMIIGATLMRRHYFVSP
SRRFAYATMGLLFSNISIGGLTSYVSSRALFIIPALKWEHSFFLSHFAWKAVAILLIST
TIYVYIFRKEFKKPDIPSDKPSVEKVPWMTICVNIIFVSGIILSRSTPLFMGALLFY
LGEKQKTFIYQDPIINLSKYCVYGLFYAGLVVFGDLQWVNLNMQGLSDFGYMTVSYTSL
IFDNLALVNYLVHNLVATDCYHYLVVAGCAAGGLTVLSNIPNIVGLYILRSAPFSSTI
HMLFLGALGPSIISLGVFLMLKNVPEFLYCFR

CpN_0957 1093812 1090963

...
ide/ptr-Insulinase family/Protease III
KIFRNCMFWKLLCPIILCTSLTSCQFQKVVFNQCPLOVSTPAADQKIEKIICSN
GLBLILISDNPILPFGSALLIKTGNNADEPFGMAHFTENKCVLGNEXYPEVSGPGLF
SEAKVINAFTYPNKTYVFSVHSAFSDALDOVHLFINPKFQEDLDREKXVHOEFA
AHPESDGRVRHRIQVLVAPQGHPCARFCGCAASTLTPTVTEKMAEWFKHYSPENMCAIA
YTSAPLSKAKQKFSKIFSQIAEVLNRESKNSVLSLLKNEQLITOLDVEFFRSNLTGEFYISY
HYESSHPIPLGCKALAEKILNRESKNSVLSLLKNEQLITOLDVEFFRSNLTGEFYISY
ELTEKGDHYSQVISTDSTQYRLRYIQEHGIPNLTLEEISTINALNYCYSSKSPFLDLLQY
VLSIGNEEDLSTPYHSLVYPISSSEDAENLNLVDEPEQARFVLSKNSHSEWEEATQHD
PIFDMTYVYKALDGVQDYGVQSKLPKIALPKPNLFIPEVTLPGVHLKKQEPFPAFALS
YQDDKLTLYHCEHYITAPKLSQIRIRSPQISRSSPQFLVATELYCLAVNDQLLEYP
ATQAGLSFTSALGGDIDLRSVSGYTTVPALLNSILTSPLNLEISYETFLVYKQLELY
QGALLNCVRSGLDELASGVMEKYSNTKLKSALEKLSFSEFQASNLNLSNVHLEVMVL
GNLSEQKKDYELMLOVFTASRSSHATKPFYELQSQEISEIHHDYPLTANGMLLLQDK
SSPSIQGVKCAEMLEWHLHITFEELRTQQLGYMVGARYREFASRPFGLYIADSYSP
EELLAKTSLFNKVSASPEKFIQSEKFAIRKAYINKILEPHSLDMNSAIFSLAFER
PVEFSTPOLKIAIETLTLYEEFLKYCCFLSNELGTQTSVYIRGTQKTS

CpN_0958 1094803 1093793

...
pIsB-Glycerol-3-P Acyltransferase
IYRAIYMQFSRYLYAFDNOYLPFLYKQFSVFHONYIDAATKAAADAEVLCLQWVKV
IIEOYNPIFIPPYHKKIRAPDLRLSLDFFSLVIDDKNSRILNLHRIKEIEYIARGD
MVLALNHOTECDPOLMYALGKTHPELMENMFVAGDRVTSPLARFSGMCCOLLCIYS
KRHIAITPEELREEKLLHNQKSMQILKTLTNEGOKFIYVAPAGGRDRKVAEGRLYPSEFSP
ESIEVFRLLAKASQNTHEYFPFKLYVDLPPPKIENAIAGEQRAIFPAVFFNFGAELF
PDALCKEELIHCKQAORTLRAEKVFSIVKNLYEEL

CpN_0959 1096376 1094799

...
Act-Axial Filament Protein
AQQYGIITRKVMENEILLIESKEIRYAHKNGQFLDTIERKKVROLKNGIYGRVNTI
LRIQIQAIFINDERENFIHIDILENKKFQEQMDMDALFEASAPLSSSEAPLE
EFLKLLDPIVQVVKELIGKQARLTNISIPORYLVLLPNPHIRGVRKIDEDPHIREQL
KQILIPFPMIOMMLICTRATPTASTALINEADHLLTWKILEKFSYEQCPKLLYSST
DILKFAITPCIDKHYKRLIDDYATYQKCKHMKKYCPASIKLEYRDSIPMERFANE
KELIKATHKILWLSKAYLFPDKTEAMITIDVNGRPTQJEGCOVEETLVQINLEAAEEIA
KQILPILNVLXLIIDFIDMKSRKQRRVLERLKEHMYDAARCTILSMSEGPLVEMTRQ
NREILMVLFTLCPYCXNAIITKTPESVYIEERDLKYINHKHSHLCLVHPETASYM
KQIHIDHMLINLAKQIKALKQINTSDVILNNHYQFGLITGESDL

CpN_0960 1097106 1097107

...
CpN_0960 hypothetical protein
SLDLVSYLSNPQKALVLSGKPFMSQVNDLKLIFRLKLRQTERIGYISPEYIREKGE
EELLNSPIEVEGCLGRIGSDQWILGLSLKTCQGLCPVCNNFFSHVCLPDLQVRIHSDH
VGSQVFCRPLIRQELLESQCEECSSQVPERKNILKFLERDKKHGEGNSPFYEL

CpN_0961 1097106 1097207

...
rL12-L12 Ribosomal Protein
...
...
...

CpN_0962 1097301 1098275

...
pIsX-FA/Phospholipid Synthesis Protein
ILSDFMFVQIGIDMGGDHSPLVWQVLDVLSQSSTIPFAFTLFASEIRKQIQEEFI
SOLPOEKFPKIIISAENFVAMEDSFLAIRKSSSMLGLDLYQEDKLDAFISTGNTGALV
TLARAKIPLFPVAVSRPALLVCVITMRGHAVILDVGANISVKEEMVGFARMGLYRQCLG
DSKIPITGLLNGISEERKGTAEHROTFRMLRETFCGEAFIGNIESGAVFGDAADVTDGF
TQNIPLKTAEGVEFLORILQKLEADIORLLDYTFPGSVVCGLSKLVKCHGKACGSS
LFHGILGSINLAQARLKRIISNLI

CpN_0963 1098374 1103224

...
pmp_21-Putative Outer Membrane Protein
TLPRFKVAMVAKKTVRSYSSFSHSVIVAILSAGIAFEAHSLSSELDGVFNKQFEHS
AHLVEAQTSVLKSGDPVPSQSEKSVLYTVPLTQSSGESLDLADANFLEHFOHLFEE
TTVFGIDQKLVSOLDLRFNSQPTQEPDTSNAVSEKISSDTSKSKDLETPSKKSGKL
EVSOLDPKSPETAVAAISEDLISENISARDPLQGLAFYKNTSSQSISEKSSFOGIIIF
SGSGGANGLGFENLKAPKSGAAVYSDRDIENLVKGLSFISCESLEDGSAAGVNIWIF
CGDVTLTDCATGLDLEALRLVKDFSRGAVFTARNHEVQNNLAGGILSVGNKGAIVVEK
NSAEKSNNGAFACOSFVYNNENTALKENQALSSQSISSASDIDIQNCSAIEFSNGQS
LIALGHEIGLITDFGGGALAAQGTLLLRNNAVQCVKNTSKTHGGAILAGTVLDAETIS
VAFKQNTAALTGALSANDKVI IANNFGEILFEQNEVRNHGGAICYGCRSNPKLKQDGG
ENINISGASATFLKONASVLEMTQAEYAGGAGLAWGNVLLDSNGSNIQFIGNIGSS
TFWIGEVGGAILSTDRVTISNNSGDDVFKNGKQCLAQKYVAPQETAPVESDASNTNR
DEKSLNACSHDHPKPTVEEVPPSLLEHPVVSSTDIRGGGAILAQHIFITIDTGNLR
FSGNLGGESESTVGDLAIVGGGALLSTNEVNVSNOMVVSMDVTNNGCGSGGAILAKK
VDISANHSVEFVNSGCKFGGACVALLNESVNTDNGSAVFSKNTRLGAGGAVIAETIS
TICGQGNVAFKENVFGSENGRSGGAI IANSVNTQDNAGDILFVNSNNGSGYGAIFV
GSLVASESNPRLTITIGNSGDIIFAKNSTDTAASLEKDSFGGAIYTONKIVNAGN
VSFYGNRPSGAGVYADGGTVCLFAOGDILFBCNINFDGFSNAIHLGNDKMSILVSA
VQDKNIIFQDAITYEENTIRGLPKDKVSLSPASLIPNSKQDQDSAQHHEGTIRSRGVS
KIPQKAIQETGLALSONAELWLAGLKQETGSSVILSAGSILRIFDSQVDSAPLPTNK
EETLVSAQVIMNSPTPNKDKAVDTPLVADIIISTIVDLSSEVFEQDGLTLPPEIIPK
GTLKSNADILKI IDPTNVGYENHALLSSHKIDISTIVDLSSEVFEQDGLTLPPEIIPK
VSLISITPATYGTGTVSEKSMEDGRLLVVGWQPTGYKLPKQAGALVNLNLSHITDLRA
LQGEIIFAHMTIAQRMELDFSTNMVSGLVVEDCQNGEFGDKHHLTGALGLDGLTOLV
DFLIGGCFSGFFKTESQSYKAKNDVSYMAAGAVIAGLAPWLKGAFFVYGINNDLTD
YQTLGISTGSGWIKGFIAGTSIDYRYVNPFRFISAVISTVVPVVEAYVRIIDLPETISEQ
GKEVTRFOKTRFENVAIPFGFALEHAYSRGSRAEVNSQVAVVDFVYKRGPSVLTILKDA
IYSWKSYGIDPCKAWKARLSNTEWNSYLTFLAFNYEWREDDLIAYDFNGGIRIIF

CpN_0964 1104812 1103301

...
No robust homolog present in GeneBank/EMBL as of 11/7/98
OSILEIYKYFYLIHNSKMHMSNPISLSPALIAKYNLIKPTSPYPRTELILEENA
QSTRLTINVAQLHPSLSFMSKXILNPGCCSGGLPCLWILNLIATITSVLFILLPNL
VAGLRILFMPPLPKKIVEDSEPTTENEVQIPFALQALLFEDNKLRSFKIVEQSVG
KAPLPNPFENLRVAISQESQEMARKIPDLCSOLKVKVLSGLVLPENKHMKYFGLKN
BDSNPPDKTTPILIKLLEALTGKSSLPKPTSQKQMAALFIASSCKTCKTGMVEIT
LSNLRLYSIANEGDNQLLIWQEFKRESLSTQGGDEAYFRAAQHGERYTEABOVL
RNESAALQWVINTMKPFPHGKNGLVEHLODTLGLALTRQTTVDTHQGRDADLSAAL
FLNKYLNSGNQLVNSVFKSMQADPTELKALREFALDILYASLRLPQTSAPTEVSTLLM
DPETEYENKACIAYLLVVLKIEL

CpN_0965 1106769 1104925

...
lpkB-Lipid A Disaccharide Synthase
KGFSTKSGVGLNMPISGLVYLLYPLGLFASLFFGSAFSIQWLSKKRKEVYAPRSFWILSS
IGFISMLVHGTIQSOFPVTLVHLNLIIVYLRNLNITSSRPISFRKTLVLMALSVFVTL
FLYVNMGLMSPNIFHLPLPPAQLSWHLIGCLGLAIFSGRFLIQWYIESNNTKDFPLLF
WITNMLDGLLALVYIRIGDPINILYCGGLFPSIANRLFYKEORSTPYLDTKFLSAG
EASGDILGKLLQISIKSLYPNIRFMVGGPAMROBGLQPIIAMEEFOVSGFAVLGSLFR
LYRNYRILKTLIKHKPATLIFIDFPDHLILIKLRKHYGRKIIHYVCPISIAWRPKR
KRILEQHLMLLLILPEEGLPNTSETVYVGLHPLVEEISDYKEQASWKEKFLNSDRPI
VAAFQSGRRDQISRNLRIOQVAFNLNLSSTOQHDEIISVSSAKYDEIIEDTLKAEQCSHQ
IIPNFRYELMRSDCALACCTIVLETALNQTPTVMCRLPFFDTFLAKYIFKILLPAY
SLPNIIMNSVIFPEFIGGKDFHPEETATALLNQHSGSKQKEDCRKLCVMTTQGIA
SEEFKLIFDTLPVAV

CpN_0966 1108055 1106748

...
pccnB_2-PolyA Polymerase
LLITIMVCENNILSGRLELLKKSNITLTPTIYSVSNHNIKLDKDFSPHALSVIKTLRK
AGYIAYVGGCIRDLLNTTPKDFDITSAKPEEIKAFKNCILVGRFRFLAIRFSKQI
IEVSTFRSGSTDEVDLITKDNLWGTPEEDVLRDFTINGLFYDPEHEEIIDYTGVDNLR
NRYLRTIGDPFTRFQDFVRLMLRLKILSRSPFTVETQTEALACROELIKSSQARVFE
ELIKMLNSGAANKFFQLLEHLLLEIFPYMDKAFRLNPALEEQATYALKALDDKILKKE
AEYDRHOLMAIFLPLVNFVNRVYKHQHPYLSLTSVFDIKNFLEQFADFSCTCSKKNF
ILTALILQMOYRLTPLITPKKALFFNKKLHHTRFLAELSLEIRTSIVYPKLDKVVYAWI
RHHQTLCKCKDHSQSK

CpN_0967 1104431 1109885

...
mcsA/pcm-Phospholipid synthase
FTAYKFAICACRSEKIRIGIDFRNMQSVKPLFGDTCVRCRANFEMTIVETTVLLGK
AVARVLRGRGKIKVAVKDTPLRGVFNALIAGNLMETILVLPITPTGVAFITR
AYRADAMISASHINPYRDKIKIFSLGEPKICVLEQPLTMVHEADPPLPDEHVAQV
NKRVIDAMGRVYEVKATIPKRTIKLGLLVCANCAKCYKVAIPFEEIDAEVICYCE
PKGININEHAGALFOVTKAVIEHQHILGALIGDDEIIMVEDEKILVDMMLTICA
KQKRLKALPHNRVATININPVKILTEALIGVTFPGRHVIHMLHEVTLVQES
SGHMLFDYNTPLDILVSAVLRIMIESEHMLDPAFIVKQDITINAVREKIDLET
ITGRIETKLDVQDALASRKLILPYFTENTICVMVBFKIKQVDTLAPALADVDAELA
TGRIE

CpN_0968 1109889 1111721

...
gmsB-Glucosamine Fructose 6-P Amidotransferase

45

101 predicted rRNA Methylase
 102 LFMPTQDLSPPTWKEKRRITQIVLVIVRIRKIFQSTYTHQEEFNITSLACELC
 103 LKLVVLAQQAQKIDITLVAVLQVRLPFLIKWKMINILIQIVHLIIVATCTETTFQYVY
 104 FQILQVLVNFQDFWIKMKIRKHHILQDFQVQLDQIRSLQGLCAVPAIATDQKTYLLEKA
 105 PTHLAPRMTYFYIKMDITQIKWFEHLWPKTQDILEYTFELKKKH

CpN_0947 1137483 1134115
ytcB-like predicted cRNA methylase
LENGIFAIGQFMFAFRTLLTINVVQVSHIEFKTIVVPGDTVVDATCGNNDLSFLARLLQ
GEGRLVVDIQKEALGNALLFETHLSEQERSVIEKQESHEHILEKDVLIHYNLGLYP
KGNKEITTLARTTEISLEYALNIVRDLGLITVVCYPGHPEGEKETHSVESLAORLHPKEW
CVSGFTVANRCRAPRLFIQRQSGESVDKQ

CpN_0948 1139011 1139011
mesJ-PP-loop superfamily ATPase
KFFINLINDOGILKMKGAAMHFFPVRSSVWLNRYSTFRICGPANYFKAIHTEIARE
VIRFLHSINYPLIIGKSCNCLFDDRGDFGVLYNAIYKQFLEDAIKAYSGLSFAALG
KATAYNGYSGLEFAAGIGSCVGAIFMAGTNESDISVVRNVINSEGLCSYSEVEL
ELSYRSSFRRHQEFILSATFQSKKQVADHKSILQHLMTQPYTQPSAGCIFRNPBG
TSAGKLDAAGLKLGAITGGQISPLHANFIINTGKATSDVEKQLIAIIQSTLKTQIDLE
HEIRIIPYQPKIHSVSEK

CpN_0989 1139552 1139016
CT832 hypothetical protein
LRTSLAVKCVLLTIFWLVMTLSLPEKFGSPISISKEFPQKQREIILQMLYALDMPAS
AEDSLVPLMSQTAVSQKHLVALNQTKSILEKQELDLIIGNALKNKSPDLSLVEKNV
LRLTLEFHYSPINKALIAEAIRLVKVFSEACPFIOAILNDIFTDSSLNENSLSI

CpN_0990 1139880 1140440
infC-Initiation Factor 3
SVALNFKINRQIRAPKVLIGSAGQGLGILAKDALDLAREAGLDLVEASNEPPVCKI
MDYGVYRYGLTKKEKDSKAQHOVRIKEVKLKPNIENDFSTLQKQARTFVEKGNKVKIT
CMFREGELAYPEHGKVVQKMSQGLDIGFVEAPKLAGSLICVAVGTVKTKKQKES
HAQDENQ

CpN_0991 1140394 1140612
r135-L35 Ribosomal Protein
KQKRNKSLMPKMTNKSVAARFLKTASGQLKTRTPGKRHLKSKSSQEKRLNKQPLVD
KQGVQMYKRMMLV

CpN_0992 1140622 1140996
r120-L20 Ribosomal Protein
GKLVMTVRATGSVARRRRKILKQAGFWGDRKGHRIQSRSSVMRAMAFNYMHRKDRKD
FRSLIARLVASRIHSLYSRLINGLKCANISLNRKMLEIAIHNPBGFAEIANQAKKA
LEATV

CpN_0993 1140975 1142030
"phaS-Phenylalanyl tRNA Synthetase, Alpha"
KSPGSHSLGIRISMEKKEIEAVKQFPHSELQVNSQALADLVRYLKGKGIKFRSFEK
LKQCTDKAKLGLSLINDPKTYVEDLLQKSLVLLASEQAEAFSKEKIDSSLPQDSQPSGGR
HILKSLDDVDIFVHLGFCVREAPNIESEANNFTLNFTEHDPARQMDHTFYLNATTVL
RTHSNVQARELKKQPPKIVVAPGLCFRNEISARSHVLFHQVEAFYVDHNVTFSDLA
ILEAFYHSFFQRKTELFRHSYFFPEVPEIEVDVSCGCCGKGCALCHGTGWLEVAGAGHI
HPQVLNRGNVDPEYISYAVGNGIERLAMLKYGVSDIRLFLSENDRLFLQQFS

CpN_0994 1142371 1144440
CT837 hypothetical protein
LFWHRRGGRMKRSRRNEFEQALENLEKLKEISLATSNDSYLNNPARFNQRKQSGSSVMEK
EALANVENYLLIEISCVSKSHADKALKESDFIAGVQNVFSFLENQEDLYKSLDDEYSFT
KAYDEVKKNLEKVPYDLSDETEEHKEPECFNNLVVEVKRDSYELFYMLDEQDRFY
NDALVQIIVYKQNLHETVNEGDPLTKTLWNSEEVKNIASSLVIVNDMLRLFYQALSH
LDIEAVVYKHNAMVALFFSYREATMVFSKPKKHNIWYFNDFLLFLREAWKDLNNVIDSQ
ERRQTKLLASLSLGIFFESKLVFEASRYLYFNQIKLENANGKPLSPQYQLDAYEEL
HRLSEKYPNGPLFKAMDRLVLEHESRPYDMLIGLPSLEGLTKLHGKSIDIIISPSPVTO
SSILYANCNEEFLGLNAKHARVETLVNLTQNRISRKERARSRIEAELEFEHAFYVH
AFSEPEPEELLQNLLESIHQDITETPAOFFSILQEEFHKPLASSFFLTKELEFVGSFLKE
KLTALKDIFFAKKILFRNDKLLHLLSYLVFKLIERTNPNSIVVVSXGGLDYVSFI
AGFAFFSREAFWDEHSLKLLTNLSPTLVARDRLVFVSHIELLSKFPVCLKNRQGFSS
LKSFFKDDIEGWEFTGYLHELTEVSHKHL

CpN_0995 1145515 1144415
CT848 hypothetical protein
RMLFWKRHLTRFWALTSLLVLALIFYASIHSLHLTKGASTAASGASVKLSILVYLAQ
ISEKAEFLMPQVAVATTSTLFAMKQKREIILQASGLSKSLHPLLSGAVIMVLYA
NFOWLHPICEKISITKENMDRGTDKQEGKIPALYLLKQDTVLVYSSIEPKTLNNVFWI
KDPKTYTMEKLAFTTSLPGLNVTFQFANDSENLEKEFDMKEFPEIEFNFNPNFS
KLFSAGNNRLSEFFKAIPWNTAGLGLSTQVQRIILSLAIFYVYLISPLACMAIILSA
YLCLFRSRTPTVTLAYLIPLGTNIFVFLKAGIVLASSVYLPPLVMAFPLVLVFLTN
YAYAKLQ

CpN_0996 1146592 1145519
CT849 hypothetical protein
AMPILWKLIFRYLKTAAFTCLSLICISIISSLOEIVAYIAKDVVPTVLRIMAYQIPYL
LPFILPGSCFVSASFRLKLLDNHMTFLRASGASQSIIMFVLVMSGAICCLNPFYTCE
LASICRYQTCKEIANNMAMTSPALLQTLQKKEIRIFIAVDHCAKSKFDNIVALKGNNE
ISHVGIIKSIIPDTTKDTKAKDVVFISKLPSZTESSSPSSQRYIETLDELLIPKITS
TLFAQKSYLKTRTDYLWQKLVQSLKSHSLFETLRRVAIGFLCITLTYAGMILGIHKPR
FRKSIALYIFPILDLILLVGNKTNKPLAFLFVFPQVLSVVVFAARAYRESRGYA

CpN_0997 1146699 1147664
mesJ-PP-loop superfamily ATPase
AYKMWLGSDLLRDDKQDLDFASLDVKKRYLLALSGGSDSLFLFYLLKERGVSTAVHID
KWRWSTGAQEAKELEELCARGVPPVLTATAEEQGDLDENQARKKRYAFLYESYRQLD
AGGIFLAHHANDQAEVTLKRLLESALTNLKAMARSVEDVLLRPLLIIPKSLKEAL
DAGISYVQDPPNEDERYLARMRKLLFPWLEEVFCYHITFPLTLGEEAELSEYLEKQ
AQPFEEAATHQDQCELPDCLIQAFCLCKVMKFFNNAGTAVIRHFLQMVYDHLRS
SCATLPMNRKIVIKGVVVID

CpN_0998 1147411 1150584
trbA-ATP-dependent zinc protease
LILVLYKFMKDKKKMKDEPKNFETVFFFLPQVVFVAFQNFIAQKKARVCFHQIEH
LVNLLKLVPEDEKILALNDLYLFGGRFRDVOQEGRLVYHLELIDXRHLDDLOETS
KQNTTUKEVNTILWFSYFGSPFEGCYAISYRSEYGVILTEPLVATVPATQNLINL
HILQERYITLERSPHALTYVSDLYELICKYLPVIGITQSETLKRELKDYQOVVSLTO
ETVFAAYATLVQVLTNNRISGLSVVSEGGERSYLLQVRLYREEMNYKHLVFAEDLN
QALQELKLELQVTVVFNKGLSSRLSKQDEPEVFIWFAQAKEMWAFKFNELGPKA

PDQPRNLVLEKTFKSGEPS...FTFLPIILVLLFVYLVFGRQMRMGSGSAMSFGKS
PARMLLKQGNKVTADVAG...LEIEIVDFLKNFNKFTSLGRIKPGVLLIGPFGTC
KTLIAKAVSGEADRPFFSIAGSDPFVEMVGVQASRIYDMFEQAKRNAPCIIFIDEIDGTC
RHRGAGIGQGHDEREQTLNGLLVEMDQGTNEGVIYMAATNRPVLDKALLRPGFRDRVR
VMNPDIKGRFEILMVHAKRIKLDPTVDMVAAPSTPGASADLENLLNEAALLAARKDR
TAVTAVDAEARDKVLKGRSRLEMDAERKPTAYHESGHAVVGLCVQHGDPVQKTI
PRGLSLGATHFLPEKNKLSYMKKELYDQAVLACGRRAEEIFLQDSSGAGQDISQATKL
VRGMCVCEWMSPOLGNVTDERSDGLTYGQVYHEKSYSEETAKTIDTELRLMLDAAYQRA
LNTNHRKALTEMLTLMKRETHAKQDVSEIMUTATFERKKAPLEPERIMLFKKSJCDL
HNPMPRETHLCHAFHAT

CpN_0999 1152859 1150766
pnp-Polyribonucleotide Nucleotidyltransferase
QETFMNQTISINLTGKILVETGVIARQANGAVLVRSGETCVFASACAVDLDKVDFL
PLRVDVQKFSSTGKTGGFIKREZRPSEKEILVSRILDRSLRPSFPRMLQDVQVLSV
WSYDQVLPDLAICAASALAISDIPOSNIYAGVRCIGDINQWVNPPTKTELASSTLDL
VLAGTENALMIHCHCDFPTEEGVLDIAIEFGHKHIVTICKRLQMQEEVSGKNSLAVPV
LPAEVLAVKCAQDKFTLFPYIKKKVHAATAHEIENILEKLQREDDDLFSSFNKAA
CKTLKSDTRMLIRDRERADGRSLTVTRPITVYSLPRTHGSCLTFRGTGTQTLAVCTL
GSEMAQRYEDLNGEGLSKYLYQYFFPPFVSGVEGRISPGRRIEGHGKLAELKSHALP
DSATFPYITRIENITENSGSSMASVCGGCLAMADAGVPISSPIAGIAMLGLDQQAII
ILSDISLGEHLGDMDFKAGSGKGTAFQMDIKVEGITPAIMKKALSAQKQCCNDILNI
MNEALSAPKADLSQYAPRIETMQIKPTIASVIGPGGQIRQIIEETGVQIVDNDLVGSV
ISASSAINKAKEIIEGLVGEVEGKTYRGRVTVAVGAFVEVLPGKEGLCHISECSR
QRIENISDVVKEGDLIDVKLLSINEKQGLKLSHKATLE

CpN_1000 1153193 1152891
r515-S15 Ribosomal Protein
SAFAAILLRHMSLDKGTKEETKKFLHEKDTGSADVQIAILTEHIAELKEHLKRSKP
DQNSRLALLLVGQRKLLLEYLNSTOTERYKNLITRLNLRK

CpN_1001 1153369 1153869
yfhC-cytosine deaminase
YYLELQGEKILNMEKIDFFMQQAFKARKAYDDEVPGCVIVKDDKIIARAHNSVEKLE
DATAEAILIGSAAQDLNRLDLTVLCTLEPLCMAGAIQIARIPRIVWAAPDVRIG
AGGSWNIITEHPHTVSTCGGVCSSEAEHLMKKFFVEKRREKSEK

CpN_1002 1153844 1154089
CT845 hypothetical protein
KSAERKVKIKVITLLDQYEDQESRLQKLGEEIVPNLTPEDLQPMDFQLEGNPAFRFE
EGVLSGIGEVRAAILAALSQEN

CpN_1003 1154862 1154092
CT846 hypothetical protein
TNRKTHIPLWGPDRQIACKASMRVIFPDKHNNFNLKLLKPLSVILVTSIAPFFSY
IANKFFGICPGLLELALSVMKGIQKHFWQFLTYPLITADSLSLANKDQSFETQRLLRNV
LDLFLFYKAIQHLIRKLGAFTVLVVISQALIIQAVLWGFALIHSSQFFPFGESICGV
LTVQILFDEKPRFTIGTPLSVSIKMGFLVLTGYCCILIFSGAFLLLASLAIIVLAIL
FCKKEKIPNPYTTSLRF

CpN_1004 1155418 1154879
CT847 hypothetical protein
HLSTIEELMSIQPVNTMTKADKVIPOSTKVISDITINKQSAYFICISVMLRLSESTY
GKSLIAVEDNTIVQQORVKELINLPLKVPDQKGGSDDEYKNIEQAVQSSNQOIS
ANRQMIQOELSSAQQAQANQKSVNSTIETSMQILQATSSMLSTLKELTIKANLTNSPSD

CpN_1005 1155957 1155415
CT848 hypothetical protein
NRYKSVRLNMWIIDPLSAKKPLQAAINVPGTPTGCPNTATADDIIAKFSKDSNPLIVTVY
VYVQSLVAQDNLISIAQELQANSACTYLNNOELQYQVSIKPKLNDNSSSYLQNIQS
DNQAGASQAQIQNQISSLQNAQVSSNLNTNNTIIQOQLQVQALIQTSFQVSLIAN
I

CpN_1006 1156493 1155990
CT849 hypothetical protein
TKNVFFIMSTITLQTLPTVNTINSSRPPLPLNTPKIGAVLSYIELLLQAIETRQQTIL
TQSQQLNDNTNIQOQLNQETNIKYAIVSAGAKEDITRVQONQNSAQRSNIQDELVT
TRQNGQILSHASTNINIQQOQSQDSFIIKTNSIGSTVNLQNLKPLG

CpN_1007 1156689 1156907
CT849.1 hypothetical protein
LWYKSLAGEEKDVSGNECNDYPEVFKDDVSAYVLVTCGQMSSEKTIQVEMTEGDAVIS
YLLTKRADSLDES

CpN_1008 1156904 1158223
CT848.5 hypothetical protein
VLNVSLIQMLKPMYVLSKRLYRWVQLIKGLDVKNSRFSFVSEVFIISALLIFCCLGCA
SVKVSILVPLFLLSFLAPFLILCFROKQYALLGVPTLVVAKYVVGTELYVSFNLSQL
QVSFLAPLGLFLOQVLAQEEEMVKGEQLRLSLEDLDAORSAVEDLLTKSQEFLDAR
AQLDRDELTECEQLLKAAYQKQYELTIDKLILADKNQWLEDYAEHLNNKYIELVSKNGDV
VFPWAEPSSVGSQSERVDVSRWVSALQKEESLERLNEILVEKQRCSDYEHRCQELG
LLQNFATLERRCEELQNLNQKETOINELHQVLSKSEKVSVEPSAHAETSVCVEEKYQ
GLLYQLQOEFLKSETLSVLRRKFLAVQEKYLLTKKKEELTKQDISFDDISMQGLLRI
EILEEFGHLEELVSRSLSL

CpN_1009 1159085 1158186
map-Methionine Aminopeptidase
YRLHRIYILMKRNDPCWCCSARKWQCHYPOPKMSPEALKQHYASQVNIILLKTPQOKAK
IYNACQITARILDELCKASQKQVTTNELDELQELHKKYDAIAAPHYGSPFPKICTS
LJIEVETLINDIPKDGIDNIDVSCIVDQYQDCSPMVMICEVPEIKKKICQAAECL
NDEIATLPTGIPALGELGAEARADTYGCVVQDQYFHYVYIEFHENPYVPHYRNSMIP
IAIKMIEITETFMNKKELVVDPKNWEAKTCQNGFAQWEHITIAITETCYEITLLND

CpN_1010 1159675 1159067
CT850 hypothetical protein
ZMLIILHLLGLVLEFVSTHIVVALLKNEFRKYVZRVILRECELFALIALILFVTCGR
DFPDLGLDLYAKQILGGLLPTVFKMLLAMPFAADDQKTERIPFPLAPVITQPA
VITALKMEBSYISRELIPTAMITAWAFGLTLLCGGDFDLRGNPGLLALERLQIAL
LAMEKMLKELIAPNIEYIG

CpN_1011 1160469 1159903

1154402

GLIIVAVLWLTWIIIVAEIPFGAAKNTFPFEITIE...SVSLVITSSVMQAMLL
VYFGNAMIWMLITGVVMPVLAASAFPLKLSKSK...SIKAPLAMIITGLGVVY
SLWLYAGGLYLFMALVLLALGIPFYIDAGKKKKNA...KKEIVQMTFILLALTAI
ELFLTRIKI

CpN_1032 1186153 1195566

CTJ73 hypothetical protein
IMAYVTPYTPARITGIGEDDDMPPOPEFTFYDGLLOAKIFNFHVPYTVLPEL
...
ALGLNLFENAEPAKVN

CpN_1033 1187656 1186187

CTJ72 hypothetical protein
NNKKDYSGEFLTTDTVDISIAFLPSEENFCYIKTILFFRVKKHYAFFYGEPMISFRLL
LSGLCALGISSYAEPTKETGHHYRKARIQKKHPSIKESAPSETPHNNLSLSPVTNIF
CSHPWKGISVSNLLTSVEKATNTQISLDSILPQWPHYKALGQTQALEIPSWQFYSP
STTWLTVDSPTAGQGVIVDSYTLIHYWQNGVDAQAGTASSMNDYSNRENLAQLTFS
QTFPGDPLTLAGQSYSLAIDGTLYDNDQYSGFISYALSONASATYSLGSGAYLQFTPN
SEIKVQLGQDSYINDGTNFSIYNLTKSKYNYFYASWTPKPSCGDOQYSLVITRKPV
EQNSQVTVGSILNAQHIHEKLVLFRINGATGTALPINRSYVLGLVSENPNRHSQDLIG
IGFATNKAKAISNNKLRYSVMEAFATIGFGPYISLTPDFQLYIHPALRPERRTSQ
VYGLRANLSL

CpN_1034 1188589 1187732

Predicted OMP (CTJ71) [leader (18) peptide]
KTSWKYKYSYLSILVQKIRARYMTLWFTFTFLSCSSFYASCRYAEVRSIHEVAGDIL
YDENFWLILDDDTLLQGEALSHMSKAIQGLQKQGTPEQEAWEAVPFWFIEIQM
GTVPQIESAIFLLIEIKQKQKTTFYTERPKATKDLTLKQLHMLNLSLEDAPOQAPL
PKNLLTVSGILFSGDYHKGSGDLFLIEICTPLAKIITYDNQENLVIRIGLDCQKYIAY
POTTYKAQLHPPIYFDNIAQOVYNSKKLLSNEAALLRHQMH

CpN_1035 1190081 1188570

aroE-Shikimate 5-Dehydrogenase
VVQLPMLVPIVHLQIWRFSYGVSVMLCATVSGPSFCEAKQILKSLHLVDIIELRLD
LINEDDQELHTLITTAQNPILTFROHKEMSTALWIKLYSLAKLEPKMDIDVSLPKTA
QOTRKSHPKIKLILSYHTDQEDDAIYNEMLATPAEITYKIVLSPENSSEALNYIKKAR
LLKPSVTLCMTGHLPSRVLSPISNAMYAGISAPQVAPQPKLEELSLNYSKLS
KSHYGLIGDVPDRSISHLNHLSSLSNATYIKFPVTIGEVTFSSAIRDLPSGLS
VMPKLTAFIDHVDALDASQCESINTLVNRQKILGYNTDGGVAKLLKQKINSVNNK
HATVGDCAKATAATLMAOGANLHIFNRTLSAAALATGKYNKAPLGSGLNFKTIDI
HAGLPPADPWFPPFVMDINTKHPSPYLRAQKHGSLIHGYEMFIEQALLQFALW
HAGLPPADPWFPPFVMDINTKHPSPYLRAQKHGSLIHGYEMFIEQALLQFALW
HAGLPPADPWFPPFVMDINTKHPSPYLRAQKHGSLIHGYEMFIEQALLQFALW

CpN_1036 1191180 1199984

argB-Dehydroquinase Synthase
GVKPCSCRSCTIIPMLTQKMSSETIITPHVVKLISNFFOKKLFSSISTAYPLVITDVS
VOHLLGLPILDHKMLGYQVIVLTPFPGEPKNTWETFSIQYQVLDQNI SPKSSIIIGGG
GTMLDMTGFLAATYCRGLPLYLITPTITAMVDTSIGGKQNLINLRGKRLGTFYLPKEVW
MPOFLSTLPREEWYHGAIAEIKHGFADAYLWFLNHSKMLFSSQIILHEFIKRCQI
KAEVAEDPYDRSLKILNFGHSAHAETLAKGTVNHGQAVSVGMETIRISLAEVGMK
TPQILDQERLLKRFNLSTLKDQLSIVPEHLNLSYSPENITYLGYDKNLSQELKLM
IMHGLGRAAPFNGTYCASPMELIYDILWSECHVMRHC

CpN_1037 1192286 1191123

aroC-Chorismate Synthase
LHPSRGSRSSFLLEELRTSVSRSHYLVKVMKNSFGSLFSPTTWGESHGSPISGVVIDGCPA
GLEHLESDVFPAMKRRRPNPNTSSRKENDIVQILSGYKCKTGTPLSLQILNTDVS
PYNSERLYRPHGSQYTYEKKFQVDPNNGGSSARETACRVAAGVAAEFLANQITFL
AYLSGLSLTLPHYKISPELHKHITSFYSPLPNEKIQEILTLSDHSDSLGQVIFSI
TSPITHDLGLPELFGKVAHALSALMSIPAAKGFIEIGKFGASQMRGSOYTPPFMEGENI
TLKNNCCGTGGTITIGVPIEGRIAPKFTSSIKRCAATVTKTKETTYRTPTQGRHPCV
AIRAVPVVEAMINLVLADLVLRQESKL

CpN_1038 1192750 1192199

aroL-Shikimate Kinase II
WKLELRNMTIILCGLPTSGKSLGKALAKFLNLPFYDLDLIVSNYSSALYSSABZYK
AYGDKFSECEARILETPEDALISLGGGTIMYEASRYAIDQTRGALVLSVELPLIYER
LEKRLPERLKEAMKTPKLEILTERIDRMKEIADYIFPDVHDSKSSLEQASGLDIT
LKS

CpN_1039 1194011 1192665

aroA-Phosphoshikimate Vinyltransferase
VCFTMLTYKVPSSVYGNAPIPSSKSHLTRAILWASVAEGKSIINYLDSPTEAMICAC
KQMGASIKKFPQILEIVGNPLAIFPKYTLIDAGNSGIVLRFMTALACVFSKAITVTGSSQ
LQRRPMAPLLQALRNFCASPFSSDKSVLFTMSPCLRSAYSDEGSDSOASALAVACS
LAEGPCGFTIIEPKERFWDFLSLWLEKHLPLSYSCDITYFSGSSHQCFSYHVTGDFS
SAAFTAAALLSKSLQPLIRNLDLIDIGQDKIFFSLWQNLGASTQYDNEILLVPSSFS
GGSIDMGCDIALPILTVLCCFADSPSHLYNARSADKESDRILAITELQKMGACIQPT
HGLLVNPSFLYCAVLDSHDDHRIAMALTYAALYASGDSRIHNTACVRKTFPNVPTLNI
MEARIEECHDNYSMMSTHKKRVAPARESPG

CpN_1040 1194876 1194073

No robust homolog present in Genbank/EMBL as of 11/7/98
RPSQSLFRLTWGSSSFREHTVCAAPLLYPRRSPOYLFSPGCMSTTTVKHFIHTASR
WEPVLKEIVAGNYWHAQWINTLSFLENSGAKKISASEHPTVEKBEVLKHAEEFRHGHY
KTQIGRISGETSLPDYTSKNLGGLLTKYVHLHLLDRLTRVLENYSLSGQTLKTAAYILV
TYAIELRAGELYPLYHDLKEAQSKITVKSIIIEEOQHLOEMRELKDLPHGEELGYAC
QPEGLCIAFVERLEQMIIDPDSSTTKF

CpN_1041 1196304 1194726

bioA-Adenosylmethionine-8-Amino-7-Oxononanoate
Adenosyltransferase
DERRIFLHIEKTAAGVFLVMPDFDEPSISRYKCHLFGNCRNALTPOYLRYGCK
WYBGFALANPQAAZYNDQCOKRNKHNHLLCPMEKMDKSSGNCOCIMWPT
QALDCTTKIVBGLYLYAEKTRVLDASGMMNLLHGHIEYITKKLCEQAQKLEHV
IFANFTHFALHVAKLAPLPEGLRFFFDNCTIEIEMKIAVQYNYQKAKSHFV
GEMAYHPTFAMKIACTHTVPHDLFLESTTAAPYKKEELAIAQATVPESENI
AATVYELAAWMMMYNPELKEILKAKHYVLADEILTPRTGGLPFASEFTDI
PQDILCGLSHTYVHLALVTVTKETHDADVQDMMYALLIHTPNPLGSAALASL
DAPLEPPTAQMILERRIQEPFAKHWORVLAIVLALDYPAEATYFSQYRDHLN

RFFLERGVLRLPLGNTLV...QEDLRITVSHLODALSLQPY

CpN_1042 1196629 1195934

bioD-dethiobiotin synthetase
NRSPFTYFRANFMQRIIVGIDTGKTVGAILARALNAEYWKPIQAGNLENSDSNV
HELSCAYCHPEAYRLHKKPLSPHAKAQIDNVSTEESHICAPKTTSNLIETSGGFLSPCT
KRLQDDVFSSWSCSWILVSQAYLGSINHTCLTVEAMRSRLNLCGMVNGYPEDEEHLWT
QETKLPITGLTAKEKEITKTIISCYAECWEKVMVTSNHOGIQQVSGTSPSLNH

CpN_1043 1196771 1196771

bioF-2-Oxononanoate Synthase
PMLCQQLFLEALARRKSKHTYRSLSLNSHLIDFTSNDYLGFASSPELRKEYITKLHAIES
LGALGSRLLTGHSQLCQRIEEQAAHYHNSCLIFNTGYTANLGLLYALATQDRIHLDL
YIHASTYDGRILSKAQSFPMHDLNHLKRLASSHLGRTFVCEVSVYSLHGSVAPLQAI
SELCEYSAYLIVDEAHAVGVGDQGBGLVSALGQDKVLATVYFGKALGTHGAAIAGS
SILKMDYINFCRPFYITTAQPHALTAILEYEHNRQAFNRQREHLSALIHFRKAQNLG
LQKNDYITPTIQSICVSGSHRARAQALQIONSGYDVRPIVSPVTKQREELLRLCHAFN
TKNEIDHLLTLEQIFLCHVSSL

CpN_1044 1198700 1197699

bioB-Biotin Synthase
AKHREETYSWSELDIEIYHTPVFELIHKANAILRSNHLSELQCYLISIKTGCCVED
CAYCAQSSRYHTVTEPMKIVDVVERAKAVELGATRVCLGAWRNAKDDRYFDRVLV
ASVMTLDLGAEVCCALGMLSEEQAKLIDAGLYANNHNDSSPEFYETIITRSYEDRLN
LTDVWNSGISTCCGIVGMGESEEDRIKLLHLVLRDHIPESPVNNLWPDGTPLQDQ
PPISFWEVLRITIAVAVFPRSMVRLAAGRAFLVEQOTLCFLAGANSIFYGDKLLTVEN
NDIDEDAEIKILLIPRPSFGIERGNPCYANNS

CpN_1045 1199602 1198901

*conserved hypothetical bacterial membrane protein
GTLPMNTSHRKLTVFSYLSSTFTLLLVLSNLVSSKLIPTFNFIIIPGLILYPLTLFI
SDVNEIFGPKARVMIFSAFIANLASSIVQIFMFPVSPPEMOTAWHCLFDLSPLRFL
ASLLAFIVSQDLIVLYTFKNRTPNSSLWLRNSGTWISQIPDTFIVDTCLIFYGMGLS
FPOTLIMIFYSYIKITFCVLTPLFYLAVENTIRKFLGMPSTKIANTVPLINQ

CpN_1046 1200675 1199590

*Tryptophan Hydroxylase
VHYCEARTLDPKYILKIALKQSLSLFFQNSQSLQRAYSTPYSYRIILOKENKEQALH
RKHCSILEFFKNLLFVHLLSLSKNORCEGTMNAVSTPFFNRNLWYRLSSRFLSKWS
YCPFFLDVLEAFGLLSDFLDHOAVIKFELETHFSYYPVSGFVAPHQVLSLQDRYFI
SHKRLKLDNDFSLTDLHDLGHVPLWLLHPSSEFFINMGRDLFTKVIKVAQALPSKKO
RIETLQSNLIAIVRCFWFTVESGLIENHEGRKAYGAVLSSPOELGHAFIDNVRVPLEL
DQIIRLPNTSTPOETLFSIRHDELVELTSKLEWMLDQGLLEIPLYNQEKYLSGFEVL
CO

CpN_1047 1200537 1201343

dapB-Dihydrodipicolinate Reductase
FGSRNMGSSMHVIGCSGRGKIVVASLEQSEYTLGPGFSRSSALTFLQVIAHNDVLV
DFSHPLLEKEVAHLLISPKPLIIGTGFGPKCKEADHSELEETHIVPVCNANSLGAY
IKHRLVMLLSQCNQPDIRIRETHRYKDKSLSGTAQDLDLTIQOVQEDWGEYEVQ
RDGSKTIEVQSSRVGDIPGEHEVAFISSGEQILVRHTVFSRVNFGRLSILDLWKLTLN
PQGLVSLGDTLELVLRNHECLKKTTDH

CpN_1048 1201588 1202604

aspD-Aspartate Dehydrogenase
DGERKGMIRIAVLGVTVGQFVALLHKWYRDVIAEVVASNSKYQSGYDAGIWOEPIG
PMPENVRLPIRKIEVQSDIVVSLPSSAESMEAYCLSGQKVVFNASTYRMHSSVPII
IPEVNSDHFQLEEQFYPGKIITSNFCVSGITLALAPLRFSLDHVHIVTLOSAGGAY
PGVPSLDLLANTVPHVGEKEILRETVKLGSSQWPOPKCLSVTVHRVPVAYGHTLSLH
VTFKMDVLDLEIYSQEKNEKFPNTYQLYDNFPMSPQARKHSHDDMRVHLGPIYGGDF
RTIKSMVLIHNLVGAAGTLLASHMENYFFDLKREMLR

CpN_1049 1202586 1203914

lysC-Aspartokinase III
EGNVSKIIVYKFGTSLATAENICLVCDICKDKPSFVWSAIAIGVTDLLVDFCSSLRER
EVLARKIEGKHEIEVKNLAIFFPVSTWTSRLPYLQHEISDLDFARILSGEDISASLV
RAVCTSTRGWDLGLEARSVILTDSSYRASPNLDMKAHWHQLELNQPSYIIQGFISNG
LGFTVLGRGSDYSATLIAELARATEVRIYTDVNGIYTDMPKIVSDAQRIPELSFEMQ
NLASFGAKVLYPMLFPCMRAGIPIFTVSTDPKRGQVYVAVKSVSEPRKALSLSQ
YQSFCSVDYTVLGGCGLEELIGLILESHGIDPELMAQNNVGVFVMDDDIISQEAQEHVLD
VLSLSVTRLHHSVALITMIGDNLSPSKVVTITEKLRGQGVFCQSSMALSFFVAS
ELAEGLIEELHNDYVQKAIATV

CpN_1050 1203884 1204798

dapA-Dihydrodipicolinate Synthase
LCKTKSVSRHVRIMHLLTATVTPFFNGTIDFASLERLLSFQDAVGNVVLGSGTGGL
SLTKKEKQALICFACDLQKVPVCTSGTLLEEVLDWIHFCNDLPIISGLMTPTIYTKP
KLCCQILWFEAVLNAAKHAPATLYNIPSAAREPLVLDVTKAALHHPFLGIDKSGGSVEEF
OSYKSIAPHIQLYCGDDVFWSEMAACGAGLISVLNNAWPEAREYVLNPOEQDYRSWM
ETCRVNTNPIGKAILAYKAITSSQDLRLPLSIEDFLENVSPAVERMLAWPKLRTS
VFSYS

CpN_1051 1204956 1205270

No robust homolog present in Genbank/EMBL as of 11/7/98
FFMTPKSICQLHLIKTIDPVKISPVTTKSSFFQSLRLFLFLWFMFLYCIIRPHCV
HIATFICRGLILFTLFLSMICILHFTLWKLKEDPRIIRKKN

CpN_1052 1205402 1206169

No robust homolog present in Genbank/EMBL as of 11/7/98
FFIQMKKYNREKIKALRICGYCTVFRNNFLSGCYDKIFYLGLYVFMNPNISICRCR
GCGFRKQLEVEYTKVKIKDEIPPLGVVAVKESFPYRHALESLSQGSIGNCLA
[ENFLDQMLKRNKIKHWTITFRKCTNADSEPPFTACVILAKRLKAGSYEL
GWTAGLQGLKQDQSHIRTRATCIIIVKEMVTRPLCTPYIWKARPLFFPRLTSD
VRRDLKKKFLRLECKD

CpN_1053 1206198 1206701

No robust homolog present in Genbank/EMBL as of 11/7/98
KKGGLIFAKIUNHLYLTLGAAVACILITCLINPYCEKAGHEVLYKRPKIDGEP
KLAPEIDNPYSIVSLGILGZETFEYGRIDNIDMIVAKIGAVLRKTRAKEIKG
SKDYAFEPFLARELMEKELAMTAVSEVIGQCTYCTYKTKNIKQYRIILHNTG
ELGVKAF

tRNA #	Begin	End	Type	Codon
1	89657	89728	Thr	GGT
2	90998	91070	Trp	CCA
3	100000	100001	Met	GAT
4	100017	100030	Met	GAT
5	296075	296147	Val	TAC
6	296151	296224	Asp	GTC
7	409848	409922	Pro	TGG
8	462141	462214	Arg	CCT
9	672236	672318	Leu	CAA
10	677264	677337	Arg	TCG
11	739403	739486	Leu	CAG
12	781610	781680	Gly	TCC
13	784822	784896	Glu	TTC
14	784922	784994	Lys	TTT
15	836119	836191	Ala	GGC
16	843926	843999	Pro	GGG
17	877400	877473	Arg	ACG
18	1085605	1085676	Gln	TTG
19	1142034	1142118	Ser	TGA
20	1175863	1175944	Leu	TAG
21	1230028	1229942	Ser	CGA
22	1137462	1137389	Val	GAC
23	1030603	1030533	Cys	GCA
24	1000022	999949	His	GTG
25	961607	961536	Gly	GCC
26	807413	807341	Arg	TCT
27	786780	786708	Thr	CGT
28	715971	715889	Leu	TAA
29	708441	708354	Ser	GCT
30	680259	680178	Leu	GAG
31	631445	631373	Phe	GAA
32	626987	626901	Ser	GGA
33	293477	293405	Thr	TGT
34	293399	293317	Tyr	GTA
35	269142	269070	Ala	TGC
36	269065	268992	Ile	GAT
37	164389	164318	Asn	GTT
38	87522	87450	Met	CAT

CGT TGT GGT GAT GAA GAG